

Customer No. 000959

Box 500

Case Docket No. MNI-069CP

A

THE ASSISTANT COMMISSIONER FOR PATENTS
Box Patent Application
Washington, D.C. 20231

"Express Mail" Mailing Label Number EL 266 739 835 US

Date of Deposit September 21, 1999

I hereby certify that this transmittal letter and the papers referred to as being enclosed therein are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Nelson Barros
SignatureNELSON BARROS
Please Print Name of Person SigningJC625 U.S. PTO
09/400492
09/21/99

Sir

Transmitted herewith for filing is the continuation-in-part patent application of

Inventor(s): Kenneth Rhodes and Wenqian An

For: METHODS FOR TREATING CARDIOVASCULAR DISORDERS

Enclosed are:

☒ This is a request for filing a ☒ continuation-in-part ☐ divisional application under 37 CFR 1.53(b), of pending prior application serial no. 09/350,874, filed on July 9, 1999 entitled METHODS FOR TREATING CARDIOVASCULAR DISORDERS.

- ☒ 62 pages of specification, 2 pages of claims, 1 page of abstract.
- ☒ 46 sheets of informal drawings (Figures 1-41).
- ☒ An unexecuted Declaration, Petition and Power of Attorney.
- ☒ 92 pages of sequence listing.
- ☐ An assignment of the invention to _____ . A recordation form cover sheet (Form PTO 1595) is also enclosed.
- ☐ A verified statement to establish small entity status under 37 C.F.R. 1.9 and 37 C.F.R. 1.27.
- ☒ Other Transmittal Letter for Diskette of Sequence Listing; and Diskette of Sequence Listing

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)
FOR:	NO. FILED	NO. EXTRA
BASIC FEE	////////////////////	
TOTAL CLAIMS	64- 20	= 44
INDEP. CLAIMS	9 - 3	= 6
<input checked="" type="checkbox"/> MULTIPLE DEPENDENT CLAIMS PRESENTED		

* If the difference in Col. 2 is less than zero,
enter "0" in Col. 2.

SMALL ENTITY	
RATE	FEE
////////	\$380.00
x 9=	\$
x 39	\$
+130	\$
TOTAL	\$

OTHER THAN SMALL ENTITY	
RATE	FEE
////////	\$760.00
x 18=	\$792.00
x 78	\$468.00
+260	\$260.00
TOTAL	\$2280.00


- ☐ Please charge my Deposit Account No. in the amount of \$.
A duplicate copy of this sheet is enclosed.
- ☒ **FILING FEES ARE NOT BEING PAID AT THIS TIME**
- ☐ A check in the amount of \$ to cover the filing fee is enclosed.

- ☐ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No.
A duplicate copy of this sheet is enclosed.
- ☐ Any additional filing fees required under 37 C.F.R. 1.16.
- ☐ Any patent application processing fees under 37 C.F.R. 1.17.
- ☐ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No.
A duplicate copy of this sheet is enclosed.
- ☐ Any patent application processing fees under 37 C.F.R. 1.17.
- ☐ The issue fee set in 37 C.F.R. 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).
- ☐ Any filing fees under 37 C.F.R. 1.16 for presentation of extra claims.
- ☐ A check in the amount of \$ _____ to cover the recording of assignment documents is also enclosed.
- ☒ Address all future communications (May only be completed by applicant, or attorney or agent of record) to Amy E. Mandragouras at **Customer Number: 000959** whose address is:

Lahive & Cockfield, LLP
28 State Street
Boston, Massachusetts 02109

Date: September 21, 1999

LAHIVE & COCKFIELD, LLP
Attorneys at Law

By 
Amy E. Mandragouras
Reg. No. 36,207
28 State Street
Boston, MA 02109
(617) 227-7400
Telecopier (617) 742-4214

667260" 26400460

METHODS FOR TREATING CARDIOVASCULAR DISORDERS

5 Related Applications

This application claims priority to U.S. provisional Application No. 60/110,033, filed on November 25, 1998, U.S. provisional Application No. 60/109,333, filed on November 20, 1998, U.S. provisional Application No. 60/110,277, filed on November 30, 1998, U.S. Patent Application No.: 09/298,731, filed on April 23, 1999, U.S. Patent Application No.: 09/350,614, filed on July 9, 1999, and U.S. Patent Application No.: 09/350,874, filed on July 9, 1999, incorporated herein in their entirety by this reference.

Background of the Invention

15 Mammalian cell membranes are important to the structural integrity and activity of many cells and tissues. Of particular interest in membrane physiology is the study of trans-membrane ion channels which act to directly control a variety of pharmacological, physiological, and cellular processes. Numerous ion channels have been identified including calcium, sodium, and potassium channels, each of which have been investigated to determine their roles in vertebrate and insect cells.

20 Because of their involvement in maintaining normal cellular homeostasis, much attention has been given to potassium channels. A number of these potassium channels open in response to changes in the cell membrane potential. Many voltage-gated potassium channels have been identified and characterized by their electrophysiological and pharmacological properties. Potassium currents are more diverse than sodium or calcium currents and are further involved in determining the response of a cell to external stimuli.

25 The diversity of potassium channels and their important physiological role highlights their potential as targets for developing therapeutic agents for various diseases. One of the best characterized classes of potassium channels are the voltage-gated potassium channels. The prototypical member of this class is the protein encoded by the Shaker gene 30 in *Drosophila melanogaster*. Proteins of the Shal or Kv4 family are a type of voltage-gated potassium channels that underlies many of the native A type currents that have been recorded from different primary cells. Kv4 channels have a major role in the repolarization of cardiac action potentials. In neurons, Kv4 channels and the A currents they may comprise play an important role in modulation of firing rate, action potential initiation and 35 in controlling dendritic responses to synaptic inputs.

The Kv family of channels includes, among others: (1) the delayed-rectifier potassium channels, which repolarize the membrane after each action potential to prepare the cell to fire again; and (2) the rapidly inactivating (A-type) potassium channels, which are

active predominantly at subthreshold voltages and act to reduce the rate at which excitable cells reach firing threshold. In addition to being critical for action potential conduction, Kv channels also control the response to depolarizing, e.g., synaptic, inputs and play a role in neurotransmitter release. As a result of these activities, voltage-gated

5 potassium channels are key regulators of neuronal excitability (Hille B., *Ionic Channels of Excitable Membranes*, Second Edition, Sunderland, MA: Sinauer, (1992)).

There is tremendous structural and functional diversity within the Kv potassium channel superfamily. This diversity is generated both by the existence of multiple genes and by alternative splicing of RNA transcripts produced from the same gene. Nonetheless, the

10 amino acid sequences of the known Kv potassium channels show high similarity. All appear to be comprised of four, pore forming α -subunits and some are known to have four cytoplasmic (β -subunit) polypeptides (Jan L.Y. et al. (1990) *Trends Neurosci* 13:415-419, and Pongs, O. et al. (1995) *Sem Neurosci*. 7:137-146). The known Kv channel α -subunits fall into four sub-families named for their homology to channels first isolated from

15 *Drosophila*: the Kv1, or *Shaker*-related subfamily; the Kv2, or *Shab*-related subfamily; the Kv3, or *Shaw*-related subfamily; and the Kv4, or *Shal*-related subfamily.

Kv4.2 and Kv4.3 are examples of Kv channel α -subunits of the *Shal*-related subfamily. Kv4.3 has a unique neuroanatomical distribution in that its mRNA is highly expressed in brainstem monoaminergic and forebrain cholinergic neurons, where it is

20 involved in the release of the neurotransmitters dopamine, norepinephrine, serotonin, and acetylcholine. This channel is also highly expressed in cortical pyramidal cells and in interneurons. (Serdio P. et al. (1996) *J. Neurophys* 75:2174-2179). Interestingly, the Kv4.3 polypeptide is highly expressed in neurons which express the corresponding mRNA. The Kv4.3 polypeptide is expressed in the somatodendritic membranes of these cells, where it is

25 thought to contribute to the rapidly inactivating K⁺ conductance. Kv4.2 mRNA is widely expressed in brain, and the corresponding polypeptide also appears to be concentrated in somatodendritic membranes where it also contributes to the rapidly inactivating K⁺ conductance (Sheng et al. (1992) *Neuron* 9:271-84). These somatodendritic A-type Kv channels, like Kv4.2 and Kv4.3 are likely involved in processes which underlie learning and

30 memory, such as integration of sub-threshold synaptic responses and the conductance of back-propagating action potentials (Hoffman D.A. et al. (1997) *Nature* 387:869-875).

Thus, proteins which interact with and modulate the activity of potassium channel proteins e.g., potassium channels having a Kv4.2 or Kv4.3 subunit, provide novel molecular targets to modulate neuronal excitability, e.g., action potential conduction, somatodendritic

35 excitability and neurotransmitter release, in cells expressing these channels. In addition, detection of genetic lesions in the gene encoding these proteins could be used to diagnose and treat cardiovascular disorders such as heart failure, hypertension, atrial fibrillation, dilated cardiomyopathy, idiopathic cardiomyopathy, or angina.

A. Summary of the Invention	-3-
B. Brief Description of the Drawings	-4-
C. Detailed Description of the Invention	-8-
I. Screening Assays	-17-
II. Predictive Medicine	-24-
1. Diagnostic Assays	-25-
2. Prognostic Assays	-26-
3. Monitoring of Effects During Clinical Trials	-31-
III. Methods of Treatment	-32-
1. Prophylactic Methods	-33-
2. Therapeutic Methods	-33-
3. Pharmacogenomics	-40-
D. Examples	-42-

Summary of the Invention

The present invention is based, at least in part, on the discovery of novel nucleic acid molecules which encode gene products that interact with potassium channel proteins or possess substantial homology to the gene products of the invention that interact with potassium channel proteins (paralogs). Potassium channel proteins are, for example, potassium channels having a Kv4.2 or Kv4.3 subunit. The nucleic acid molecules of the invention and their gene products are referred to herein as "Potassium Channel Interacting Proteins", "PCIP", or "KCHIP" nucleic acid and protein molecules. The PCIP molecules of the present invention are useful as modulating agents to regulate a variety of cellular processes, in particular, cardiac cell processes.

Accordingly, in one aspect, this invention provides a method for identifying a compound suitable for treating a cardiovascular disorder, e.g., arteriosclerosis, ischemia reperfusion injury, restenosis, arterial inflammation, vascular wall remodeling, ventricular remodeling, rapid ventricular pacing, coronary microembolism, tachycardia, bradycardia, pressure overload, aortic bending, coronary artery ligation, vascular heart disease, atrial fibrillation or congestive heart failure, by contacting a PCIP polypeptide or a fragment thereof, or a cell expressing a PCIP polypeptide or a fragment thereof with a test compound and determining whether the PCIP polypeptide or fragment thereof binds to the test compound, thereby identifying a compound suitable for treating a cardiovascular disorder. In a preferred embodiment, the binding of the test compound to the PCIP polypeptide or fragment thereof is detected by direct detection of test compound/polypeptide binding. In another embodiment, the binding of the test compound to the PCIP polypeptide or fragment thereof is detected by using a competition binding assay. In yet another embodiment, the

binding of the test compound to the PCIP polypeptide or fragment thereof is detected by using an assay for PCIP activity.

In another aspect, the invention features a method for identifying a compound suitable for treating a cardiovascular disorder, e.g., arteriosclerosis, ischemia reperfusion injury, restenosis, arterial inflammation, vascular wall remodeling, ventricular remodeling, rapid ventricular pacing, coronary microembolism, tachycardia, bradycardia, pressure overload, aortic bending, coronary artery ligation, vascular heart disease, atrial fibrillation or congestive heart failure, by incubating a cell expressing a potassium channel comprising a Kv4.3 or Kv4.2 subunit, or a fragment of a potassium channel comprising a Kv4.3 or Kv4.2 subunit, and a PCIP polypeptide or fragment thereof, in the presence and absence of a candidate compound; and determining whether the presence of the candidate compound modulates the interaction of the potassium channel or fragment thereof with the PCIP polypeptide or fragment thereof, thereby identifying a compound suitable for treating a cardiovascular disorder.

In yet another aspect, the invention features a method for treating a cardiovascular disorder by contacting a potassium channel with an effective amount of a compound that modulates the binding of a PCIP protein to the potassium channel.

In a further aspect, the invention features a method for determining if a subject is at risk for a cardiovascular disorder by detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes a mutated PCIP polypeptide to be produced, an alteration in a PCIP gene which causes abnormal expression of a PCIP polypeptide, or an alteration in a PCIP gene which causes abnormal processing of a PCIP polypeptide.

In another aspect, the invention features a method for identifying a subject suffering from a cardiovascular disorder by detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes a mutated PCIP polypeptide to be produced, an alteration in a PCIP gene which causes abnormal expression of a PCIP polypeptide, or an alteration in a PCIP gene which causes abnormal processing of a PCIP polypeptide.

In a preferred embodiment, the cardiovascular disorder is associated with an abnormal I_{to} current.

Other features and advantages of the invention will be apparent from the following detailed description and claims.

Brief Description of the Drawings

Figure 1 depicts the cDNA sequence and predicted amino acid sequence of human 1v. The nucleotide sequence corresponds to nucleic acids 1 to 1463 of SEQ ID NO:1. The amino acid sequence corresponds to amino acids 1 to 216 of SEQ ID NO:2.

Figure 2 depicts the cDNA sequence and predicted amino acid sequence of rat 1v. The nucleotide sequence corresponds to nucleic acids 1 to 1856 of SEQ ID NO:3. The amino acid sequence corresponds to amino acids 1 to 245 of SEQ ID NO:4.

Figure 3 depicts the cDNA sequence and predicted amino acid sequence of mouse 1v. The nucleotide sequence corresponds to nucleic acids 1 to 1907 of SEQ ID NO:5. The amino acid sequence corresponds to amino acids 1 to 216 of SEQ ID NO:6.

Figure 4 depicts the cDNA sequence and predicted amino acid sequence of rat 1vl. The nucleotide sequence corresponds to nucleic acids 1 to 1534 of SEQ ID NO:7. The amino acid sequence corresponds to amino acids 1 to 227 of SEQ ID NO:8.

Figure 5 depicts the cDNA sequence and predicted amino acid sequence of mouse 1vl. The nucleotide sequence corresponds to nucleic acids 1 to 1540 of SEQ ID NO:9. The amino acid sequence corresponds to amino acids 1 to 227 of SEQ ID NO:10.

Figure 6 depicts the cDNA sequence and predicted amino acid sequence of rat 1vn. The nucleotide sequence corresponds to nucleic acids 1 to 955 of SEQ ID NO:11. The amino acid sequence corresponds to amino acids 1 to 203 of SEQ ID NO:12.

Figure 7 depicts the cDNA sequence and predicted amino acid sequence of human 9ql. The nucleotide sequence corresponds to nucleic acids 1 to 2009 of SEQ ID NO:13. The amino acid sequence corresponds to amino acids 1 to 270 of SEQ ID NO:14.

Figure 8 depicts the cDNA sequence and predicted amino acid sequence of rat 9ql. The nucleotide sequence corresponds to nucleic acids 1 to 1247 of SEQ ID NO:15. The amino acid sequence corresponds to amino acids 1 to 257 of SEQ ID NO:16.

Figure 9 depicts the cDNA sequence and predicted amino acid sequence of mouse 9ql. The nucleotide sequence corresponds to nucleic acids 1 to 2343 of SEQ ID NO:17. The amino acid sequence corresponds to amino acids 1 to 270 of SEQ ID NO:18.

Figure 10 depicts the cDNA sequence and predicted amino acid sequence of human 9qm. The nucleotide sequence corresponds to nucleic acids 1 to 1955 of SEQ ID NO:19. The amino acid sequence corresponds to amino acids 1 to 252 of SEQ ID NO:20.

Figure 11 depicts the cDNA sequence and predicted amino acid sequence of rat 9qm. The nucleotide sequence corresponds to nucleic acids 1 to 2300 of SEQ ID NO:21. The amino acid sequence corresponds to amino acids 1 to 252 of SEQ ID NO:22.

Figure 12 depicts the cDNA sequence and predicted amino acid sequence of human 9qs. The nucleotide sequence corresponds to nucleic acids 1 to 1859 of SEQ ID NO:23. The amino acid sequence corresponds to amino acids 1 to 220 of SEQ ID NO:24.

Figure 13 depicts the cDNA sequence and predicted amino acid sequence of monkey 9qs. The nucleotide sequence corresponds to nucleic acids 1 to 2191 of SEQ ID NO:25. The amino acid sequence corresponds to amino acids 1 to 220 of SEQ ID NO:26.

040049 06400460

Figure 14 depicts the cDNA sequence and predicted amino acid sequence of rat 9qc. The nucleotide sequence corresponds to nucleic acids 1 to 2057 of SEQ ID NO:27. The amino acid sequence corresponds to amino acids 1 to 252 of SEQ ID NO:28.

Figure 15 depicts the cDNA sequence and predicted amino acid sequence of rat 8t.

- 5 The nucleotide sequence corresponds to nucleic acids 1 to 1904 of SEQ ID NO:29. The amino acid sequence corresponds to amino acids 1 to 225 of SEQ ID NO:30.

Figure 16 depicts the cDNA sequence and predicted amino acid sequence of human p19. The nucleotide sequence corresponds to nucleic acids 1 to 619 of SEQ ID NO:31. The amino acid sequence corresponds to amino acids 1 to 200 of SEQ ID NO:32.

- 10 *Figure 17* depicts the cDNA sequence and predicted amino acid sequence of rat p19. The nucleotide sequence corresponds to nucleic acids 1 to 442 of SEQ ID NO:33. The amino acid sequence corresponds to amino acids 1 to 109 of SEQ ID NO:34.

Figure 18 depicts the cDNA sequence and predicted amino acid sequence of mouse p19. The nucleotide sequence corresponds to nucleic acids 1 to 2644 of SEQ ID NO:35.

- 15 The amino acid sequence corresponds to amino acids 1 to 256 of SEQ ID NO:36.

Figure 19 depicts the cDNA sequence and predicted amino acid sequence of human W28559. The nucleotide sequence corresponds to nucleic acids 1 to 380 of SEQ ID NO:37. The amino acid sequence corresponds to amino acids 1 to 126 of SEQ ID NO:38.

- 20 *Figure 20* depicts the cDNA sequence and predicted amino acid sequence of human P193. The nucleotide sequence corresponds to nucleic acids 1 to 2176 of SEQ ID NO:39. The amino acid sequence corresponds to amino acids 1 to 41 of SEQ ID NO:40.

Figure 21 depicts a schematic representation of the rat 1v, the rat 9qm, and the mouse P19 proteins, aligned to indicate the conserved domains among these proteins.

- 25 *Figure 22* depicts the genomic DNA sequence of human 9q. *Figure 22A* depicts exon 1 and its flanking intron sequences (SEQ ID NO:46). *Figure 22B* depicts exons 2-11 and the flanking intron sequences (SEQ ID NO:47).

Figure 23 depicts the cDNA sequence and predicted amino acid sequence of monkey KChIP4a. The nucleotide sequence corresponds to nucleic acids 1 to 2413 of SEQ ID NO:48. The amino acid sequence corresponds to amino acids 1 to 233 of SEQ ID NO:49.

- 30 *Figure 24* depicts the cDNA sequence and predicted amino acid sequence of monkey KChIP4b. The nucleotide sequence corresponds to nucleic acids 1 to 1591 of SEQ ID NO:50. The amino acid sequence corresponds to amino acids 1 to 233 of SEQ ID NO:51.

- 35 *Figure 25* depicts an alignment of KChIP4a, KchIP4b, 9ql, 1v, p19, and related human paralog (hsncspara) W28559. Amino acids identical to the consensus are shaded in black, conserved amino acids are shaded in gray.

Figure 26 depicts the cDNA sequence and predicted amino acid sequence of rat 33b07. The nucleotide sequence corresponds to nucleic acids 1 to 2051 of SEQ ID NO:52. The amino acid sequence corresponds to amino acids 1 to 407 of SEQ ID NO:53.

05400493-092190

Figure 28 depicts the cDNA sequence and predicted amino acid sequence of rat 1p.

Figure 29 depicts the cDNA sequence and predicted amino acid sequence of rat 7s. The nucleotide sequence corresponds to nucleic acids 1 to 2929 of SEQ ID NO:58. The amino acid sequence corresponds to amino acids 1 to 270 of SEQ ID NO:59.

Figure 31 depicts the cDNA sequence of rat 25r. The nucleotide sequence corresponds to nucleic acids 1 to 1194 of SEQ ID NO:62.

Figure 33 depicts the cDNA sequence and predicted amino acid sequence of rat 7q. The nucleotide sequence corresponds to nucleic acids 1 to 639 of SEQ ID NO:65. The amino acid sequence corresponds to amino acids 1 to 212 of SEQ ID NO:66.

Figure 35 depicts the cDNA sequence and predicted amino acid sequence of monkey KChIP4c. The nucleotide sequence corresponds to nucleic acids 1 to 2263 of SEQ ID NO:69. The amino acid sequence corresponds to amino acids 1 to 229 of SEQ ID NO:70.

Figure 36 depicts the cDNA sequence and predicted amino acid sequence of monkey KChIP4d. The nucleotide sequence corresponds to nucleic acids 1 to 2259 of SEQ ID NO:71. The amino acid sequence corresponds to amino acids 1 to 250 of SEQ ID NO:72.

Figure 38 depicts a graph showing the current traces from CHO cells which express Kv4.2 with or without KChIP2 (9ql). Cells are voltage clamped at -80 mV and stepped from -60 mV to +50 mV for 200ms. Peak current amplitudes at the various test voltages are shown in the right panel. *Figure 38* further depicts a table showing the amplitude and kinetic effects of KChIP2 (9ql) on Kv4.2. KchIP2 expression alters the peak current amplitude, inactivation and recovery from inactivation time constants, and activation $V_{1/2}$.

Figure 39 depicts a graph showing the current traces from CHO cells which express Kv4.2 with or without KChIP3 (p19). Cells are voltage clamped at -80 mV and stepped

from -60 mV to +50 mV for 200ms. Peak current amplitudes at the various test voltages are shown in the right panel. *Figure 39* further depicts a table showing the amplitude and kinetic effects of KchIP3 (p19) on Kv4.2. KchIP3 causes alterations in peak current and inactivation and recovery from inactivation time constants.

5 *Figure 40* depicts results from electrophysiological experiments demonstrating that coexpression of KChIP1 dramatically alters the current density and kinetics of Kv4.2 channels expressed in CHO cells.

Figure 40A depicts current traces from a Kv4.2 transfected CHO cell. Current was evoked by depolarizing the cell sequentially from a holding potential of -80 mV to test potentials from -60 to 50 mV. Current traces are leak subtracted using a p/5 protocol. The current axis is shown at the same magnification as in (b) to emphasize the change in current amplitudes. Inset- Single current trace at 50mV at an expanded current axis to show the kinetics of current activation and inactivation.

15 *Figure 40B* depicts current traces as in (a), but from a cell transfected with equal amounts of DNA for Kv4.2 and KChIP1.

Figure 40C depicts peak current amplitude at all voltages from cells transfected with Kv4.2 alone (n=11) or cotransfected with KChIP1 (n=9).

20 *Figures 40D and 40E* depict recovery from inactivation using a two pulse protocol. Kv4.2 alone (D) or coexpressed with KChIP1 (E) is driven into the inactivated state using a first pulse to 50 mV, then a second pulse to 50 mV is applied at varying times after the first pulse. Holding potential is -80 mV before and after all pulses.

Figure 40F depicts a summary of the percentage the peak current recovers between pulses for Kv4.2 (n=8) and Kv4.2 plus KChIP1 (n=5) transfected cells. The time constant of recovery from inactivation is fit to a single exponential.

25 *Figure 41* depicts an alignment of human KChIP family members with closely related members of the recoverin family of Ca²⁺ sensing proteins. (HIP:human hippocalcin; NCS1:rat neuronal calcium sensor 1). The alignment was performed using the MegAlign program for Macintosh (version 4.00 from DNASTAR) using the Clustal method with the PAM250 residue weight table and default parameters, and shaded using
30 BOXSHADES. Residues identical to the consensus are shaded black, conservative substitutions are shaded grey. X, Y, Z and -X, -Y, -Z denote the positions of residues which are responsible for binding to the calcium ion in the EF hand.

Detailed Description of the Invention

35 The present invention is based, at least in part, on the discovery of novel nucleic acid molecules which encode gene products that interact with potassium channel proteins or possess substantial homology to the gene products of the invention that interact with potassium channel proteins (paralogs). Potassium channel proteins are, for example,

potassium channels having a Kv4.2 or Kv4.3 subunit. The nucleic acid molecules of the invention and their gene products are referred to herein as "Potassium Channel Interacting Proteins" "PCIP", or "KChIP" nucleic acid and protein molecules. The PCIP proteins of the present invention bind to and modulate a potassium channel mediated activity in a cell, e.g., a cardiac cell. Kv4 potassium channels, e.g., potassium channels having a Kv4.2 or Kv4.3 subunit, underlie the voltage-gated K⁺ current known as I_{to} (transient outward current) in the mammalian heart (Kaab S. *et al.* (1998) *Circulation* 98(14):1383-93; Dixon J.E. *et al.* (1996) *Circulation Research* 79(4):659-68; Nerbonne JM (1998) *Journal of Neurobiology* 37(1):37-59; Barry D.M. *et al.* (1998) *Circulation Research* 83(5):560-7; Barry D.M. *et al.* (1996) *Annual Review of Physiology* 58:363-94. This current underlies the rapid repolarization of cardiac myocytes during an action potential. It also participates in the inter-beat interval by controlling the rate at which cardiac myocytes reach the threshold for firing a subsequent action potential.

This current is also known to be down regulated in patients with cardiac hypertrophy, resulting in prolongation of the cardiac action potential. In these patients, action potential prolongation is thought to produce changes in calcium load and calcium handling within the myocardium, which contributes to the progression of cardiac disease from hypertrophy to heart failure (Wickenden *et al.* (1998) *Cardiovascular Research* 37:312). Interestingly, several PCIPs of the present invention (e.g., 9ql, 9qm, 9qs, shown in SEQ ID NOs:13, 15, 17, 19, 21, 23, and 25) bind to and modulate potassium channels containing a Kv4.2 or Kv4.3 subunit and contain calcium binding EF-hand domains. Because of mutations in these PCIP genes, defects in the expression of these calcium-binding PCIP proteins themselves, or defects in the interaction between these PCIPs and Kv4.2 or Kv4.3 channels, might be expected to lead to decreases in KV4.3 or Kv4.3(I_m) currents in the myocardium, therapeutic agents that alter PCIP expression or modulate the interaction between these PCIPs and Kv4.2 or Kv4.3 may be extremely valuable agents to slow or prevent the progression of disease from hypertrophy to heart failure.

Accordingly, in one aspect, this invention provides a method for identifying a compound suitable for treating a cardiovascular disorder by contacting a PCIP polypeptide, or a cell expressing a PCIP polypeptide with a test compound and determining whether the PCIP polypeptide binds to the test compound, thereby identifying a compound suitable for treating a potassium channel associated disorder such as a cardiovascular disorder. As used herein, a "potassium channel associated disorder" includes a disorder, disease or condition which is characterized by a misregulation of a potassium channel mediated activity.

Potassium channel associated disorders can, for example, detrimentally affect the generation and distribution of electrical impulses that stimulate the cardiac muscle fibers to contract. Examples of potassium channel associated disorders include cardiovascular disorders such as arteriosclerosis, ischemia reperfusion injury, restenosis, arterial inflammation, vascular

5 wall remodeling, ventricular remodeling, rapid ventricular pacing, coronary microembolism, tachycardia, bradycardia, pressure overload, aortic bending, coronary artery ligation, vascular heart disease, atrial fibrillation, long-QT syndrome, congestive heart failure, sinus node dysfunction, angina, heart failure, hypertension, atrial fibrillation, atrial flutter, dilated cardiomyopathy, idiopathic cardiomyopathy, myocardial infarction, coronary artery disease, coronary artery spasm, or arrhythmia. In a preferred embodiment, the cardiovascular disorder is associated with an abnormal I_{to} current.

10 In a preferred embodiment, the binding of the test compound to the PCIP polypeptide is detected by direct detection of test compound/polypeptide binding. In another embodiment, the binding of the test compound to the PCIP polypeptide is detected by using a competition binding assay. In yet another embodiment, the binding of the test compound to the PCIP polypeptide is detected by using an assay for PCIP activity. As used interchangeably herein, a "PCIP activity", "biological activity of PCIP" or "functional activity of PCIP", refers to an activity exerted by a PCIP protein, polypeptide or nucleic acid molecule on a PCIP responsive cell or on a PCIP protein substrate, as determined *in vivo*, or *in vitro*, according to standard techniques. In one embodiment, a PCIP activity is a direct activity, such as an association with a PCIP-target molecule. As used herein, a "target molecule" or "binding partner" is a molecule with which a PCIP protein binds or interacts in nature, such that PCIP-mediated function is achieved. A PCIP target molecule can be a non-PCIP molecule or a PCIP protein or polypeptide. In an exemplary embodiment, a PCIP target molecule is a PCIP ligand. Alternatively, a PCIP activity is an indirect activity, such as a cellular signaling activity mediated by interaction of the PCIP protein with a PCIP ligand.

25 The biological activities of PCIP are described herein. For example, the binding of the test compound to the PCIP polypeptide is detected by using an assay for one or more of the following activities: (1) interaction with (e.g., binding to) a potassium channel protein or portion thereof, e.g., a potassium channel comprising a Kv4.3 or Kv4.2 subunit; (2) regulation of the phosphorylation state of a potassium channel protein or portion thereof; (3) association with (e.g., binding to) calcium and acting as a calcium dependent kinase; (4) modulation of a potassium channel mediated activity in a cell (e.g., a cardiac cell such as a pericardial cell, a myocardial cell, or an endocardial cell); (5) modulation of chromatin formation in a cell, e.g., a cardiac cell; (6) modulation of vesicular traffic and protein transport in a cell, e.g., a cardiac cell; (7) modulation of cytokine signaling in a cell, e.g., a cardiac cell; (8) regulation of the association of a potassium channel protein or portion thereof with the cellular cytoskeleton; (9) modulation of cellular proliferation; (10) modulation of the release of neurotransmitters; (11) modulation of membrane excitability; (12) influencing the resting potential of membranes; (13) modulation of wave forms and frequencies of action potentials; and (14) modulation of thresholds of excitation.

In another aspect, the invention features a method for identifying a compound suitable for treating a cardiovascular disorder by incubating a cell expressing a potassium channel or a fragment thereof, and a PCIP polypeptide, in the presence and absence of a candidate compound; and determining whether the presence of the candidate compound modulates the interaction of the potassium channel or fragment thereof with the PCIP polypeptide, thereby identifying a compound suitable for treating a cardiovascular disorder. As used herein, a "potassium channel" includes a protein or polypeptide that is involved in receiving, conducting, and transmitting signals in an excitable cell. Potassium channels are typically expressed in electrically excitable cells, e.g., neurons, cardiac, skeletal and smooth muscle, renal, endocrine, and egg cells, and can form heteromultimeric structures, e.g., composed of pore-forming and cytoplasmic subunits. Examples of potassium channels include: (1) the voltage-gated potassium channels, (2) the ligand-gated potassium channels, and (3) the mechanically-gated potassium channels. For a detailed description of potassium channels, see Kandel E.R. et al., Principles of Neural Science, second edition, (Elsevier Science Publishing Co., Inc., N.Y. (1985)), the contents of which are incorporated herein by reference. The PCIP proteins of the present invention have been shown to interact with, for example, potassium channels having a Kv4.3 subunit or a Kv4.2 subunit.

In yet another aspect, the invention features a method for treating a cardiovascular disorder by contacting a potassium channel with an effective amount of a compound that modulates the binding of a PCIP protein to the potassium channel.

In a further aspect, the invention features a method for determining if a subject is at risk for a cardiovascular disorder by detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes a mutated PCIP polypeptide to be produced, an alteration in a PCIP gene which causes abnormal expression of a PCIP polypeptide, or an alteration in a PCIP gene which causes abnormal processing of a PCIP polypeptide.

In another aspect, the invention features a method for identifying a subject suffering from a cardiovascular disorder by detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes a mutated PCIP polypeptide to be produced, an alteration in a PCIP gene which causes abnormal expression of a PCIP polypeptide, or an alteration in a PCIP gene which causes abnormal processing of a PCIP polypeptide.

The PCIP molecules of the present invention were initially identified based on their ability, as determined using yeast two-hybrid assays (described in detail in Example 1), to interact with the amino-terminal 180 amino acids of rat Kv4.3 subunit. Further binding studies with other potassium subunits were performed to demonstrate specificity of the PCIP for Kv4.3 and Kv4.2. *In situ* localization, immuno-histochemical methods, co-immunoprecipitation and patch clamping methods were then used to clearly demonstrate that the PCIPs of the present invention interact with and modulate the activity of potassium channels, particularly those comprising a 4.3 or 4.2 subunit.

Several novel human, mouse, monkey, and rat PCIP family members have been identified, referred to herein as 1v, 9q, p19, W28559, KChIP4, 33b07, 1p, and rat 7s proteins and nucleic acid molecules. The human, rat, and mouse cDNAs encoding the 1v polypeptide are represented by SEQ ID NOs:1, 3, and 5, and shown in Figures 1, 2, and 3, respectively. In the brain, 1v mRNA is highly expressed in neocortical and hippocampal interneurons, in the thalamic reticular nucleus and medial habenula, in basal forebrain and striatal cholinergic neurons, in the superior colliculus, and in cerebellar granule cells. The 1v polypeptide is highly expressed in the somata, dendrites, axons and axon terminals of cells that express 1v mRNA. Splice variants of the 1v gene have been identified in rat and mouse and are represented by SEQ ID NOs: 7, 9, and 11 and shown in Figures 4, 5, and 6, respectively. 1v polypeptide interacts with potassium channels comprising Kv4.3 or kv4.2 subunits, but not with Kv1.1 subunits. As determined by Northern blot, the 1v transcripts (mRNA) are expressed predominantly in the brain

The 8t cDNA (SEQ ID NO: 29) encodes a polypeptide having a molecular weight of approximately 26 kD corresponding to SEQ ID NO:30 (see Figure 15). The 8t polypeptide interacts with potassium channel comprising Kv4.3 or Kv4.2 subunits, but not with Kv1.1 subunits. As determined by Northern blot and *in situ* data, the 8t mRNA is expressed predominantly in the heart and the brain. The 8t cDNA is a splice variant of 9q.

Human, rat, monkey, and mouse 9q cDNA was also isolated. Splice variants include human 9ql (SEQ ID NO:13; Figure 7) rat 9ql (SEQ ID NO:15; Figure 8), mouse 9ql (SEQ ID NO:17; Figure 9), human 9qm (SEQ ID NO:19; Figure 10), rat 9qm (SEQ ID NO:21; Figure 11), human 9qs (SEQ ID NO:23; Figure 12), monkey 9qs (SEQ ID NO:25; Figure 13), and rat 9qc (SEQ ID NO:27; Figure 14). The genomic DNA sequence of 9q has also been determined. Exon 1 and its flanking intron sequences (SEQ ID NO:46) are shown in Figure 22A. Exons 2-11 and the flanking intron sequences (SEQ ID NO:47) are shown in Figure 22B. 9q polypeptides interact with potassium channels comprising Kv4.3 or Kv4.2 subunits, but not with Kv1.1 subunits. As determined by Northern blot and *in situ* data, the 9q proteins are expressed predominantly in the heart and the brain. In the brain, 9q mRNA is highly expressed in the neostriatum, hippocampal formation, neocortical pyramidal cells and interneurons, and in the thalamus, superior colliculus, and cerebellum.

Human, rat, and mouse P19 cDNA were also isolated. Human P19 is shown in SEQ ID NO:31 and Figure 16; and in SEQ ID NO:39 and Figure 20 (the 3' sequence). Rat P19 is shown in SEQ ID NO:33 and Figure 17, and mouse P19 is shown in SEQ ID NO:35 and Figure 18. P19 polypeptides interact with potassium channels comprising Kv4.3 or Kv4.2 subunits, but not with Kv1.1 subunits. As determined by Northern blot analysis, the P19 transcripts (mRNA) are expressed predominantly in the brain and to a much lesser degree in the heart.

A partial human paralog of the PCIP molecules was also identified. This paralog is referred to herein as W28559 and is shown in SEQ ID NO:37 and Figure 19.

Monkey KChIP4a and its splice variants KChIP4b, KChIP4c, and KChIP4d were also identified. Monkey KChIP4a is shown in SEQ ID NO:48 and Figure 23. Monkey KChIP4b is shown in SEQ ID NO:50 and Figure 24. Monkey KChIP4c is shown in SEQ ID NO:69 and Figure 35. Monkey KChIP4d is shown in SEQ ID NO:71 and Figure 36.

The nucleotide sequence of the full length rat 33b07 cDNA and the predicted amino acid sequence of the rat 33b07 polypeptide are shown in Figure 26 and in SEQ ID NOs:52 and 53, respectively. The rat 33b07 cDNA encodes a protein having a molecular weight of approximately 44.7 kD and which is 407 amino acid residues in length. Rat 33b07 binds rKv4.3N and rKv4.2N with slight preference for rKv4.2N in yeast 2-hybrid assays.

The nucleotide sequence of the full length human 33b07 cDNA and the predicted amino acid sequence of the human 33b07 polypeptide are shown in Figure 27 and in SEQ ID NOs:54 and 55, respectively.

The nucleotide sequence of the partial length rat 1p cDNA and the predicted amino acid sequence of the rat 1p polypeptide are shown in Figure 28 and in SEQ ID NOs:56 and 57, respectively. The rat 1p cDNA encodes a protein having a molecular weight of approximately 28.6 kD and which is 267 amino acid residues in length. Rat 1p binds rKv4.3N and rKv4.2N with slight preference for rKv4.3N in yeast two-hybrid assays.

The nucleotide sequence of the partial length rat 7s cDNA and the predicted amino acid sequence of the rat 7s polypeptide are shown in Figure 29 and in SEQ ID NOs:58 and 59, respectively. The rat 7s cDNA encodes a protein having a molecular weight of approximately 28.6 kD and which is 270 amino acid residues in length. Rat 7s binds rKv4.3N and rKv4.2N with preference for rKv4.3N in yeast two-hybrid assays.

The sequences of the PCIP molecules used in the methods of the present invention are summarized below, in Tables I and II.

Table I

PCIP Molecules Used in the Methods of the Present Invention

PCIP	Nucleic Acid Molecule Form	Source	SEQ ID NO: DNA	SEQ ID NO: PROTEIN	ATCC
1v or KChIP1	1v	human (225-875)*	1	2	98994

	1v	rat (210-860)	3	4	98946
	1v	mouse (477-1127)	5	6	98945
	1vl	rat (31-714)	7	8	98942
	1vl	mouse (77-760)	9	10	98943
	1vn (partial)	rat (345-955)	11	12	98944
9q or KChIP2	Genomic DNA sequence (Exon 1 and flanking intron sequences)	human	46		
	Genomic DNA sequence (Exons 2-11 and flanking intron sequences)	human	47		
	9ql	human (207-1019)	13	14	98993 98991
	9ql (partial)	rat (2-775)	15	16	98948
	9ql	mouse (181 -993)	17	18	98937
	9qm	human (207-965)	19	20	98993 98991
	9qm	rat (214-972)	21	22	98941
	9qs	human (207-869)	23	24	98951
	9qs	monkey (133-795)	25	26	98950
	9qc	rat (208-966)	27	28	98947

66T260"26400460

	8t (partial)	rat (1-678)	29	30	98939
p19 or KChIP3	p19	Human (1-771)	31	32	PTA-316
	p19 (partial)	rat (1-330)	33	34	98936
	p19	mouse (49-819)	35	36	98940
	p193 (partial)	Human (2-127)	39	40	98949
W28559	W28559 (partial)	human (1-339)	37	38	
KChIP4	KChIP4a	Monkey (265-966)	48	49	
	KChIP4b C-terminal splice variant	Monkey (265-966)	50	51	
	KChIP4c splice variant	Monkey (122-811)	69	70	
	KChIP4d splice variant	Monkey (64-816)	71	72	

* The coordinates of the coding sequence are shown in parenthesis. The first column indicates the PCIPs which were identified and column 2 indicates the various nucleic acid forms identified for each PCIP.

5 Table II

PCIP Molecules Used in the Methods of the Present Invention

PCIP	Nucleic Acid Molecule Form	Source	SEQ ID NO: DNA	SEQ ID NO: PROTEIN	ATCC
33b07 Novel	33b07	Human (88-1332)	52	53	PTA-316
	33b07	Rat (85-1308)	54	55	
1p Novel	1p (partial)	Rat (1-804)	56	57	

7s Novel	7s (partial)	Rat (1-813)	58	59	
29x	29x	Rat (433-1071)	60	61	
	25r splice variant of 29x	Rat (130-768)	62		
5p	5p	Rat (52-339)	63	64	
7q	7q	Rat (1-639)	65	66	
19r	19r	Rat (1-816)	67	68	

* The coordinates of the coding sequence are shown in parenthesis. The first column indicates the four families of PCIPs which were identified and column 2 indicates the various nucleic acid forms identified for each family. Novel molecules are also indicated.

Plasmids containing the nucleotide sequences encoding human, rat and monkey PCIPs were deposited with American Type Culture Collection (ATCC), 10801 University Boulevard, Manassas, VA 20110-2209, on November 17, 1998, and assigned the Accession Numbers described above. These deposits will be maintained under the terms of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purposes of Patent Procedure. These deposits were made merely as a convenience for those of skill in the art and are not an admission that a deposit is required under 35 U.S.C. §112.

Clones containing cDNA molecules encoding human p19 (clone EphP19) and human 33b07 (clone Eph33b07) were deposited with American Type Culture Collection (Manassas, VA) on July 8, 1998 as Accession Number PTA-316, as part of a composite deposit representing a mixture of two strains, each carrying one recombinant plasmid harboring a particular cDNA clone. (The ATCC strain designation for the mixture of hP19 and h33b07 is EphP19h33b07mix).

To distinguish the strains and isolate a strain harboring a particular cDNA clone, an aliquot of the mixture can be streaked out to single colonies on LB plates supplemented with 100 ug/ml ampicillin, single colonies grown, and then plasmid DNA extracted using a standard miniprep procedure. Next, a sample of the DNA miniprep can be digested with NotI and the resultant products resolved on a 0.8% agarose gel using standard DNA electrophoresis conditions. The digest gives the following band patterns: EphP19: 7 kb 9 (single band), Eph33b07: 5.8 kb (single band).

Various aspects of the invention are described in further detail in the following subsections:

I. Screening Assays:

The invention provides a method (also referred to herein as a "screening assay") for identifying modulators, i.e., candidate or test compounds or agents (e.g., peptides, peptidomimetics, small molecules or other drugs) which bind to PCIP proteins, have a stimulatory or inhibitory effect on, for example, PCIP expression or PCIP activity, or have a stimulatory or inhibitory effect on, for example, the expression or activity of a PCIP substrate.

In one embodiment, the invention provides assays for screening candidate or test compounds which are substrates of a PCIP protein or polypeptide or biologically active portion thereof. In another embodiment, the invention provides assays for screening candidate or test compounds which bind to or modulate the activity of a PCIP protein or polypeptide or biologically active portion thereof. The test compounds of the present invention can be obtained using any of the numerous approaches in combinatorial library methods known in the art, including: biological libraries; spatially addressable parallel solid phase or solution phase libraries; synthetic library methods requiring deconvolution; the 'one-bead one-compound' library method; and synthetic library methods using affinity chromatography selection. The biological library approach is limited to peptide libraries, while the other four approaches are applicable to peptide, non-peptide oligomer or small molecule libraries of compounds (Lam, K.S. (1997) *Anticancer Drug Des.* 12:145).

Examples of methods for the synthesis of molecular libraries can be found in the art, for example in: DeWitt *et al.* (1993) *Proc. Natl. Acad. Sci. U.S.A.* 90:6909; Erb *et al.* (1994) *Proc. Natl. Acad. Sci. USA* 91:11422; Zuckermann *et al.* (1994) *J. Med. Chem.* 37:2678; Cho *et al.* (1993) *Science* 261:1303; Carrell *et al.* (1994) *Angew. Chem. Int. Ed. Engl.* 33:2059; Carell *et al.* (1994) *Angew. Chem. Int. Ed. Engl.* 33:2061; and in Gallop *et al.* (1994) *J. Med. Chem.* 37:1233.

Libraries of compounds may be presented in solution (e.g., Houghten (1992) *Biotechniques* 13:412-421), or on beads (Lam (1991) *Nature* 354:82-84), chips (Fodor (1993) *Nature* 364:555-556), bacteria (Ladner USP 5,223,409), spores (Ladner USP '409), plasmids (Cull *et al.* (1992) *Proc Natl Acad Sci USA* 89:1865-1869) or on phage (Scott and Smith (1990) *Science* 249:386-390); (Devlin (1990) *Science* 249:404-406); (Cwirla *et al.* (1990) *Proc. Natl. Acad. Sci.* 87:6378-6382); (Felici (1991) *J. Mol. Biol.* 222:301-310); (Ladner *supra.*).

In one embodiment, an assay is a cell-based assay in which a cell which expresses a PCIP protein or biologically active portion thereof is contacted with a test compound and the

ability of the test compound to modulate PCIP activity, e.g., binding to a potassium channel comprising a Kv4.2 or Kv4.2 subunit, or a portion thereof, is determined. Determining the ability of the test compound to modulate PCIP activity can be accomplished by monitoring, for example, the I_{to} current or the release of a neurotransmitter from a cell which expresses PCIP such as a cardiac cell. Currents in cells, e.g., the I_{to} current, can be measured using the patch-clamp technique as described in the Examples section using the techniques described in, for example, Hamill et al. 1981. Pfluegers Arch. 391: 85-100). The cell, for example, can be of mammalian origin. Determining the ability of the test compound to modulate the ability of PCIP to bind to a substrate can be accomplished, for example, by coupling the PCIP substrate with a radioisotope or enzymatic label such that binding of the PCIP substrate to PCIP can be determined by detecting the labeled PCIP substrate in a complex. For example, compounds (e.g., PCIP substrates) can be labeled with ^{125}I , ^{35}S , ^{14}C , or 3H , either directly or indirectly, and the radioisotope detected by direct counting of radioemmission or by scintillation counting. Alternatively, compounds can be enzymatically labeled with, for example, horseradish peroxidase, alkaline phosphatase, or luciferase, and the enzymatic label detected by determination of conversion of an appropriate substrate to product.

It is also within the scope of this invention to determine the ability of a compound (e.g., PCIP substrate) to interact with PCIP without the labeling of any of the interactants. For example, a microphysiometer can be used to detect the interaction of a compound with PCIP without the labeling of either the compound or the PCIP. McConnell, H. M. et al. (1992) *Science* 257:1906-1912. As used herein, a "microphysiometer" (e.g., Cytosensor) is an analytical instrument that measures the rate at which a cell acidifies its environment using a light-addressable potentiometric sensor (LAPS). Changes in this acidification rate can be used as an indicator of the interaction between a compound and PCIP.

In another embodiment, an assay is a cell-based assay comprising contacting a cell expressing a PCIP target molecule (e.g., a potassium channel comprising a Kv4.2 or Kv4.2 subunit, or a portion thereof, is determined. Determining the ability of the test compound to modulate, or a fragment thereof) with a test compound and determining the ability of the test compound to modulate (e.g., stimulate or inhibit) the activity of the PCIP target molecule. Determining the ability of the test compound to modulate the activity of a PCIP target molecule can be accomplished, for example, by determining the ability of the PCIP protein to bind to or interact with the PCIP target molecule, e.g., a potassium channel or a fragment thereof.

Determining the ability of the PCIP protein or a biologically active fragment thereof, to bind to or interact with a PCIP target molecule can be accomplished by one of the methods described above for determining direct binding. In a preferred embodiment, determining the ability of the PCIP protein to bind to or interact with a PCIP target molecule

can be accomplished by determining the activity of the target molecule. For example, the activity of the target molecule can be determined by detecting induction of a cellular second messenger of the target (i.e., intracellular Ca^{2+} , diacylglycerol, IP_3 , and the like), detecting catalytic/enzymatic activity of the target an appropriate substrate, detecting the induction of a reporter gene (comprising a target-responsive regulatory element operatively linked to a nucleic acid encoding a detectable marker, e.g., luciferase), or detecting a target-regulated cellular response such as the release of a neurotransmitter.

In yet another embodiment, an assay of the present invention is a cell-free assay in which a PCIP protein or biologically active portion thereof is contacted with a test compound and the ability of the test compound to bind to the PCIP protein or biologically active portion thereof is determined. Preferred biologically active portions of the PCIP proteins to be used in assays of the present invention include fragments which participate in interactions with non-PCIP molecules, e.g., potassium channels comprising a Kv4.2 or Kv4.2 subunit, or a portion thereof, is determined. Determining the ability of the test compound to modulate, or fragments thereof, or fragments with high surface probability scores. Binding of the test compound to the PCIP protein can be determined either directly or indirectly as described above. In a preferred embodiment, the assay includes contacting the PCIP protein or biologically active portion thereof with a known compound which binds PCIP to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with a PCIP protein, wherein determining the ability of the test compound to interact with a PCIP protein comprises determining the ability of the test compound to preferentially bind to PCIP or biologically active portion thereof as compared to the known compound.

In another embodiment, the assay is a cell-free assay in which a PCIP protein or biologically active portion thereof is contacted with a test compound and the ability of the test compound to modulate (e.g., stimulate or inhibit) the activity of the PCIP protein or biologically active portion thereof is determined. Determining the ability of the test compound to modulate the activity of a PCIP protein can be accomplished, for example, by determining the ability of the PCIP protein to bind to a PCIP target molecule by one of the methods described above for determining direct binding. Determining the ability of the PCIP protein to bind to a PCIP target molecule can also be accomplished using a technology such as real-time Biomolecular Interaction Analysis (BIA). Sjolander, S. and Urbaniczky, C. (1991) *Anal. Chem.* 63:2338-2345 and Szabo et al. (1995) *Curr. Opin. Struct. Biol.* 5:699-705. As used herein, "BIA" is a technology for studying biospecific interactions in real time, without labeling any of the interactants (e.g., BIAcore). Changes in the optical phenomenon of surface plasmon resonance (SPR) can be used as an indication of real-time reactions between biological molecules.

In an alternative embodiment, determining the ability of the test compound to modulate the activity of a PCIP protein can be accomplished by determining the ability of the PCIP protein to further modulate the activity of a downstream effector of a PCIP target molecule. For example, the activity of the effector molecule on an appropriate target can be determined or the binding of the effector to an appropriate target can be determined as previously described.

In yet another embodiment, the cell-free assay involves contacting a PCIP protein or biologically active portion thereof with a known compound which binds the PCIP protein to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with the PCIP protein, wherein determining the ability of the test compound to interact with the PCIP protein comprises determining the ability of the PCIP protein to preferentially bind to or modulate the activity of a PCIP target molecule.

The cell-free assays of the present invention are amenable to use of both soluble and/or membrane-bound forms of isolated proteins. In the case of cell-free assays in which a membrane-bound form of an isolated protein is used (e.g., a potassium channel) it may be desirable to utilize a solubilizing agent such that the membrane-bound form of the isolated protein is maintained in solution. Examples of such solubilizing agents include non-ionic detergents such as n-octylglucoside, n-dodecylglucoside, n-dodecylmaltoside, octanoyl-N-methylglucamide, decanoyl-N-methylglucamide, Triton® X-100, Triton® X-114, Thesit®, Isotridecypoly(ethylene glycol ether)_n, 3-[(3-cholamidopropyl)dimethylamminio]-1-propane sulfonate (CHAPS), 3-[(3-cholamidopropyl)dimethylamminio]-2-hydroxy-1-propane sulfonate (CHAPSO), or N-dodecyl=N,N-dimethyl-3-ammonio-1-propane sulfonate.

In more than one embodiment of the above assay methods of the present invention, it may be desirable to immobilize either PCIP or its target molecule to facilitate separation of complexed from uncomplexed forms of one or both of the proteins, as well as to accommodate automation of the assay. Binding of a test compound to a PCIP protein, or interaction of a PCIP protein with a target molecule in the presence and absence of a candidate compound, can be accomplished in any vessel suitable for containing the reactants. Examples of such vessels include microtitre plates, test tubes, and micro-centrifuge tubes. In one embodiment, a fusion protein can be provided which adds a domain that allows one or both of the proteins to be bound to a matrix. For example, glutathione-S-transferase/ PCIP fusion proteins or glutathione-S-transferase/target fusion proteins can be adsorbed onto glutathione sepharose beads (Sigma Chemical, St. Louis, MO) or glutathione derivatized microtitre plates, which are then combined with the test compound or the test compound and either the non-adsorbed target protein or PCIP protein, and the mixture incubated under conditions conducive to complex formation (e.g., at physiological conditions for salt and pH). Following incubation, the beads or microtitre plate wells are

washed to remove any unbound components, the matrix immobilized in the case of beads, complex determined either directly or indirectly, for example, as described above. Alternatively, the complexes can be dissociated from the matrix, and the level of PCIP binding or activity determined using standard techniques.

Other techniques for immobilizing proteins on matrices can also be used in the screening assays of the invention. For example, either a PCIP protein or a PCIP target molecule can be immobilized utilizing conjugation of biotin and streptavidin. Biotinylated PCIP protein or target molecules can be prepared from biotin-NHS (N-hydroxy-succinimide) using techniques known in the art (e.g., biotinylation kit, Pierce Chemicals, Rockford, IL), and immobilized in the wells of streptavidin-coated 96 well plates (Pierce Chemical). Alternatively, antibodies reactive with PCIP protein or target molecules but which do not interfere with binding of the PCIP protein to its target molecule can be derivatized to the wells of the plate, and unbound target or PCIP protein trapped in the wells by antibody conjugation. Methods for detecting such complexes, in addition to those described above for the GST-immobilized complexes, include immunodetection of complexes using antibodies reactive with the PCIP protein or target molecule, as well as enzyme-linked assays which rely on detecting an enzymatic activity associated with the PCIP protein or target molecule.

In a preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to modulate vesicular traffic and protein transport in a cell, e.g., a cardiac cell, using the assays described in, for example, Komada M. *et al.* (1999) *Genes Dev.* 13(11):1475-85, and Roth M.G. *et al.* (1999) *Chem. Phys. Lipids.* 98(1-2):141-52, the contents of which are incorporated herein by reference.

In another preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to regulate the phosphorylation state of a potassium channel protein or portion thereof, using for example, an *in vitro* kinase assay. Briefly, a PCIP target molecule, e.g., an immunoprecipitated potassium channel from a cell line expressing such a molecule, can be incubated with the PCIP protein and radioactive ATP, e.g., [γ - 32 P] ATP, in a buffer containing MgCl₂ and MnCl₂, e.g., 10 mM MgCl₂ and 5 mM MnCl₂. Following the incubation, the immunoprecipitated PCIP target molecule, e.g., the potassium channel, can be separated by SDS-polyacrylamide gel electrophoresis under reducing conditions, transferred to a membrane, e.g., a PVDF membrane, and autoradiographed. The appearance of detectable bands on the autoradiograph indicates that the PCIP substrate, e.g., the potassium channel, has been phosphorylated. Phosphoaminoacid analysis of the phosphorylated substrate can also be performed in order to determine which residues on the PCIP substrate are phosphorylated. Briefly, the radiophosphorylated protein band can be excised from the SDS gel and subjected to partial acid hydrolysis. The products can then be separated by one-

dimensional electrophoresis and analyzed on, for example, a phosphoimager and compared to ninhydrin-stained phosphoaminoacid standards. Assays such as those described in, for example, Tamaskovic R. *et al.* (1999) *Biol. Chem.* 380(5):569-78, the contents of which are incorporated herein by reference, can also be used.

5 In another preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to associate with (e.g., bind) calcium, using for example, the assays described in Liu L. (1999) *Cell Signal.* 11(5):317-24 and Kawai T. *et al.* (1999) *Oncogene* 18(23):3471-80, the contents of which are incorporated herein by reference.

10 In another preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to modulate chromatin formation in a cell, using for example, the assays described in Okuwaki M. *et al.* (1998) *J. Biol. Chem.* 273(51):34511-8 and Miyaji-Yamaguchi M. (1999) *J. Mol. Biol.* 290(2): 547-557, the contents of which are incorporated herein by reference.

15 In yet another preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to modulate cellular proliferation, using for example, the assays described in Baker F.L. *et al.* (1995) *Cell Prolif.* 28(1):1-15, Cheviron N. *et al.* (1996) *Cell Prolif.* 29(8):437-46, Hu Z.W. *et al.* (1999) *J. Pharmacol. Exp. Ther.* 290(1):28-37 and Elliott K. *et al.* (1999) *Oncogene* 18(24):3564-73, the contents of which are incorporated herein by reference.

20 In a preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to regulate the association of a potassium channel protein or portion thereof with the cellular cytoskeleton, using for example, the assays described in Gonzalez C. *et al.* (1998) *Cell Mol. Biol.* 44(7):1117-27 and Chia C.P. *et al.* (1998) *Exp. Cell Res.* 244(1):340-8, the contents of which are incorporated herein by reference.

30 In another preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to modulate membrane excitability, using for example, the assays described in Bar-Sagi D. *et al.* (1985) *J. Biol. Chem.* 260(8):4740-4 and Barker J.L. *et al.* (1984) *Neurosci. Lett.* 47(3):313-8, the contents of which are incorporated herein by reference.

35 In another preferred embodiment, candidate or test compounds or agents are tested for their ability to inhibit or stimulate a PCIP molecule's ability to modulate cytokine signaling in a cell, e.g., a cardiac cell, the assays described in Nakashima Y. *et al.* (1999) *J. Bone Joint Surg. Am.* 81(5):603-15, the contents of which are incorporated herein by reference.

In another embodiment, modulators of PCIP expression are identified in a method wherein a cell is contacted with a candidate compound and the expression of PCIP mRNA

or protein in the cell is determined. The level of expression of PCIP mRNA or protein in the presence of the candidate compound is compared to the level of expression of PCIP mRNA or protein in the absence of the candidate compound. The candidate compound can then be identified as a modulator of PCIP expression based on this comparison. For example, when expression of PCIP mRNA or protein is greater (statistically significantly greater) in the presence of the candidate compound than in its absence, the candidate compound is identified as a stimulator of PCIP mRNA or protein expression. Alternatively, when expression of PCIP mRNA or protein is less (statistically significantly less) in the presence of the candidate compound than in its absence, the candidate compound is identified as an inhibitor of PCIP mRNA or protein expression. The level of PCIP mRNA or protein expression in the cells can be determined by methods described herein for detecting PCIP mRNA or protein.

In yet another aspect of the invention, the PCIP proteins can be used as "bait proteins" in a two-hybrid assay or three-hybrid assay (see, e.g., U.S. Patent No. 5,283,317; Zervos et al. (1993) *Cell* 72:223-232; Madura et al. (1993) *J. Biol. Chem.* 268:12046-12054; Bartel et al. (1993) *Biotechniques* 14:920-924; Iwabuchi et al. (1993) *Oncogene* 8:1693-1696; and Brent WO94/10300), to identify other proteins, which bind to or interact with PCIP ("PCIP-binding proteins" or "PCIP-bp") and are involved in PCIP activity (described in more detail in the Examples section below). Such PCIP-binding proteins are also likely to be involved in the propagation of signals by the PCIP proteins or PCIP targets as, for example, downstream elements of a PCIP-mediated signaling pathway. Alternatively, such PCIP-binding proteins are likely to be PCIP inhibitors.

The two-hybrid system is based on the modular nature of most transcription factors, which consist of separable DNA-binding and activation domains. Briefly, the assay utilizes two different DNA constructs. In one construct, the gene that codes for a PCIP protein is fused to a gene encoding the DNA binding domain of a known transcription factor (e.g., GAL-4). In the other construct, a DNA sequence, from a library of DNA sequences, that encodes an unidentified protein ("prey" or "sample") is fused to a gene that codes for the activation domain of the known transcription factor. If the "bait" and the "prey" proteins are able to interact, *in vivo*, forming a PCIP-dependent complex, the DNA-binding and activation domains of the transcription factor are brought into close proximity. This proximity allows transcription of a reporter gene (e.g., LacZ) which is operably linked to a transcriptional regulatory site responsive to the transcription factor. Expression of the reporter gene can be detected and cell colonies containing the functional transcription factor can be isolated and used to obtain the cloned gene which encodes the protein which interacts with the PCIP protein.

This invention further pertains to novel agents identified by the above-described screening assays. Accordingly, it is within the scope of this invention to further use an agent

identified as described herein in an appropriate animal model. For example, an agent identified as described herein (e.g., a PCIP modulating agent, an antisense PCIP nucleic acid molecule, a PCIP-specific antibody, or a PCIP-binding partner) can be used in an animal model to determine the efficacy, toxicity, or side effects of treatment with such an agent.

- 5 Alternatively, an agent identified as described herein can be used in an animal model to determine the mechanism of action of such an agent. Furthermore, this invention pertains to uses of novel agents identified by the above-described screening assays for treatments as described herein.

10 II. Predictive Medicine:

The present invention also pertains to the field of predictive medicine in which diagnostic assays, prognostic assays, and monitoring clinical trials are used for prognostic (predictive) purposes to thereby treat an individual prophylactically. Accordingly, one aspect of the present invention relates to diagnostic assays for determining PCIP protein and/or nucleic acid expression as well as PCIP activity, in the context of a biological sample (e.g., blood, serum, cells, tissue) to thereby determine whether an individual is afflicted with a disease or disorder, or is at risk of developing a disorder, associated with aberrant PCIP expression or activity. The invention also provides for prognostic (or predictive) assays for determining whether an individual is at risk of developing a disorder associated with PCIP protein, nucleic acid expression or activity. For example, mutations in a PCIP gene can be assayed in a biological sample. Such assays can be used for prognostic or predictive purpose to thereby prophylactically treat an individual prior to the onset of a disorder characterized by or associated with PCIP protein, nucleic acid expression or activity.

Another aspect of the invention pertains to monitoring the influence of agents (e.g., drugs, compounds) on the expression or activity of PCIP in clinical trials.

These and other agents are described in further detail in the following sections.

1. Diagnostic Assays

An exemplary method for detecting the presence or absence of PCIP protein or nucleic acid in a biological sample involves obtaining a biological sample from a test subject and contacting the biological sample with a compound or an agent capable of detecting PCIP protein or nucleic acid (e.g., mRNA, genomic DNA) that encodes PCIP protein such that the presence of PCIP protein or nucleic acid is detected in the biological sample. A preferred agent for detecting PCIP mRNA or genomic DNA is a labeled nucleic acid probe capable of hybridizing to PCIP mRNA or genomic DNA. The nucleic acid probe can be, for example, a full-length PCIP nucleic acid, such as the nucleic acid of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID

NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:69, or SEQ ID NO:71, or the DNA insert of the plasmid deposited with ATCC as Accession Number 98936, 98937, 98938, 98939, 98940, 98941, 98942, 98943, 98944, 98945, 98946, 98947, 98948, 98949, 98950, 98951, 98991, 98993, 98994, or PTA-316, or a portion thereof, such as an oligonucleotide of at least 15, 30, 50, 100, 250 or 500 nucleotides in length and sufficient to specifically hybridize under stringent conditions to PCIP mRNA or genomic DNA. Other suitable probes for use in the diagnostic assays of the invention are described herein.

A preferred agent for detecting PCIP protein is an antibody capable of binding to PCIP protein, preferably an antibody with a detectable label. Antibodies can be polyclonal, or more preferably, monoclonal. An intact antibody, or a fragment thereof (e.g., Fab or F(ab')₂) can be used. The term "labeled", with regard to the probe or antibody, is intended to encompass direct labeling of the probe or antibody by coupling (i.e., physically linking) a detectable substance to the probe or antibody, as well as indirect labeling of the probe or antibody by reactivity with another reagent that is directly labeled. Examples of indirect labeling include detection of a primary antibody using a fluorescently labeled secondary antibody and end-labeling of a DNA probe with biotin such that it can be detected with fluorescently labeled streptavidin. The term "biological sample" is intended to include tissues, cells and biological fluids isolated from a subject, as well as tissues, cells and fluids present within a subject. That is, the detection method of the invention can be used to detect PCIP mRNA, protein, or genomic DNA in a biological sample *in vitro* as well as *in vivo*. For example, *in vitro* techniques for detection of PCIP mRNA include Northern hybridizations and *in situ* hybridizations. *In vitro* techniques for detection of PCIP protein include enzyme linked immunosorbent assays (ELISAs), Western blots, immunoprecipitations and immunofluorescence. *In vitro* techniques for detection of PCIP genomic DNA include Southern hybridizations. Furthermore, *in vivo* techniques for detection of PCIP protein include introducing into a subject a labeled anti-PCIP antibody. For example, the antibody can be labeled with a radioactive marker whose presence and location in a subject can be detected by standard imaging techniques.

In one embodiment, the biological sample contains protein molecules from the test subject. Alternatively, the biological sample can contain mRNA molecules from the test subject or genomic DNA molecules from the test subject. A preferred biological sample is a serum sample isolated by conventional means from a subject.

In another embodiment, the methods further involve obtaining a control biological sample from a control subject, contacting the control sample with a compound or agent capable of detecting PCIP protein, mRNA, or genomic DNA, such that the presence of PCIP

protein, mRNA or genomic DNA is detected in the biological sample, and comparing the presence of PCIP protein, mRNA or genomic DNA in the control sample with the presence of PCIP protein, mRNA or genomic DNA in the test sample.

The invention also encompasses kits for detecting the presence of PCIP in a biological sample. For example, the kit can comprise a labeled compound or agent capable of detecting PCIP protein or mRNA in a biological sample; means for determining the amount of PCIP in the sample; and means for comparing the amount of PCIP in the sample with a standard. The compound or agent can be packaged in a suitable container. The kit can further comprise instructions for using the kit to detect PCIP protein or nucleic acid.

2. Prognostic Assays

The diagnostic methods described herein can furthermore be utilized to identify subjects having or at risk of developing a disease or disorder associated with aberrant PCIP expression or activity. For example, the assays described herein, such as the preceding diagnostic assays or the following assays, can be utilized to identify a subject having or at risk of developing a disorder associated with a misregulation in PCIP protein activity or nucleic acid expression, such as a cardiovascular disorders such as sinus node dysfunction, angina, heart failure, hypertension, atrial fibrillation, atrial flutter, dilated cardiomyopathy, idiopathic cardiomyopathy, myocardial infarction, coronary artery disease, coronary artery spasm, or arrhythmia.

Alternatively, the prognostic assays can be utilized to identify a subject having or at risk for developing a disorder associated with a misregulation in PCIP protein activity or nucleic acid expression, such as a potassium channel associated disorder. Thus, the present invention provides a method for identifying a disease or disorder associated with aberrant PCIP expression or activity in which a test sample is obtained from a subject and PCIP protein or nucleic acid (e.g., mRNA or genomic DNA) is detected, wherein the presence of PCIP protein or nucleic acid is diagnostic for a subject having or at risk of developing a disease or disorder associated with aberrant PCIP expression or activity. As used herein, a "test sample" refers to a biological sample obtained from a subject of interest. For example, a test sample can be a biological fluid (e.g., serum), cell sample, or tissue.

Furthermore, the prognostic assays described herein can be used to determine whether a subject can be administered an agent (e.g., an agonist, antagonist, peptidomimetic, protein, peptide, nucleic acid, small molecule, or other drug candidate) to treat a disease or disorder associated with aberrant PCIP expression or activity. For example, such methods can be used to determine whether a subject can be effectively treated with an agent for a cardiovascular disorder. Thus, the present invention provides methods for determining whether a subject can be effectively treated with an agent for a disorder associated with aberrant PCIP expression or activity in which a test sample is obtained and PCIP protein or

nucleic acid expression or activity is detected (e.g., wherein the abundance of PCIP protein or nucleic acid expression or activity is diagnostic for a subject that can be administered the agent to treat a disorder associated with aberrant PCIP expression or activity).

The methods of the invention can also be used to detect genetic alterations in a PCIP gene, thereby determining if a subject with the altered gene is at risk for a disorder characterized by misregulation in PCIP protein activity or nucleic acid expression, such as a cardiovascular disorder. In preferred embodiments, the methods include detecting, in a sample of cells from the subject, the presence or absence of a genetic alteration characterized by at least one of an alteration affecting the integrity of a gene encoding a PCIP-protein, or the mis-expression of the PCIP gene. For example, such genetic alterations can be detected by ascertaining the existence of at least one of 1) a deletion of one or more nucleotides from a PCIP gene; 2) an addition of one or more nucleotides to a PCIP gene; 3) a substitution of one or more nucleotides of a PCIP gene, 4) a chromosomal rearrangement of a PCIP gene; 5) an alteration in the level of a messenger RNA transcript of a PCIP gene, 6) aberrant modification of a PCIP gene, such as of the methylation pattern of the genomic DNA, 7) the presence of a non-wild type splicing pattern of a messenger RNA transcript of a PCIP gene, 8) a non-wild type level of a PCIP-protein, 9) allelic loss of a PCIP gene, and 10) inappropriate post-translational modification of a PCIP-protein. As described herein, there are a large number of assays known in the art which can be used for detecting alterations in a PCIP gene. A preferred biological sample is a tissue or serum sample isolated by conventional means from a subject.

In certain embodiments, detection of the alteration involves the use of a probe/primer in a polymerase chain reaction (PCR) (see, e.g., U.S. Patent Nos. 4,683,195 and 4,683,202), such as anchor PCR or RACE PCR, or, alternatively, in a ligation chain reaction (LCR) (see, e.g., Landegran et al. (1988) *Science* 241:1077-1080; and Nakazawa et al. (1994) *Proc. Natl. Acad. Sci. USA* 91:360-364), the latter of which can be particularly useful for detecting point mutations in the PCIP-gene (see Abravaya et al. (1995) *Nucleic Acids Res.* 23:675-682). This method can include the steps of collecting a sample of cells from a subject, isolating nucleic acid (e.g., genomic, mRNA or both) from the cells of the sample, contacting the nucleic acid sample with one or more primers which specifically hybridize to a PCIP gene under conditions such that hybridization and amplification of the PCIP-gene (if present) occurs, and detecting the presence or absence of an amplification product, or detecting the size of the amplification product and comparing the length to a control sample. It is anticipated that PCR and/or LCR may be desirable to use as a preliminary amplification step in conjunction with any of the techniques used for detecting mutations described herein.

Alternative amplification methods include: self sustained sequence replication (Guatelli, J.C. et al., (1990) *Proc. Natl. Acad. Sci. USA* 87:1874-1878), transcriptional amplification system (Kwoh, D.Y. et al., (1989) *Proc. Natl. Acad. Sci. USA* 86:1173-1177),

Q-Beta Replicase (Lizardi, P.M. et al. (1988) *Bio-Technology* 6:1197), or any other nucleic acid amplification method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially useful for the detection of nucleic acid molecules if such molecules are present in very low numbers.

In an alternative embodiment, mutations in a PCIP gene from a sample cell can be identified by alterations in restriction enzyme cleavage patterns. For example, sample and control DNA is isolated, amplified (optionally), digested with one or more restriction endonucleases, and fragment length sizes are determined by gel electrophoresis and compared. Differences in fragment length sizes between sample and control DNA indicates mutations in the sample DNA. Moreover, the use of sequence specific ribozymes (see, for example, U.S. Patent No. 5,498,531) can be used to score for the presence of specific mutations by development or loss of a ribozyme cleavage site.

In other embodiments, genetic mutations in PCIP can be identified by hybridizing a sample and control nucleic acids, e.g., DNA or RNA, to high density arrays containing hundreds or thousands of oligonucleotides probes (Cronin, M.T. et al. (1996) *Human Mutation* 7: 244-255; Kozal, M.J. et al. (1996) *Nature Medicine* 2: 753-759). For example, genetic mutations in PCIP can be identified in two dimensional arrays containing light-generated DNA probes as described in Cronin, M.T. *et al. supra*. Briefly, a first hybridization array of probes can be used to scan through long stretches of DNA in a sample and control to identify base changes between the sequences by making linear arrays of sequential overlapping probes. This step allows the identification of point mutations. This step is followed by a second hybridization array that allows the characterization of specific mutations by using smaller, specialized probe arrays complementary to all variants or mutations detected. Each mutation array is composed of parallel probe sets, one complementary to the wild-type gene and the other complementary to the mutant gene.

In yet another embodiment, any of a variety of sequencing reactions known in the art can be used to directly sequence the PCIP gene and detect mutations by comparing the sequence of the sample PCIP with the corresponding wild-type (control) sequence.

Examples of sequencing reactions include those based on techniques developed by Maxam and Gilbert ((1977) *Proc. Natl. Acad. Sci. USA* 74:560) or Sanger ((1977) *Proc. Natl. Acad. Sci. USA* 74:5463). It is also contemplated that any of a variety of automated sequencing procedures can be utilized when performing the diagnostic assays ((1995) *Biotechniques* 19:448), including sequencing by mass spectrometry (see, e.g., PCT International Publication No. WO 94/16101; Cohen et al. (1996) *Adv. Chromatogr.* 36:127-162; and Griffin et al. (1993) *Appl. Biochem. Biotechnol.* 38:147-159).

Other methods for detecting mutations in the PCIP gene include methods in which protection from cleavage agents is used to detect mismatched bases in RNA/RNA or

RNA/DNA heteroduplexes (Myers et al. (1985) *Science* 230:1242). In general, the art technique of "mismatch cleavage" starts by providing heteroduplexes of formed by hybridizing (labeled) RNA or DNA containing the wild-type PCIP sequence with potentially mutant RNA or DNA obtained from a tissue sample. The double-stranded duplexes are treated with an agent which cleaves single-stranded regions of the duplex such as which will exist due to basepair mismatches between the control and sample strands. For instance, RNA/DNA duplexes can be treated with RNase and DNA/DNA hybrids treated with S1 nuclease to enzymatically digesting the mismatched regions. In other embodiments, either DNA/DNA or RNA/DNA duplexes can be treated with hydroxylamine or osmium tetroxide and with piperidine in order to digest mismatched regions. After digestion of the mismatched regions, the resulting material is then separated by size on denaturing polyacrylamide gels to determine the site of mutation. See, for example, Cotton *et al.* (1988) *Proc. Natl Acad Sci USA* 85:4397; Saleeba et al. (1992) *Methods Enzymol.* 217:286-295. In a preferred embodiment, the control DNA or RNA can be labeled for detection.

In still another embodiment, the mismatch cleavage reaction employs one or more proteins that recognize mismatched base pairs in double-stranded DNA (so called "DNA mismatch repair" enzymes) in defined systems for detecting and mapping point mutations in PCIP cDNAs obtained from samples of cells. For example, the mutY enzyme of *E. coli* cleaves A at G/A mismatches and the thymidine DNA glycosylase from HeLa cells cleaves T at G/T mismatches (Hsu *et al.* (1994) *Carcinogenesis* 15:1657-1662). According to an exemplary embodiment, a probe based on a PCIP sequence, e.g., a wild-type PCIP sequence, is hybridized to a cDNA or other DNA product from a test cell(s). The duplex is treated with a DNA mismatch repair enzyme, and the cleavage products, if any, can be detected from electrophoresis protocols or the like. See, for example, U.S. Patent No. 5,459,039.

In other embodiments, alterations in electrophoretic mobility will be used to identify mutations in PCIP genes. For example, single strand conformation polymorphism (SSCP) may be used to detect differences in electrophoretic mobility between mutant and wild type nucleic acids (Orita *et al.* (1989) *Proc Natl. Acad. Sci USA*: 86:2766, see also Cotton (1993) *Mutat. Res.* 285:125-144; and Hayashi (1992) *Genet. Anal. Tech. Appl.* 9:73-79). Single-stranded DNA fragments of sample and control PCIP nucleic acids will be denatured and allowed to renature. The secondary structure of single-stranded nucleic acids varies according to sequence, the resulting alteration in electrophoretic mobility enables the detection of even a single base change. The DNA fragments may be labeled or detected with labeled probes. The sensitivity of the assay may be enhanced by using RNA (rather than DNA), in which the secondary structure is more sensitive to a change in sequence. In a preferred embodiment, the subject method utilizes heteroduplex analysis to separate double

stranded heteroduplex molecules on the basis of changes in electrophoretic mobility (Keen et al. (1991) *Trends Genet* 7:5).

In yet another embodiment the movement of mutant or wild-type fragments in polyacrylamide gels containing a gradient of denaturant is assayed using denaturing gradient gel electrophoresis (DGGE) (Myers et al. (1985) *Nature* 313:495). When DGGE is used as the method of analysis, DNA will be modified to insure that it does not completely denature, for example by adding a GC clamp of approximately 40 bp of high-melting GC-rich DNA by PCR. In a further embodiment, a temperature gradient is used in place of a denaturing gradient to identify differences in the mobility of control and sample DNA (Rosenbaum and Reissner (1987) *Biophys Chem* 265:12753).

Examples of other techniques for detecting point mutations include, but are not limited to, selective oligonucleotide hybridization, selective amplification, or selective primer extension. For example, oligonucleotide primers may be prepared in which the known mutation is placed centrally and then hybridized to target DNA under conditions which permit hybridization only if a perfect match is found (Saiki et al. (1986) *Nature* 324:163); Saiki et al. (1989) *Proc. Natl Acad. Sci USA* 86:6230). Such allele specific oligonucleotides are hybridized to PCR amplified target DNA or a number of different mutations when the oligonucleotides are attached to the hybridizing membrane and hybridized with labeled target DNA.

Alternatively, allele specific amplification technology which depends on selective PCR amplification may be used in conjunction with the instant invention. Oligonucleotides used as primers for specific amplification may carry the mutation of interest in the center of the molecule (so that amplification depends on differential hybridization) (Gibbs et al. (1989) *Nucleic Acids Res.* 17:2437-2448) or at the extreme 3' end of one primer where, under appropriate conditions, mismatch can prevent, or reduce polymerase extension (Prossner (1993) *Tibtech* 11:238). In addition it may be desirable to introduce a novel restriction site in the region of the mutation to create cleavage-based detection (Gasparini et al. (1992) *Mol. Cell Probes* 6:1). It is anticipated that in certain embodiments amplification may also be performed using Taq ligase for amplification (Barany (1991) *Proc. Natl. Acad. Sci USA* 88:189). In such cases, ligation will occur only if there is a perfect match at the 3' end of the 5' sequence making it possible to detect the presence of a known mutation at a specific site by looking for the presence or absence of amplification.

The methods described herein may be performed, for example, by utilizing pre-packaged diagnostic kits comprising at least one probe nucleic acid or antibody reagent described herein, which may be conveniently used, e.g., in clinical settings to diagnose patients exhibiting symptoms or family history of a disease or illness involving a PCIP gene.

Furthermore, any cell type or tissue in which PCIP is expressed may be utilized in the prognostic assays described herein.

3. Monitoring of Effects During Clinical Trials

Monitoring the influence of agents (e.g., drugs) on the expression or activity of a PCIP protein (e.g., the modulation of membrane excitability or resting potential) can be applied not only in basic drug screening, but also in clinical trials. For example, the effectiveness of an agent determined by a screening assay as described herein to increase PCIP gene expression, protein levels, or upregulate PCIP activity, can be monitored in clinical trials of subjects exhibiting decreased PCIP gene expression, protein levels, or downregulated PCIP activity. Alternatively, the effectiveness of an agent determined by a screening assay to decrease PCIP gene expression, protein levels, or downregulate PCIP activity, can be monitored in clinical trials of subjects exhibiting increased PCIP gene expression, protein levels, or upregulated PCIP activity. In such clinical trials, the expression or activity of a PCIP gene, and preferably, other genes that have been implicated in, for example, a potassium channel associated disorder can be used as a "read out" or markers of the phenotype of a particular cell.

For example, and not by way of limitation, genes, including PCIP, that are modulated in cells by treatment with an agent (e.g., compound, drug or small molecule) which modulates PCIP activity (e.g., identified in a screening assay as described herein) can be identified. Thus, to study the effect of agents on potassium channel associated disorders, for example, in a clinical trial, cells can be isolated and RNA prepared and analyzed for the levels of expression of PCIP and other genes implicated in the potassium channel associated disorder, respectively. The levels of gene expression (e.g., a gene expression pattern) can be quantified by northern blot analysis or RT-PCR, as described herein, or alternatively by measuring the amount of protein produced, by one of the methods as described herein, or by measuring the levels of activity of PCIP or other genes. In this way, the gene expression pattern can serve as a marker, indicative of the physiological response of the cells to the agent. Accordingly, this response state may be determined before, and at various points during treatment of the individual with the agent.

In a preferred embodiment, the present invention provides a method for monitoring the effectiveness of treatment of a subject with an agent (e.g., an agonist, antagonist, peptidomimetic, protein, peptide, nucleic acid, small molecule, or other drug candidate identified by the screening assays described herein) including the steps of (i) obtaining a pre-administration sample from a subject prior to administration of the agent; (ii) detecting the level of expression of a PCIP protein, mRNA, or genomic DNA in the preadministration sample; (iii) obtaining one or more post-administration samples from the subject; (iv) detecting the level of expression or activity of the PCIP protein, mRNA, or genomic DNA in the post-administration samples; (v) comparing the level of expression or activity of the PCIP protein, mRNA, or genomic DNA in the pre-administration sample with the PCIP protein, mRNA, or genomic DNA in the post administration sample or samples; and (vi)

altering the administration of the agent to the subject accordingly. For example, increased administration of the agent may be desirable to increase the expression or activity of PCIP to higher levels than detected, i.e., to increase the effectiveness of the agent. Alternatively, decreased administration of the agent may be desirable to decrease expression or activity of PCIP to lower levels than detected, i.e. to decrease the effectiveness of the agent. According to such an embodiment, PCIP expression or activity may be used as an indicator of the effectiveness of an agent, even in the absence of an observable phenotypic response.

III. Methods of Treatment:

The present invention provides for both prophylactic and therapeutic methods of treating a subject at risk of (or susceptible to) a disorder or having a disorder associated with aberrant PCIP expression or activity such as a cardiovascular disorder. With regard to both prophylactic and therapeutic methods of treatment, such treatments may be specifically tailored or modified, based on knowledge obtained from the field of pharmacogenomics. "Pharmacogenomics", as used herein, refers to the application of genomics technologies such as gene sequencing, statistical genetics, and gene expression analysis to drugs in clinical development and on the market. More specifically, the term refers the study of how a patient's genes determine his or her response to a drug (e.g., a patient's "drug response phenotype", or "drug response genotype".) Thus, another aspect of the invention provides methods for tailoring an individual's prophylactic or therapeutic treatment with either the PCIP molecules of the present invention or PCIP modulators according to that individual's drug response genotype. Pharmacogenomics allows a clinician or physician to target prophylactic or therapeutic treatments to patients who will most benefit from the treatment and to avoid treatment of patients who will experience toxic drug-related side effects.

1. Prophylactic Methods

In one aspect, the invention provides a method for preventing in a subject, a disease or condition associated with an aberrant PCIP expression or activity such as a cardiovascular disorder, by administering to the subject a PCIP or an agent which modulates PCIP expression or at least one PCIP activity. Subjects at risk for a disease which is caused or contributed to by aberrant PCIP expression or activity can be identified by, for example, any or a combination of diagnostic or prognostic assays as described herein. Administration of a prophylactic agent can occur prior to the manifestation of symptoms characteristic of the PCIP aberrancy, such that a disease or disorder is prevented or, alternatively, delayed in its progression. Depending on the type of PCIP aberrancy, for example, a PCIP, PCIP agonist or PCIP antagonist agent can be used for treating the subject. The appropriate agent can be determined based on screening assays described herein.

2. Therapeutic Methods

Another aspect of the invention pertains to methods of modulating PCIP expression or activity for therapeutic purposes. Accordingly, in an exemplary embodiment, the modulatory method of the invention involves contacting a cell with a PCIP or agent that modulates one or more of the activities of PCIP protein activity associated with the cell. An agent that modulates PCIP protein activity can be an agent as described herein, such as a nucleic acid or a protein, a naturally-occurring target molecule of a PCIP protein (e.g., a PCIP substrate), a PCIP antibody, a PCIP agonist or antagonist, a peptidomimetic of a PCIP agonist or antagonist, or other small molecule. In one embodiment, the agent stimulates one or more PCIP activities. Examples of such stimulatory agents include active PCIP protein and a nucleic acid molecule encoding PCIP that has been introduced into the cell. In another embodiment, the agent inhibits one or more PCIP activities. Examples of such inhibitory agents include antisense PCIP nucleic acid molecules, anti-PCIP antibodies, and PCIP inhibitors. These modulatory methods can be performed *in vitro* (e.g., by culturing the cell with the agent) or, alternatively, *in vivo* (e.g., by administering the agent to a subject). As such, the present invention provides methods of treating an individual afflicted with a disease or disorder characterized by aberrant expression or activity of a PCIP protein or nucleic acid molecule. Examples of such disorders include cardiovascular disorders such as long-QT syndrome, sinus node dysfunction, angina, heart failure, hypertension, atrial fibrillation, atrial flutter, dilated cardiomyopathy, idiopathic cardiomyopathy, myocardial infarction, coronary artery disease, coronary artery spasm, or arrhythmia. In one embodiment, the method involves administering an agent (e.g., an agent identified by a screening assay described herein), or combination of agents that modulates (e.g., upregulates or downregulates) PCIP expression or activity. In another embodiment, the method involves administering a PCIP protein or nucleic acid molecule as therapy to compensate for reduced or aberrant PCIP expression or activity.

Stimulation of PCIP activity is desirable in situations in which PCIP is abnormally downregulated and/or in which increased PCIP activity is likely to have a beneficial effect. For example, stimulation of PCIP activity is desirable in situations in which a PCIP is downregulated and/or in which increased PCIP activity is likely to have a beneficial effect. Likewise, inhibition of PCIP activity is desirable in situations in which PCIP is abnormally upregulated and/or in which decreased PCIP activity is likely to have a beneficial effect.

A PCIP molecule or an agent that modulates one or more of the activities of PCIP protein activity associated with the cell can be incorporated into pharmaceutical compositions suitable for administration. Such compositions typically comprise the nucleic acid molecule, protein, or antibody and a pharmaceutically acceptable carrier. As used herein the language "pharmaceutically acceptable carrier" is intended to include any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and

absorption delaying agents, and the like, compatible with pharmaceutical administration. The use of such media and agents for pharmaceutically active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active compound, use thereof in the compositions is contemplated. Supplementary active
5 compounds can also be incorporated into the compositions.

A pharmaceutical composition used in the methods of the invention is formulated to be compatible with its intended route of administration. Examples of routes of administration include parenteral, e.g., intravenous, intradermal, subcutaneous, oral (e.g., inhalation), transdermal (topical), transmucosal, and rectal administration. Solutions or
10 suspensions used for parenteral, intradermal, or subcutaneous application can include the following components: a sterile diluent such as water for injection, saline solution, fixed oils, polyethylene glycols, glycerine, propylene glycol or other synthetic solvents; antibacterial agents such as benzyl alcohol or methyl parabens; antioxidants such as ascorbic acid or sodium bisulfite; chelating agents such as ethylenediaminetetraacetic acid; buffers
15 such as acetates, citrates or phosphates and agents for the adjustment of tonicity such as sodium chloride or dextrose. pH can be adjusted with acids or bases, such as hydrochloric acid or sodium hydroxide. The parenteral preparation can be enclosed in ampoules, disposable syringes or multiple dose vials made of glass or plastic.

Pharmaceutical compositions suitable for injectable use include sterile aqueous
20 solutions (where water soluble) or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersion. For intravenous administration, suitable carriers include physiological saline, bacteriostatic water, Cremophor EL™ (BASF, Parsippany, NJ) or phosphate buffered saline (PBS). In all cases, the composition must be sterile and should be fluid to the extent that easy syringability exists. It must be stable under
25 the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol, and liquid polyethylene glycol, and the like), and suitable mixtures thereof. The proper fluidity can be maintained, for example, by the use of a coating such as
30 lecithin, by the maintenance of the required particle size in the case of dispersion and by the use of surfactants. Prevention of the action of microorganisms can be achieved by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, ascorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars, polyalcohols such as manitol, sorbitol, sodium chloride in the
35 composition. Prolonged absorption of the injectable compositions can be brought about by including in the composition an agent which delays absorption, for example, aluminum monostearate and gelatin.

5 Sterile injectable solutions can be prepared by incorporating the active compound (e.g., a fragment of a PCIP protein or an anti-PCIP antibody) in the required amount in an appropriate solvent with one or a combination of ingredients enumerated above, as required, followed by filtered sterilization. Generally, dispersions are prepared by incorporating the active compound into a sterile vehicle which contains a basic dispersion medium and the required other ingredients from those enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, the preferred methods of preparation are vacuum drying and freeze-drying which yields a powder of the active ingredient plus any additional desired ingredient from a previously sterile-filtered solution thereof.

10 Oral compositions generally include an inert diluent or an edible carrier. They can be enclosed in gelatin capsules or compressed into tablets. For the purpose of oral therapeutic administration, the active compound can be incorporated with excipients and used in the form of tablets, troches, or capsules. Oral compositions can also be prepared using a fluid carrier for use as a mouthwash, wherein the compound in the fluid carrier is applied orally and swished and expectorated or swallowed. Pharmaceutically compatible binding agents, and/or adjuvant materials can be included as part of the composition. The tablets, pills, capsules, troches and the like can contain any of the following ingredients, or compounds of a similar nature: a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel, or corn starch; a lubricant such as magnesium stearate or Sterotes; a glidant such as colloidal silicon dioxide; a sweetening agent such as sucrose or saccharin; or a flavoring agent such as peppermint, methyl salicylate, or orange flavoring.

20 For administration by inhalation, the compounds are delivered in the form of an aerosol spray from pressured container or dispenser which contains a suitable propellant, e.g., a gas such as carbon dioxide, or a nebulizer.

25 Systemic administration can also be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art, and include, for example, for transmucosal administration, detergents, bile salts, and fusidic acid derivatives. Transmucosal administration can be accomplished through the use of nasal sprays or suppositories. For transdermal administration, the active compounds are formulated into ointments, salves, gels, or creams as generally known in the art.

30 The pharmaceutical compositions used in the methods of the invention can also be prepared in the form of suppositories (e.g., with conventional suppository bases such as cocoa butter and other glycerides) or retention enemas for rectal delivery.

In one embodiment, pharmaceutical compositions used in the methods of the invention are prepared with carriers that will protect the active compound against rapid elimination from the body, such as a controlled release formulation, including implants and

microencapsulated delivery systems. Biodegradable, biocompatible polymers can be used, such as ethylene vinyl acetate, polyanhydrides, polyglycolic acid, collagen, polyorthoesters, and polylactic acid. Methods for preparation of such formulations will be apparent to those skilled in the art. The materials can also be obtained commercially from Alza Corporation and Nova Pharmaceuticals, Inc. Liposomal suspensions (including liposomes targeted to infected cells with monoclonal antibodies to viral antigens) can also be used as pharmaceutically acceptable carriers. These can be prepared according to methods known to those skilled in the art, for example, as described in U.S. Patent No. 4,522,811.

It is especially advantageous to formulate oral or parenteral compositions in dosage unit form for ease of administration and uniformity of dosage. Dosage unit form as used herein refers to physically discrete units suited as unitary dosages for the subject to be treated; each unit containing a predetermined quantity of active compound calculated to produce the desired therapeutic effect in association with the required pharmaceutical carrier. The specification for the dosage unit forms of the invention are dictated by and directly dependent on the unique characteristics of the active compound and the particular therapeutic effect to be achieved, and the limitations inherent in the art of compounding such an active compound for the treatment of individuals.

Toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, *e.g.*, for determining the LD₅₀ (the dose lethal to 50% of the population) and the ED₅₀ (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio LD₅₀/ED₅₀. Compounds which exhibit large therapeutic indices are preferred. While compounds that exhibit toxic side effects may be used, care should be taken to design a delivery system that targets such compounds to the site of affected tissue in order to minimize potential damage to uninfected cells and, thereby, reduce side effects.

The data obtained from the cell culture assays and animal studies can be used in formulating a range of dosage for use in humans. The dosage of such compounds lies preferably within a range of circulating concentrations that include the ED₅₀ with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. For any compound used in the method of the invention, the therapeutically effective dose can be estimated initially from cell culture assays. A dose may be formulated in animal models to achieve a circulating plasma concentration range that includes the IC₅₀ (*i.e.*, the concentration of the test compound which achieves a half-maximal inhibition of symptoms) as determined in cell culture. Such information can be used to more accurately determine useful doses in humans. Levels in plasma may be measured, for example, by high performance liquid chromatography.

As defined herein, a therapeutically effective amount of protein or polypeptide (i.e., an effective dosage) ranges from about 0.001 to 30 mg/kg body weight, preferably about 0.01 to 25 mg/kg body weight, more preferably about 0.1 to 20 mg/kg body weight, and even more preferably about 1 to 10 mg/kg, 2 to 9 mg/kg, 3 to 8 mg/kg, 4 to 7 mg/kg, or 5 to 6 mg/kg body weight. The skilled artisan will appreciate that certain factors may influence the dosage required to effectively treat a subject, including but not limited to the severity of the disease or disorder, previous treatments, the general health and/or age of the subject, and other diseases present. Moreover, treatment of a subject with a therapeutically effective amount of a protein, polypeptide, or antibody can include a single treatment or, preferably, can include a series of treatments.

In a preferred example, a subject is treated with antibody, protein, or polypeptide in the range of between about 0.1 to 20 mg/kg body weight, one time per week for between about 1 to 10 weeks, preferably between 2 to 8 weeks, more preferably between about 3 to 7 weeks, and even more preferably for about 4, 5, or 6 weeks. It will also be appreciated that the effective dosage of antibody, protein, or polypeptide used for treatment may increase or decrease over the course of a particular treatment. Changes in dosage may result and become apparent from the results of diagnostic assays as described herein.

The methods of the present invention encompasses the use of agents which modulate expression or activity. An agent may, for example, be a small molecule. For example, such small molecules include, but are not limited to, peptides, peptidomimetics, amino acids, amino acid analogs, polynucleotides, polynucleotide analogs, nucleotides, nucleotide analogs, organic or inorganic compounds (i.e., including heteroorganic and organometallic compounds) having a molecular weight less than about 10,000 grams per mole, organic or inorganic compounds having a molecular weight less than about 5,000 grams per mole, organic or inorganic compounds having a molecular weight less than about 1,000 grams per mole, organic or inorganic compounds having a molecular weight less than about 500 grams per mole, and salts, esters, and other pharmaceutically acceptable forms of such compounds. It is understood that appropriate doses of small molecule agents depends upon a number of factors within the ken of the ordinarily skilled physician, veterinarian, or researcher. The dose(s) of the small molecule will vary, for example, depending upon the identity, size, and condition of the subject or sample being treated, further depending upon the route by which the composition is to be administered, if applicable, and the effect which the practitioner desires the small molecule to have upon the nucleic acid or polypeptide of the invention. Exemplary doses include milligram or microgram amounts of the small molecule per kilogram of subject or sample weight (e.g., about 1 microgram per kilogram to about 500 milligrams per kilogram, about 100 micrograms per kilogram to about 5 milligrams per kilogram, or about 1 microgram per kilogram to about 50 micrograms per kilogram. It is

furthermore understood that appropriate doses of a small molecule depend upon the potency of the small molecule with respect to the expression or activity to be modulated. Such appropriate doses may be determined using the assays described herein. When one or more of these small molecules is to be administered to an animal (e.g., a human) in order to modulate expression or activity of a polypeptide or nucleic acid of the invention, a physician, veterinarian, or researcher may, for example, prescribe a relatively low dose at first, subsequently increasing the dose until an appropriate response is obtained. In addition, it is understood that the specific dose level for any particular animal subject will depend upon a variety of factors including the activity of the specific compound employed, the age, body weight, general health, gender, and diet of the subject, the time of administration, the route of administration, the rate of excretion, any drug combination, and the degree of expression or activity to be modulated.

Further, an antibody (or fragment thereof) may be conjugated to a therapeutic moiety such as a cytotoxin, a therapeutic agent or a radioactive metal ion. A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include taxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine, thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclophosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic agents (e.g., vincristine and vinblastine).

The conjugates can be used for modifying a given biological response, the drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria toxin; a protein such as tumor necrosis factor, .alpha.-interferon, .beta.-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator; or, biological response modifiers such as, for example, lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors.

Techniques for conjugating such therapeutic moiety to antibodies are well known, see, e.g., Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in *Monoclonal Antibodies And Cancer Therapy*, Reisfeld et al. (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellstrom et al., "Antibodies For Drug Delivery", in *Controlled Drug Delivery* (2nd Ed.), Robinson et al. (eds.), pp. 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera et al. (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in *Monoclonal Antibodies For Cancer Detection And Therapy*, Baldwin et al. (eds.), pp. 303-16 (Academic Press 1985), and Thorpe et al., "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", *Immunol. Rev.*, 62:119-58 (1982). Alternatively, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980.

The nucleic acid molecules used in the methods of the invention can be inserted into vectors and used as gene therapy vectors. Gene therapy vectors can be delivered to a subject by, for example, intravenous injection, local administration (see U.S. Patent 5,328,470) or by stereotactic injection (see e.g., Chen et al. (1994) *Proc. Natl. Acad. Sci. USA* 91:3054-3057). The pharmaceutical preparation of the gene therapy vector can include the gene therapy vector in an acceptable diluent, or can comprise a slow release matrix in which the gene delivery vehicle is imbedded. Alternatively, where the complete gene delivery vector can be produced intact from recombinant cells, e.g., retroviral vectors, the pharmaceutical preparation can include one or more cells which produce the gene delivery system.

3. Pharmacogenomics

The PCIP molecules of the present invention, as well as agents, or modulators which have a stimulatory or inhibitory effect on PCIP activity (e.g., PCIP gene expression) as identified by a screening assay described herein can be administered to individuals to treat (prophylactically or therapeutically) potassium channel associated disorders associated with aberrant PCIP activity (e.g., cardiovascular disorders such as long-QT syndrome, sinus node dysfunction, angina, heart failure, hypertension, atrial fibrillation, atrial flutter, dilated cardiomyopathy, idiopathic cardiomyopathy, myocardial infarction, coronary artery disease, coronary artery spasm, or arrhythmia). In conjunction with such treatment, pharmacogenomics (i.e., the study of the relationship between an individual's genotype and that individual's response to a foreign compound or drug) may be considered. Differences in metabolism of therapeutics can lead to severe toxicity or therapeutic failure by altering the relation between dose and blood concentration of the pharmacologically active drug. Thus, a physician or clinician may consider applying knowledge obtained in relevant

pharmacogenomics studies in determining whether to administer a PCIP molecule or PCIP modulator as well as tailoring the dosage and/or therapeutic regimen of treatment with a PCIP molecule or PCIP modulator.

Pharmacogenomics deals with clinically significant hereditary variations in the response to drugs due to altered drug disposition and abnormal action in affected persons. See, for example, Eichelbaum, M. et al. (1996) *Clin. Exp. Pharmacol. Physiol.* 23(10-11):983-985 and Linder, M.W. et al. (1997) *Clin. Chem.* 43(2):254-266. In general, two types of pharmacogenetic conditions can be differentiated. Genetic conditions transmitted as a single factor altering the way drugs act on the body (altered drug action) or genetic conditions transmitted as single factors altering the way the body acts on drugs (altered drug metabolism). These pharmacogenetic conditions can occur either as rare genetic defects or as naturally-occurring polymorphisms. For example, glucose-6-phosphate dehydrogenase deficiency (G6PD) is a common inherited enzymopathy in which the main clinical complication is haemolysis after ingestion of oxidant drugs (anti-malarials, sulfonamides, analgesics, nitrofurans) and consumption of fava beans.

One pharmacogenomics approach to identifying genes that predict drug response, known as "a genome-wide association", relies primarily on a high-resolution map of the human genome consisting of already known gene-related markers (e.g., a "bi-allelic" gene marker map which consists of 60,000-100,000 polymorphic or variable sites on the human genome, each of which has two variants.) Such a high-resolution genetic map can be compared to a map of the genome of each of a statistically significant number of patients taking part in a Phase II/III drug trial to identify markers associated with a particular observed drug response or side effect. Alternatively, such a high resolution map can be generated from a combination of some ten-million known single nucleotide polymorphisms (SNPs) in the human genome. As used herein, a "SNP" is a common alteration that occurs in a single nucleotide base in a stretch of DNA. For example, a SNP may occur once per every 1000 bases of DNA. A SNP may be involved in a disease process, however, the vast majority may not be disease-associated. Given a genetic map based on the occurrence of such SNPs, individuals can be grouped into genetic categories depending on a particular pattern of SNPs in their individual genome. In such a manner, treatment regimens can be tailored to groups of genetically similar individuals, taking into account traits that may be common among such genetically similar individuals.

Alternatively, a method termed the "candidate gene approach", can be utilized to identify genes that predict drug response. According to this method, if a gene that encodes a drugs target is known (e.g., a PCIP protein of the present invention), all common variants of that gene can be fairly easily identified in the population and it can be determined if having one version of the gene versus another is associated with a particular drug response.

As an illustrative embodiment, the activity of drug metabolizing enzymes is a major determinant of both the intensity and duration of drug action. The discovery of genetic polymorphisms of drug metabolizing enzymes (e.g., N-acetyltransferase 2 (NAT 2) and cytochrome P450 enzymes CYP2D6 and CYP2C19) has provided an explanation as to why some patients do not obtain the expected drug effects or show exaggerated drug response and serious toxicity after taking the standard and safe dose of a drug. These polymorphisms are expressed in two phenotypes in the population, the extensive metabolizer (EM) and poor metabolizer (PM). The prevalence of PM is different among different populations. For example, the gene coding for CYP2D6 is highly polymorphic and several mutations have been identified in PM, which all lead to the absence of functional CYP2D6. Poor metabolizers of CYP2D6 and CYP2C19 quite frequently experience exaggerated drug response and side effects when they receive standard doses. If a metabolite is the active therapeutic moiety, PM show no therapeutic response, as demonstrated for the analgesic effect of codeine mediated by its CYP2D6-formed metabolite morphine. The other extreme are the so called ultra-rapid metabolizers who do not respond to standard doses. Recently, the molecular basis of ultra-rapid metabolism has been identified to be due to CYP2D6 gene amplification.

Alternatively, a method termed the "gene expression profiling", can be utilized to identify genes that predict drug response. For example, the gene expression of an animal dosed with a drug (e.g., a PCIP molecule or PCIP modulator of the present invention) can give an indication whether gene pathways related to toxicity have been turned on.

Information generated from more than one of the above pharmacogenomics approaches can be used to determine appropriate dosage and treatment regimens for prophylactic or therapeutic treatment an individual. This knowledge, when applied to dosing or drug selection, can avoid adverse reactions or therapeutic failure and thus enhance therapeutic or prophylactic efficiency when treating a subject with a PCIP molecule or PCIP modulator, such as a modulator identified by one of the exemplary screening assays described herein.

This invention is further illustrated by the following examples which should not be construed as limiting. The contents of all references, patents and published patent applications cited throughout this application, as well as the Figures and the Sequence Listing are incorporated herein by reference.

0940049-09249

EXAMPLES

The following materials and methods were used in the Examples.

Strains, plasmids, bait cDNAs, and general microbiological techniques

5 Basic yeast strains (HF7c, Y187,) bait (pGBT9) and fish (pACT2) plasmids used in this work were purchased from Clontech (Palo Alto, CA). cDNAs encoding rat Kv4.3, Kv4.2, and Kv1.1, were provided by Wyeth-Ayerst Research (865 Ridge Rd., Monmouth Junction, NJ 08852) Standard yeast media including synthetic complete medium lacking L-leucine, L-tryptophan, and L-histidine were prepared and yeast genetic manipulations were performed as described (Sherman (1991) *Meth. Enzymol.* 194:3-21). Yeast transformations were performed using standard protocols (Gietz et al. (1992) *Nucleic Acids Res.* 20:1425; Ito et al (1983) *J. Bacteriol.* 153:163-168). Plasmid DNAs were isolated from yeast strains by a standard method (Hoffman and Winston (1987) *Gene* 57:267-272).

15 Bait and Yeast Strain Construction

The first 180 amino acids of rKv4.3 (described in Serdio P. et al. (1996) *J. Neurophys* 75:2174-2179) were amplified by PCR and cloned in frame into pGBT9 resulting in plasmid pFWA2, (hereinafter "bait"). This bait was transformed into the two-hybrid screening strain HF7c and tested for expression and self-activation. The bait was validated for expression by Western blotting. The rKv4.3 bait did not self-activate in the presence of 10 mM 3-amino-1,2,3-Triazole (3-AT).

Library construction

Rat mid brain tissue was provided by Wyeth-Ayerst Research (Monmouth Junction, NJ). Total cellular RNA was extracted from the tissues using standard techniques (Sambrook, J., Fritsh, E. F., and Maniatis, T. *Molecular Cloning: A Laboratory Manual*. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, (1989)). mRNA was prepared using a Poly-A Spin mRNA Isolation Kit from New England Biolabs (Beverly, MA). cDNA from the mRNA sample was synthesized using a cDNA Synthesis Kit from Stratagene (La Jolla, CA) and ligated into pACT2's EcoRI and XhoI sites, giving rise to a two-hybrid library.

Two-Hybrid Screening

Two-hybrid screens were carried out essentially as described in Bartel, P. et al. (1993) "Using the Two-Hybrid System to Detect Polypeptide-Polypeptide Interactions" in Cellular Interactions in Development: A Practical Approach, Hartley, D.A. ed. Oxford University Press, Oxford, pp. 153-179, with a bait-library pair of rkv4.3 bait-rat mid brain library. A filter disk beta-galactosidase (beta-gal) assay was performed essentially as

667260" 26400460

previously described (Brill et al. (1994) *Mol. Biol. Cell.* 5:297-312). Clones that were positive for both reporter gene activity (His and beta-galactosidase) were scored and fish, plasmids were isolated from yeast, transformed into *E. coli* strain KC8, DNA plasmids were purified and the resulting plasmids were sequenced by conventional methods (Sanger F. et al. (1977) *PNAS*, 74: 5463-67).

Specificity test

Positive interactor clones were subjected to a binding specificity test where they were exposed to a panel of related and unrelated baits by a mating scheme previously described (Finley R.L. Jr. et al. (1994) *PNAS*, 91(26):12980-12984). Briefly, positive fish plasmids were transformed into Y187 and the panel of baits were transformed into HF7c. Transformed fish and bait cells were streaked out as stripes on selective medium plates, mated on YPAD plates, and tested for reporter gene activity.

Analysis

PCIP nucleotides were analyzed for nucleic acid hits by the BLASTN 1.4.8MP program (Altschul et al. (1990) Basic Local Alignment Search Tool. *J. Mol. Biol.* 215: 403-410). PCIP proteins were analyzed for polypeptide hits by the BLASTP 1.4.9MP program.

EXAMPLE 1: IDENTIFICATION OF RAT PCIP cDNAs

The Kv4.3 gene coding sequence (coding for the first 180 amino acids) was amplified by PCR and cloned into pGBT9 creating a GAL4 DNA-binding domain-Kv4.3(1-180) gene fusion (plasmid pFWA2). HF7c was transformed with this construct. The resulting strain grew on synthetic complete medium lacking L-tryptophan but not on synthetic complete medium lacking L-tryptophan and L-histidine in the presence of 10mM 3-AT demonstrating that the {GAL4 DNA-binding domain}-{vKv4.3(1-180)} gene fusion does not have intrinsic transcriptional activation activity higher than the threshold allowed by 10mM 3-AT.

In this example, a yeast two-hybrid assay was performed in which a plasmid containing a {GAL4 DNA-binding domain}-{rKv4.3(1-180)} gene fusion was introduced into the yeast two-hybrid screening strain HF7c described above. HF7c was then transformed with the rat mid brain two-hybrid library. Approximately six million transformants were obtained and plated in selection medium. Colonies that grew in the selection medium and expressed the beta-galactosidase reporter gene were further characterized and subjected to retransformation and specificity assays. The retransformation and specificity tests yielded three PCIP clones (rat 1v, 8t, and 9qm) that were able to bind to the Kv4.3 polypeptide.

The full length sequences for the rat 1v gene, and partial sequences for 8t and 9q genes were derived as follows. The partial rat PCIP sequences were used to prepare probes, which were then used to screen, for example, rat mid brain cDNA libraries. Positive clones were identified, amplified and sequenced using standard techniques, to obtain the full length
5 sequence. Additionally, a rapid amplification of the existing rat PCIP cDNA ends (using for example, 5' RACE, by Gibco, BRL) was used to complete the 5' end of the transcript.

EXAMPLE 2: IDENTIFICATION OF HUMAN 1v cDNA

To obtain the human 1v nucleic acid molecule, a cDNA library made from a human
10 hippocampus (Clontech, Palo Alto, CA) was screened under low stringency conditions as follows: Prehybridization for 4 hours at 42°C in Clontech Express Hyb solution, followed by overnight hybridization at 42°C. The probe used was a PCR-generated fragment including nucleotides 49-711 of the rat sequence labeled with ³²P dCTP. The filters were washed 6 times in 2XSSC/0.1% SDS at 55°C. The same conditions were used for
15 secondary screening of the positive isolates. Clones thus obtained were sequenced using an ABI automated DNA Sequencing system, and compared to the rat sequences shown in SEQ ID NO:3 as well as to known sequences from the GenBank database. The largest clone from the library screen was subsequently subcloned into pBS-KS+ (Stratagene, La Jolla, CA) for sequence verification. The 515 base pair clone was determined to represent the human
20 homolog of the 1v gene, encompassing 211 base pairs of 5' UTR and a 304 base pair coding region. To generate the full-length cDNA, 3' RACE was used according to the manufacturers instructions (Clontech Advantage PCR kit).

EXAMPLE 3: ISOLATION AND CHARACTERIZATION OF 1V SPLICE VARIANTS

The mouse 1v shown in SEQ ID NO:5 and the rat 1vl splice variant shown in SEQ ID NO:7 was isolated using a two-hybrid assay as described in Example 1. The mouse 1vl splice variant shown in SEQ ID NO: 7 was isolated by screening a mouse brain cDNA library, and the rat 1vn splice variant shown in SEQ ID NO:11 was isolated by BLAST
30 searching.

EXAMPLE 4: ISOLATION AND IDENTIFICATION OF 9Q AND OTHER PCIPs

Rat 9ql (SEQ ID NO: 15) was isolated by database mining, rat 9qm (SEQ ID NO:
35 21) was isolated by a two-hybrid assay, and rat 9qc (SEQ ID NO:27) was identified by database mining. Human 9ql (SEQ ID NO: 13), and human 9qs (SEQ ID NO: 23) were identified as described in Example 2. Mouse 9ql (SEQ ID NO:17), monkey 9qs (SEQ ID NO:25), human p195 (SEQ ID NO:31), W28559 (SEQ ID NO:37), human p193 (SEQ ID

NO:39), rat p19 (SEQ ID NO:33), and mouse p19 (SEQ ID NO:35) were identified by database mining. Rat 8t (SEQ ID NO:29) was identified using a two-hybrid assay.

The human genomic 9q sequence (SEQ ID NOs:46 and 47) was isolated by screening a BAC genomic DNA library (Reasearch Genetics) using primers which were designed based on the sequence of the human 9qm cDNA. Two positive clones were identified (448O2 and 721I17) and sequenced.

EXAMPLE 5: EXPRESSION OF p19, 1V, 8T, AND 9Q mRNA IN RAT TISSUES

PCIP molecules, e.g., 9q and 8t, were demonstrated to be predominantly expressed in the heart. Briefly, rat or mouse multiple tissue Northern blots (Clontech) were probed with a [³²P]-labeled cDNA probe directed at the p19 sequence, the 5'-untranslated and 5'-coding region of the rat 1v sequence (nucleotides 35-124; SEQ ID NO:3) (this probe is specific for rat 1v and rat 1vl), the 5' coding region of the 8t sequence (nucleotides 1-88; SEQ ID NO:29) (this probe is specific for 8t), or the 5' end of the rat 9qm sequence (nucleotides 1-195; SEQ ID NO:21) (this probe is specific for all 9q isoforms, besides 8t). Blots were hybridized using standard techniques.

The results indicated that p19 is expressed predominantly in the brain, but also in the heart. Moreover, northern blots hybridized with the rat 1v probe revealed a single band at 2.3kb only in the lane containing brain RNA, suggesting that 1v expression is brain specific. Northern blots probed with the rat 8t probe revealed a major band at 2.4kb. The rat 8t band was most intense in the lane containing heart RNA and there was also a weaker band in the lane containing brain RNA. Northern blots hybridized with the 9q cDNA probe revealed a major band at 2.5kb and a minor band at over 4kb with predominant expression in heart and brain. The minor band may represent incompletely spliced or processed 9q mRNA.

EXAMPLE 6: EXPRESSION OF 1V, 8T, AND 9Q IN BRAIN

Expression of the rat 1v and 8t/9q genes in the brain was examined by *in situ* hybridization histochemistry (ISHH) using [³⁵S]-labeled cRNA probes and a hybridization procedure identical to that described in Rhodes et al. (1996) J. Neurosci., 16:4846-4860. Templates for preparing the cRNA probes were generated by standard PCR methods. Briefly, oligonucleotide primers were designed to amplify a fragment of 3'- or 5'-untranslated region of the target cDNA and in addition, add the promoter recognition sequences for T7 and T3 polymerase. Thus, to generate a 300 nucleotide probe directed at the 3'-untranslated region of the 1v mRNA, we used the following primers:
5-TAATACGACTCACTATAGGGACTGGCCATCCTGCTCTCAG-3 (T7, forward, sense; SEQ ID NO:42)

5-ATTAACCCTCACTAAAGGGACACTACTGTTTAAGCTCAAG-3 (T3, reverse, antisense; SEQ ID NO:43). The underlined bases correspond to the T7 and T3 promoter sequences. To generate a probe directed at a 325 bp region of 3'-untranslated sequence shared by the 8t and 9q mRNAs, the following primers were used:

5 5-TAATACGACTCACTATAGGGCACCTCCCCTCCGGCTGTTC-3 (T7, forward, sense; SEQ ID NO:44)

5-ATTAACCCTCACTAAAGGGGAGAGCAGCAGCATGGCAGGGT-3 (T3, reverse, antisense; SEQ ID NO:45).

Autoradiograms of rat brain tissue sections processed for ISHH localization of 1v or 8t/9q mRNA expression revealed that 1v mRNA is expressed widely in brain in a pattern consistent with labeling of neurons as opposed to glial or endothelial cells. 1v mRNA is highly expressed in cortical, hippocampal, and striatal interneurons, the reticular nucleus of the thalamus, the medial habenula, and in cerebellar granule cells. 1v mRNA is expressed at moderate levels in midbrain nuclei including the substantia nigra and superior colliculus, in several other thalamic nuclei, and in the medial septal and diagonal band nuclei of the basal forebrain.

Because the probe used to analyze the expression of 8t and 9q hybridizes to a region of the 3'-untranslated region that is identical in the 8t and 9q mRNAs, this probe generates a composite image that reveals that 8t/9q mRNA is expressed widely in brain in a pattern that partly overlaps with that for 1v as described above. However, 8t/9q mRNA is highly expressed in the striatum, hippocampal formation, cerebellar granule cells, and neocortex. 8t/9q mRNA is expressed at moderate levels in the midbrain, thalamus, and brainstem. In many of these areas, 8t/9q mRNA appears to be concentrated in interneurons in addition to principal cells, and in all regions 8t/9q expression appears to be concentrated in neurons as opposed to glial cells.

Single- and double-label immunohistochemistry revealed that the PCIP and Kv4 polypeptides are precisely colocalized in many of the cell types and brain regions where PCIP and Kv4 mRNAs are coexpressed. For example, 9qm colocalized with Kv4.2 in the somata and dendrites of hippocampal granule and pyramidal cells, neurons in the medial habenular nucleus and in cerebellar basket cells, while 1v colocalized with Kv4.3 in layer II neurons of posterior cingulate cortex, hippocampal interneurons, and in a subset of cerebellar granule cells. Immunoprecipitation analyses indicated that 1v and 9qm are coassociated with Kv4 α -subunits in rat brain membranes.

35 **EXAMPLE 7: CO-ASSOCIATION OF PCIPs AND Kv4 CHANNELS IN COS AND CHO CELLS**

COS1 and CHO cells were transiently transfected with individual PCIPs (KChIP1, KChIP2, KChIP3) alone or together with Kv4.2 or Kv4.3 using the lipofectamine plus

procedure essentially as described by the manufacturer (Boehringer Mannheim). Forty-eight hours after the transfection, cells were washed, fixed, and processed for immunofluorescent visualization as described previously (Bekele-Arcuri et al. (1996) *Neuropharmacology*, 35:851-865). Affinity-purified rabbit polyclonal or mouse monoclonal antibodies to the Kv4 channel or the PCIP protein were used for immunofluorescent detection of the target proteins.

When expressed alone, the PCIPs were diffusely distributed throughout the cytoplasm of COS-1 and CHO cells, as would be expected for cytoplasmic proteins. In contrast, when expressed alone, the Kv4.2 and Kv4.3 polypeptides were concentrated within the perinuclear ER and Golgi compartments, with some immunoreactivity concentrated in the outer margins of the cell. When the PCIPs were coexpressed with Kv4 α -subunits, the characteristic diffuse PCIP distribution changed dramatically, such that the PCIPs precisely colocalized with the Kv4 α -subunits. This redistribution of the PCIPs did not occur when they were coexpressed with the Kv1.4 α -subunit, indicating that altered PCIP localization is not a consequence of overexpression and that these PCIPs associate specifically with Kv4-family α -subunits.

To verify that the PCIP and Kv4 polypeptides are tightly associated and not simply colocalized in co-transfected cells, reciprocal immunoprecipitation analyses were performed using the PCIP and channel-specific antibodies described above. All three PCIP polypeptides coassociated with Kv4 α -subunits in cotransfected cells, as evidenced by the ability of anti-Kv4.2 and anti-Kv4.3 antibodies to immunoprecipitate the KChIP1, KChIP2, and KChIP3 proteins from lysates prepared from cotransfected cells, and by the ability of anti-PCIP antibodies to immunoprecipitate Kv4.2 and Kv4.3 α -subunits from these same lysates. The cells were lysed in buffer containing detergent and protease inhibitors, and prepared for immunoprecipitation reactions essentially as described previously (Nakahira et al. (1996) *J. Biol. Chem.*, 271:7084-7089). Immunoprecipitations were performed as described in Nakahira et al. (1996) *J. Biol. Chem.*, 271:7084-7089 and in Harlow E. and Lane, D., *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, c1988. The products resulting from the immunoprecipitation were size fractionated by SDS-PAGE and transferred to nitrocellulose filters using standard procedures.

To confirm that the cytoplasmic N-terminus of Kv4 channels is sufficient for the interaction with the PCIPs KChIP1 or KChIP2 were co-expressed with a Kv4.3 mutant (Kv4.3 Δ C) that lacks the entire 219 amino acid cytoplasmic C-terminal tail. In transiently transfected COS-1 cells, the Kv4.3 Δ C mutant was extensively trapped within the perinuclear ER and Golgi: little or no staining was observed at the outer margins of the cell. Nonetheless, KChIP1 and KChIP2 precisely colocalized with Kv4.3 Δ C in cotransfected cells, and moreover, Kv4.3 Δ C was efficiently coimmunoprecipitated by PCIP antibodies,

indicating that the interaction of these PCIPs with Kv4 α -subunits does not require the cytoplasmic C-terminus of the channel.

EXAMPLE 8: CO-ASSOCIATION OF PCIPs AND Kv4 CHANNELS IN NATIVE TISSUES

To determine whether PCIPs colocalize and co-associate with Kv4 subunits in native tissues, Kv4- and PCIP-specific antibodies were used for single and double-label immunohistochemical analyses and for reciprocal coimmunoprecipitation analyses of rat brain membranes. Immunohistochemical staining of rat brain sections indicated that KChIP1 and KChIP2 colocalize with Kv4.2 and Kv4.3 in a region and cell type-specific manner. For example, KChIP1 colocalized with Kv4.3 in hippocampal interneurons, cerebellar granule cells, and cerebellar glomeruli, a specialized synaptic arrangement between the dendrites of cerebellar basket and golgi cells and mossy fiber terminals. KChIP2 colocalized with Kv4.3 and Kv4.2 in the dendrites of granule cells in the dentate gyrus, in the apical and basal dendrites of hippocampal and neocortical pyramidal cells, and in several subcortical structures including the striatum and superior colliculus. Co-immunoprecipitation analyses performed using synaptic membranes prepared from whole rat brain revealed that the PCIPs (KChIPs 1, 2, and 3) are tightly associated with Kv4.2 and Kv4.3 in brain K⁺ channel complexes. Anti-PCIP antibodies immunoprecipitated Kv4.2 and Kv4.3 from brain membranes, and anti-Kv4.2 and Kv4.3 antibodies immunoprecipitated the PCIPs. None of the PCIP polypeptides were immunoprecipitated by anti-Kv2.1 antibodies, indicating that the association of these PCIPs with brain Kv channels may be specific for Kv4 α -subunits. Taken together, these anatomical and biochemical analyses indicate that these PCIPs are integral components of native Kv4 channel complexes.

EXAMPLE 9: PCIPs ARE CALCIUM BINDING PROTEINS

To determine whether KChIPs 1, 2, and 3 bind Ca²⁺, GST-fusion proteins were generated for each PCIP and the ability of the GST-PCIP proteins, as well as the recombinant PCIP polypeptides enzymatically cleaved from GST, to bind ⁴⁵Ca²⁺ was examined using a filter overlay assay (described in, for example, Kobayashi *et al.* (1993) *Biochem. Biophys. Res. Commun.* 189(1):511-7). All three PCIP polypeptides, but not an unrelated GST-fusion protein, display strong ⁴⁵Ca²⁺ binding in this assay. Moreover, all three PCIP polypeptides display a Ca²⁺-dependent mobility shift on SDS-PAGE, indicating that like the other members of this family, KChIPs 1, 2 and 3 are in fact Ca²⁺-binding proteins (Kobayashi *et al.* (1993) *supra*; Buxbaum *et al.* Nef (1996). Neuron-specific calcium sensors (the NCS-1 subfamily). In: Celio MR (ed) *Guidebook to the calcium-binding proteins*. Oxford University Press, New York, pp94-98; Buxbaum J.D., *et al.* (1998) *Nature Med.* 4(10):1177-81.

EXAMPLE 10: ELECTROPHYSIOLOGICAL CHARACTERIZATION OF PCIPs

Because PCIPs, e.g., KChIP1 (1v), KChIP2 (9ql), and KChIP3 (p19), colocalize and coassociate with Kv4 α -subunits in brain, another critical question was to determine whether these PCIPs alter the conductance properties of Kv4 channels. To address this issue, Kv4.2 and Kv4.3 were expressed alone and in combination with individual PCIPs.

CHO cells were transiently-transfected with cDNA using the DOTAP lipofection method as described by the manufacturer (Boehringer Mannheim, Inc.). Transfected cells were identified by cotransfecting enhanced GFP along with the genes of interest and subsequently determining if the cells contained green GFP fluorescence. Currents in CHO cells were measured using the patch-clamp technique (Hamill et al. 1981. Pfluegers Arch. 391: 85-100).

Transient transfection of the rat Kv4.2 α -subunit in CHO cells resulted in expression of a typical A-type K⁺ conductance. Coexpression of Kv4.2 with KChIP1 revealed several dramatic effects of KChIP1 on the channel (Figure 41 and Table 1). First, the amplitude of the Kv4.2 current increased approximately 7.5 fold in the presence of KChIP1 (amplitude of Kv4.2 alone = 0.60 +/- 0.096 nA/cell; Kv4.2 + KChIP1 = 4.5 +/- 0.55 nA/cell). When converted into current density by correcting for cell capacitance, a measure of cell surface membrane area, the Kv4.2 current density increased 12 fold with coexpression of KChIP1 (Kv4.2 alone = 25.5 +/- 3.2 pA/pF; Kv4.2 + KChIP1 = 306.9 +/- 57.9 pA/pF), indicating that KChIPs promote and/or stabilize Kv4.2 surface expression. Together with this increase in current density, a dramatic leftward shift in the threshold for activation of Kv4.2 currents was observed in cells expressing Kv4.2 and KChIP1 (activation V_{1/2} for Kv4.2 alone = 20.8 +/- 7.0mV, Kv4.2 + KChIP1 = -12.1 +/- 1.4 mV). Finally, the kinetics of Kv4.2 inactivation slowed considerably when Kv4.2 was coexpressed with KChIP1 (inactivation time constant of Kv4.2 alone = 28.2 +/- 2.6 ms; Kv4.2 + KChIP1 = 104.1 +/- 10.4 ms), while channels recovered from inactivation much more rapidly in cells expressing both Kv4.2 and KChIP1 (recovery tau = 53.6 +/- 7.6 ms) versus cells expressing Kv4.2 alone (recovery tau = 272.2 +/- 26.1 ms).

KChIPs1, 2 and 3 have distinct N-termini but share considerable amino acid identity within the C-terminal "core" domain. Despite their distinct N-termini, the effects of KChIP2 and KChIP3 on Kv4.2 current density and kinetics were strikingly similar to those produced by KChIP1 (Table1). Thus to confirm that the conserved C-terminal core domain, which contains all three EF-hands, is sufficient to modulate Kv4 current density and kinetics, N-terminal truncation mutants of KChIP1 and KChIP2 were prepared. The KChIP1 Δ N2-31 and KChIP2 Δ N2-67 mutants truncated KChIP1 and KChIP2, respectively, to the C-terminal 185 amino acid core sequence. Coexpression of KChIP1 Δ N2-31 or KChIP2 Δ N2-67 with Kv4.2 in CHO cells produced changes in Kv4.2 current density and

kinetics that were indistinguishable from the effects produced by full-length KChIP1 or KChIP2 (Table1).

To investigate whether the modulatory effects of these KChIPs are specific for Kv4 channels, KChIP1 was coexpressed with Kv1.4 and Kv2.1 in *Xenopus* oocytes.

- 5 *Xenopus* oocytes were injected with 1-3 ng/oocyte of cRNA which was prepared using standard in vitro transcription techniques (Sambrook et al. 1989. Molecular Cloning: a laboratory manual, Cold Spring Harbor Press). Currents in oocytes were measured with a two-electrode voltage clamp. KChIP1 did not appear to have any effect on Kv1.4 or Kv2.1 currents (Table2), indicating that these functional effects may be specific for Kv4 channels.
- 10 As a final control for the KChIP effects and to verify that the KChIPs' effects on Kv4 currents are independent of expression system, the above kinetic analyses were repeated after expressing Kv4.3 and KChIP mRNAs in *Xenopus* oocytes. The effects KChIP1 on for Kv4.3 in the oocyte system were strikingly similar to those on Kv4.2 in CHO cells (Table1).

- Since these KChIPs bind Ca^{2+} , another important question is to determine whether
- 15 the effects of KChIP1 on Kv4.2 currents are Ca^{2+} -dependent. This question was addressed indirectly by introducing point mutations within each of KChIP1's EF-hand domains: one mutant has point mutations in the first two EF hands (D_{199} to A, G_{104} to A, D_{135} to A, and G_{140} to A) and the other one has point mutations in all three EF hands (D_{199} to A, G_{104} to A, D_{135} to A, G_{140} to A, D_{183} to A, and G_{188} to A). These mutations substituted alanine for the two most
 - 20 highly conserved amino acids within the EF-hand consensus (Figure 25; Linse, S. and Forsen, S. (1995) Determinants that govern high-affinity Calcium binding. In Means, S. (Ed.) Advances in second messenger and phosphoprotein research. New York, Ravens Press,. 30:89-150). Coexpression of this KChIP1 triple EF-hand mutant with Kv4.2 or Kv4.3 in COS cells indicated that this mutant colocalizes and is efficiently
 - 25 coimmunoprecipitated with Kv4 α -subunits in COS-1 cells. However, these EF-hand point mutations completely eliminated the effects of KChIP1 on Kv4.2 kinetics (Table1). Taken together, these results indicate that the binding interaction between KChIP1 and Kv4.2 is Ca^{2+} independent, while modulation of Kv4.2 kinetics by KChIP1 is either Ca^{2+} -dependent or sensitive to structural changes induced by point mutations within the EF-hand domains.

TABLE 1

Functional effect of KchIPs on Kv4 channels

Current Parameter	rKv4.2 + vector	rKv4.2 + KchIP1	rKv4.2 + KchIP1 $\Delta\text{N2-31}$	rKv4.2 + KchIP2	rKv4.2 + KchIP2 $\Delta\text{N2-67}$	rKv4.2 + KchIP3	rKv4.3	rKv4.3 + KchIP1
Peak Current	0.60*	4.5*	6.0*	3.3*	5.8*	3.5*	7.7 μA	18.1 μA *

(nA/cell at 50 MV)	± 0.096	± 0.055	± 1.1	± 0.45	± 1.1	± 0.99	± 2.6	± 3.8
Peak Current Density	25.5	306.9*	407.2*	196.6*	202.6*	161.7*	---	---
(pA/pF at 50 mV)	± 3.2	± 57.9	± 104.8	± 26.6	± 27.5	± 21.8		
Inactivation time constant	28.2	104.1	129.2	95.1*	109.5*	67.2*	56.3	135.0
(ms, at 50 mV)	± 2.6	± 10.4	± 14.2	± 8.3	± 9.6	± 14.1	± 6.6	± 15.1
Recovery from Inactivation Time constant	272.2	53.6*	98.1*	49.5*	36.1*	126.1*	327.0	34.5*

* Significantly different from control.

TABLE 2

Functional effects of KChIPs on other Kv channels

5

Current Parameter	Oocytes		Oocytes	
	HKv1.4	hKv1.4 + 1v	HKv2.1	HKv2.1 + 1v
Peak Current	8.3	6.5	3.7	2.9
(μ A/cell at 50 MV)	± 2.0	± 0.64	± 0.48	± 0.37
Inactivation time constant	53.2	58.2	1.9 s	1.7 s
(ms, at 50 mV)	± 2.8	± 6.6	± 0.079	0.078

Recovery from Inactivation time constant (sec, at -80 mV)	1.9	1.6	7.6	7.7
Activation $V_{1/2}$ (mV)	-21.0	-20.9	12.0	12.4
Steady-state Inactivation $V_{1/2}$ (mV)	-48.1	-47.5	-25.3	-23.9

EXAMPLE 11: EFFECTS OF KChIP1 AND KChIP2 ON SURFACE EXPRESSION OF KV4- α SUBUNITS IN COS-1 CELLS

To examine the ability of KChIP1 to enhance the surface expression of Kv4 channels, the ability of KChIP1 to promote the formation of surface co-clusters of Kv4 channels and PSD-95 was monitored. PSD-95 is used to facilitate the visualization of the complex.

To facilitate the interaction between Kv4.3 and PSD-95, a chimeric Kv4.3 subunit (Kv4.3ch) was generated in which the C-terminal 10 amino acids from rKv1.4 (SNAKAVETDV, SEQ ID NO:73) were appended to the C-terminus of Kv4.3. The C-terminal 10 amino acids from rKv1.4 were used because they associate with PSD-95 and confer the ability to associate with PSD-95 to the Kv4.3 protein when fused to the Kv4.3 C-terminus. Expression of Kv4.3ch in COS-1 cells revealed that the Kv4.3ch polypeptide was trapped in the perinuclear cytoplasm, with minimal detectable Kv4.3ch immunoreactivity at the outer margins of the cell. When Kv4.3ch was co-expressed with PSD-95, PSD-95 became trapped in the perinuclear cytoplasm and co-localized with Kv4.3ch. However, when KChIP1 was co-expressed with Kv4.3ch and PSD-95, large plaque-like surface co-clusters of Kv4.3ch, KChIP1 and PSD-95 were observed. Triple-label immunofluorescence confirmed that these surface clusters contain all three polypeptides, and reciprocal co-immunoprecipitation analyses indicated that the three polypeptides are co-associated in these surface clusters. Control experiments indicated that KChIP1 does not interact with PSD-95 alone, and does not co-localize with Kv1.4 and PSD-95 in surface clusters. Taken together, these data indicate that KChIP1 may promote the transit of the Kv4.3 subunits to the cell surface.

EXAMPLE 12: CHARACTERIZATION OF THE PCIP PROTEINS

In this example, the amino acid sequences of the PCIP proteins were compared to amino acid sequences of known proteins and various motifs were identified.

The 1v polypeptide, the amino acid sequence of which is shown in SEQ ID NO:3 is a novel polypeptide which includes 216 amino acid residues. Domains that are putatively involved in calcium binding (Linse, S. and Forsen, S. (1995) *Advances in Second Messenger and Phosphoprotein Research* 30, Chapter 3, p89-151, edited by Means, AR., Raven Press, Ltd., New York), were identified by sequence alignment (see Figure 21).

The 8t polypeptide, the amino acid sequence of which is shown in SEQ ID NO:30 is a novel polypeptide which includes 225 amino acid residues. Calcium binding domains that are putatively involved in calcium binding (Linse, S. and Forsen, S. (1995) *Advances in Second Messenger and Phosphoprotein Research* 30, Chapter 3, p89-151, edited by Means, AR., Raven Press, Ltd., New York), were identified by sequence alignment (see Figure 21).

The 9q polypeptide is a novel polypeptide which includes calcium binding domains that are putatively involved in calcium binding (Linse, S. and Forsen, S. (1995) *Advances in Second Messenger and Phosphoprotein Research* 30, Chapter 3, p89-151, edited by Means, AR., Raven Press, Ltd., New York (see Figure 21).

The p19 polypeptide is a novel polypeptide which includes calcium binding domains that are putatively involved in calcium binding (Linse, S. and Forsen, S. (1995) *Advances in Second Messenger and Phosphoprotein Research* 30, Chapter 3, p89-151, edited by Means, AR., Raven Press, Ltd., New York (see Figure 21).

A BLASTN 2.0.7 search (Altschul et al. (1990) *J. Mol. Biol.* 215:403) of the nucleotide sequence of rat 1vl revealed that the rat 1vl is similar to the rat cDNA clone RMUAH89 (Accession Number AA849706). The rat 1 vl nucleic acid molecule is 98% identical to the rat cDNA clone RMUAH89 (Accession Number AA849706) over nucleotides 1063 to 1488.

A BLASTN 2.0.7 search (Altschul et al. (1990) *J. Mol. Biol.* 215:403) of the nucleotide sequence of human 9ql revealed that the human 9ql is similar to the human cDNA clone 1309405 (Accession Number AA757119). The human 9 ql nucleic acid molecule is 98% identical to the human cDNA clone 1309405 (Accession Number AA757119) over nucleotides 937 to 1405.

A BLASTN 2.0.7 search (Altschul et al. (1990) *J. Mol. Biol.* 215:403) of the nucleotide sequence of mouse P19 revealed that the mouse P19 is similar to the *Mus musculus* cDNA clone MNCb-7005 (Accession Number AU035979). The mouse P19 nucleic acid molecule is 98% identical to the *Mus musculus* cDNA clone MNCb-7005 (Accession Number AU035979) over nucleotides 1 to 583.

EXAMPLE 13: EXPRESSION OF RECOMBINANT PCIP PROTEINS IN BACTERIAL CELLS

In this example, PCIP is expressed as a recombinant glutathione-S-transferase (GST) fusion polypeptide in *E. coli* and the fusion polypeptide is isolated and characterized.

Specifically, PCIP is fused to GST and this fusion polypeptide is expressed in *E. coli*, e.g., strain BI21. Expression of the GST-PCIP fusion protein in BI21 is induced with IPTG. The recombinant fusion polypeptide is purified from crude bacterial lysates of the induced BI21 strain by affinity chromatography on glutathione beads. Using polyacrylamide gel electrophoretic analysis of the polypeptide purified from the bacterial lysates, the molecular weight of the resultant fusion polypeptide is determined.

Rat 1v and 9ql were cloned into pGEX-6p-2 (Pharmacia). The resulting recombinant fusion proteins were expressed in *E. coli* cells and purified following art known methods (described in, for example, *Current Protocols in Molecular Biology*, eds. Ausubel et al. John Wiley & Sons: 1992). The identities of the purified proteins were verified by western blot analysis using antibodies raised against peptide epitopes of rat 1v and 9ql.

EXAMPLE 14: EXPRESSION OF RECOMBINANT PCIP PROTEINS IN COS CELLS

To express the PCIP gene in COS cells, the pCDNA/Amp vector by Invitrogen Corporation (San Diego, CA) is used. This vector contains an SV40 origin of replication, an ampicillin resistance gene, an *E. coli* replication origin, a CMV promoter followed by a polylinker region, and an SV40 intron and polyadenylation site. A DNA fragment encoding the entire PCIP protein and an HA tag (Wilson et al. (1984) *Cell* 37:767) or a FLAG tag fused in-frame to its 3' end of the fragment is cloned into the polylinker region of the vector, thereby placing the expression of the recombinant protein under the control of the CMV promoter.

To construct the plasmid, the PCIP DNA sequence is amplified by PCR using two primers. The 5' primer contains the restriction site of interest followed by approximately twenty nucleotides of the PCIP coding sequence starting from the initiation codon; the 3' end sequence contains complementary sequences to the other restriction site of interest, a translation stop codon, the HA tag or FLAG tag and the last 20 nucleotides of the PCIP coding sequence. The PCR amplified fragment and the pCDNA/Amp vector are digested with the appropriate restriction enzymes and the vector is dephosphorylated using the CIAP enzyme (New England Biolabs, Beverly, MA). Preferably the two restriction sites chosen are different so that the PCIP gene is inserted in the correct orientation. The ligation mixture is transformed into *E. coli* cells (strains HB101, DH5a, SURE, available from Stratagene Cloning Systems, La Jolla, CA, can be used), the transformed culture is plated on ampicillin media plates, and resistant colonies are selected. Plasmid DNA is isolated from transformants and examined by restriction analysis for the presence of the correct fragment.

COS cells are subsequently transfected with the PCIP-pCDNA/Amp plasmid DNA using the calcium phosphate or calcium chloride co-precipitation methods, DEAE-dextran-mediated transfection, lipofection, or electroporation. Other suitable methods for

transfecting host cells can be found in Sambrook, J., Fritsh, E. F., and Maniatis, T.

Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989. The expression of the PCIP polypeptide is detected by radiolabelling (^{35}S -methionine or ^{35}S -cysteine available from NEN, Boston, MA, can be used) and immunoprecipitation (Harlow, E. and Lane, D. *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1988) using an HA specific monoclonal antibody. Briefly, the cells are labelled for 8 hours with ^{35}S -methionine (or ^{35}S -cysteine). The culture media are then collected and the cells are lysed using detergents (RIPA buffer, 150 mM NaCl, 1% NP-40, 0.1% SDS, 0.5% DOC, 50 mM Tris, pH 7.5). Both the cell lysate and the culture media are precipitated with an HA specific monoclonal antibody. Precipitated polypeptides are then analyzed by SDS-PAGE.

Alternatively, DNA containing the PCIP coding sequence is cloned directly into the polylinker of the pCDNA/Amp vector using the appropriate restriction sites. The resulting plasmid is transfected into COS cells in the manner described above, and the expression of the PCIP polypeptide is detected by radiolabelling and immunoprecipitation using a PCIP specific monoclonal antibody.

Rat 1v was cloned into the mammalian expression vector pRBG4. Transfections into COS cells were performed using LipofectAmine Plus (Gibco BRL) following the manufacturer's instructions. The expressed 1v protein was detected by immunocytochemistry and/or western blot analysis using antibodies raised against 1v in rabbits or mice.

EXAMPLE 15: IDENTIFICATION AND CHARACTERIZATION OF HUMAN FULL LENGTH P19

The human full length p19 sequence was identified using RACE PCR. The sequence of p19 (also referred to as KChIP3) is shown in Figure 16. The amino acid sequence of human p19 is 92% identical to the mouse p19 gene (SEQ ID NO:35).

TBLASTN searches using the protein sequence of human p19 revealed that human p19 is homologous to two sequences, Calsenilin (described in (1998) *Nature Medicine* 4: 1177-1181) and DREAM, a Ca^{2+} -dependent regulator of prodynorphin and c-fos transcription (described in Carrion *et al.* (1999) *Nature* 398: 80-84). Human p19 is 100% identical at the nucleotide level to Calsenilin (but extends 3' to the published sequence) and 99% identical at the nucleotide level to DREAM.

The ability of p19 (as well as other PCIP family members) to co-localize with presenilin and act as transcription factors is determined using art known techniques such as northern blots, *in situ* hybridization, β -gal assays, DNA mobility assays (described in, for

example, Carrion *et al.* (1999) *Nature* 398:80) and DNA mobility supershift assays, using antibodies specific for KchIPs.

Other assays suitable for evaluating the association of PCIP family members with presenilins is co-immunoprecipitation (described in, for example, Buxbaum *et al.* (1998)

5 *Nature Medicine* 4:1177).

EXAMPLE 16: IDENTIFICATION AND CHARACTERIZATION OF MONKEY KChIP4

In this example, the identification and characterization of the genes encoding
10 monkey KChIP4a (jlkbd352e01t1) and alternatively spliced monkey KChIP4b
(jlkbb231c04t1), KChIP4c (jlkxa053c02), and KChIP4d (jlkx015b10) is described.
TBLASTN searches in proprietary databases with the sequence of the known PCIP family
members, lead to the identification of four clones jlkbb231c04t1, jlkbd352e01t1,
jlkxa053c02, and jlkx015b10. The four monkey clones were obtained and sequenced.

15 The sequences of proprietary monkey clones jlkbb231c04t1 and jlkbd352e01t1 were
found to correspond to alternately spliced variants of an additional PCIP family member,
referred to herein as KChIP4. Clone jlkbb231c04t1 contains a 822bp deletion relative to
jlkbd352e01t1 (presumably due to splicing out of an exon), resulting in the loss of the final
EF hand domain. In clone jlkbd352e01t1, the final EF hand domain is preserved, and the C-
20 terminus is highly homologous to that of PCIP family members 1v, 9ql, and p19. Overall
identity in the homologous C-termini among KChIP4, 1v, 9ql, and p19 ranged from 71%-
80% at the amino acid level (alignments were performed using the CLUSTALW).

Monkey KChIP4c and KChIP4d were discovered by BLASTN search using monkey
KChIP4a as a query for searching a proprietary database.

25 The nucleotide sequence of the monkey KChIP4a cDNA and the predicted amino
acid sequence of the KChIP4a polypeptide are shown in Figure 23 and in SEQ ID NOs:48
and 49, respectively.

The nucleotide sequence of the monkey KChIP4b cDNA and the predicted amino
acid sequence of the KChIP4b polypeptide are shown in Figure 24 and in SEQ ID NOs:50
30 and 51, respectively.

The nucleotide sequence of the monkey KChIP4c cDNA and the predicted amino
acid sequence of the KChIP4c polypeptide are shown in Figure 35 and in SEQ ID NOs:69
and 70, respectively.

35 The nucleotide sequence of the monkey KChIP4d cDNA and the predicted amino
acid sequence of the KChIP4d polypeptide are shown in Figure 36 and in SEQ ID NOs:71
and 72, respectively.

Figure 37 depicts an alignment of the protein sequences of KChIP4a, KChIP4b,
KChIP4c, and KChIP4d.

66T260"26400460

Rat KChIP4 is predominantly expressed in the brain, and weakly in the kidney, but not in the heart, brain, spleen, lung, liver, skeletal muscle or testes, as indicated by northern blot experiments in which a northern blot purchased from Clontech was probed with a DNA fragment from the 3'-untranslated region of rat KChIP4.

5

EXAMPLE 17: IDENTIFICATION AND CHARACTERIZATION OF HUMAN AND RAT 33b07

In this example, the identification and characterization of the genes encoding rat and human 33b07 is described. Partial rat 33b07 (clone name 9o) was isolated as a positive
10 clone from the yeast two-hybrid screen described above, using rKv4.3N as bait. The full length rat 33b07 clone was identified by mining of proprietary databases.

The nucleotide sequence of the full length rat 33b07 cDNA and the predicted amino acid sequence of the rat 33b07 polypeptide are shown in Figure 26 and in SEQ ID NOs:52 and 53, respectively. The rat 33b07 cDNA encodes a protein having a molecular weight of
15 approximately 44.7 kD and which is 407 amino acid residues in length.

Rat 33b07 binds rKv4.3N and rKv4.2N with slight preference for rKv4.2N in yeast 2-hybrid assays. In contrast, rat 33b07 does not bind rKv1.1N, indicating that the rat 33b07-Kv4N interaction is specific.

Rat 33b07 is expressed predominantly in the brain as determined by northern blot
20 analysis.

The human 33b07 ortholog (clone 106d5) was also identified by mining of proprietary databases. The nucleotide sequence of the full length human 33b07 cDNA and the predicted amino acid sequence of the human 33b07 polypeptide are shown in Figure 27 and in SEQ ID NOs:54 and 55, respectively. The human 33b07 cDNA encodes a protein
25 having a molecular weight of approximately 45.1 kD and which is 414 amino acid residues in length.

Human 33b07 is 99% identical to the human KIAA0721 protein (GenBank Accession Number: AB018264) at the amino acid level. However, GenBank Accession Number: AB018264 does not have a functional annotation. Human 33b07 is also
30 homologous to Testes-specific (Y-encoded) proteins (TSP(Y)s), SET, and Nucleosome Assembly Proteins (NAPs). The human 33b07 is 38% identical to human SET protein (GenBank Accession Number Q01105=U51924) over amino acids 204 to 337 and 46% identical over amino acids 334 to 387.

Human SET is also called HLA-DR associated protein II (PHAPII) (Hoppe-Seyler
35 (1994) *Biol. Chem.* 375:113-126) and in some cases is associated with acute undifferentiated leukemia (AUL) as a result of a translocation event resulting in the formation of a SET-CAN fusion gene (Von Lindern M. *et al.* (1992) *Mol. Cell. Biol.* 12:3346-3355). An alternative spliced form of SET is also called Template Activating Factor-I alpha (TAF). TAF is found

09400409 092499
55T260" 26404160

to be associated with myeloid leukemogenesis (Nagata K. *et al.* (1995) *Proc. Natl. Acad. Sci. U.S.A.* 92 (10), 4279-4283). Human SET is also a potent protein inhibitor of phosphatase 2A (Adachi Y. *et al.* (1994) *J. Biol. Chem.* 269:2258-2262). NAPs may be involved in modulating chromatin formation and contribute to regulation of cell proliferation (Simon H.U. *et al.* (1994) *Biochem. J.* 297, 389-397).

Thus, due to its homology to the above identified proteins, 33b07 may function as a protein inhibitor of phosphatase, an oncogene, and/or a chromatin modulator. The homology of 33b07 to SET, a protein phosphatase inhibitor, is of particular interest. Many channels, in particular the Kv4 channels (with which 33b07 is associated), are known to be regulated by phosphorylation by PKC and PKA ((1998) *J. Neuroscience* 18(10): 3521-3528; Am J Physiol 273: H1775-86 (1997)). Thus, 33b07 may modulate Kv4 activity by regulating the phosphorylation status of the potassium channel.

EXAMPLE 18: IDENTIFICATION AND CHARACTERIZATION OF RAT 1p

In this example, the identification and characterization of the gene encoding rat 1p is described. Partial rat 1p was isolated as a positive clone from the yeast two-hybrid screen described above, using rKv4.3N as a bait.

The nucleotide sequence of the partial length rat 1p cDNA and the predicted amino acid sequence of the rat 1p polypeptide are shown in Figure 28 and in SEQ ID NOs:56 and 57, respectively. The rat 1p cDNA encodes a protein having a molecular weight of approximately 28.6 kD and which is 267 amino acid residues in length.

Rat 1p binds rKv4.3N and rKv4.2N with slight preference for rKv4.3N in yeast two-hybrid assays. In contrast, 1p does not bind rKv1.1N, indicating that the 1p-Kv4N interaction is specific.

Rat 1p is predominantly expressed in the brain as determined by northern blot analysis.

A BLASTP 1.4 search, using a score of 100 and a word length of 3 (Altschul *et al.* (1990) *J. Mol. Biol.* 215:403) of the amino acid sequences of rat 1p revealed that rat 1p is similar to the human Restin (GenBank Accession Number P30622; also named cytoplasmic linker protein-170 alpha-2 (CLIP-170), M97501)). The rat 1p protein is 58% identical to the human Restin over amino acid residues 105 to 182, 55% identical to the human Restin over amino acid residues 115 to 186, 22% identical to the human Restin over amino acid residues 173 to 246, 22% identical to the human Restin over amino acid residues 169 to 218, and 58% identical to the human Restin over amino acid residues 217 to 228.

Restin is also named Reed-Sternberg intermediate filament associated protein. Reed-Sternberg cells are the tumoral cells diagnostic for Hodgkin's disease. It is suggested that Restin overexpression may be a contributing factor in the progression of Hodgkin's disease

09400492 092199

(Bilbe G. *et al.* (1992) *EMBO J.* 11: 2103-13) and Restin appears to be an intermediate filament associated protein that links endocytic vesicles to microtubules (Pierre P, *et al.* (1992) *Cell* 70 (6), 887-900).

The cytoskeleton regulates the activity of potassium channels (see, for example, Honore E, *et al.* (1992) *EMBO J.* 11:2465-2471 and Levin G, *et al.* (1996) *J. Biol. Chem.* 271:29321-29328), as well as the activity of other channels, e.g., Ca^{++} channels (Johnson B.D. *et al.* (1993) *Neuron* 10:797-804); or Na^{+} channels (Fukuda J. *et al.* (1981) *Nature* 294:82-85).

Accordingly, based on its homology to the Restin protein, the rat 1p protein may be associated with the cytoskeleton and may modulate the activity of potassium channels, e.g., Kv4, via its association to the cytoskeleton.

EXAMPLE 19: IDENTIFICATION AND CHARACTERIZATION OF RAT 7s

In this example, the identification and characterization of the gene encoding rat 7s is described. Partial rat 7s was isolated as a positive clone from the yeast two-hybrid screen described above, using rKv4.3N as a bait. Rat 7s is the rat ortholog of the human vacuolar H(+)-ATPase catalytic subunit A (Accession Number P38606 and B46091) described in, for example, van Hille B. *et al.* (1993) *J. Biol. Chem.* 268 (10), 7075-7080.

The nucleotide sequence of the partial length rat 7s cDNA and the predicted amino acid sequence of the rat 7s polypeptide are shown in Figure 29 and in SEQ ID NOs:58 and 59, respectively. The rat 7s cDNA encodes a protein having a molecular weight of approximately 28.6 kD and which is 270 amino acid residues in length.

Rat 7s binds rKv4.3N and rKv4.2N with preference for rKv4.3N in yeast two-hybrid assays. In contrast, 7s does not bind rKv1.1N, indicating that the 7s-Kv4N interaction is specific.

Rat 7s is expressed at significantly higher levels in the brain and the kidney than in the lung, liver, heart, testes, and skeletal muscle, as determined by northern blot analysis.

EXAMPLE 20: IDENTIFICATION AND CHARACTERIZATION OF RAT 29x AND 25r

In this example, the identification and characterization of the gene encoding rat 29x is described. Rat 29x was isolated as a positive clone from the yeast two-hybrid screen described above, using rKv4.3N as a bait. Rat 25r is a splice variant of 29x. They differ in the 5' untranslated region, but are identical in the coding region and at the amino acid level.

The nucleotide sequence of the rat 29x cDNA and the predicted amino acid sequence of the rat 29x polypeptide are shown in Figure 30 and in SEQ ID NOs:60 and 61,

respectively. The rat 29x cDNA encodes a protein having a molecular weight of approximately 40.4 kD and which is 351 amino acid residues in length.

The nucleotide sequence of the rat 25r cDNA is shown in Figure 31 and in SEQ ID NO:62. The rat 25r cDNA encodes a protein having a molecular weight of approximately 40.4 kD and which is 351 amino acid residues in length.

Rat 29x is expressed in the spleen, lung, kidney, heart, brain, testes, skeletal muscle and liver, with the highest level of expression being in the spleen and the lowest being in the liver.

Rat 29x binds rKv4.3N and rKv4.2N with slight preference for rKv4.3N in yeast two-hybrid assays. In contrast, 29x does not bind rKv1.1N, indicating that the 29x-Kv4N interaction is specific.

Rat 29x is identical at the amino acid level to rat SOCS-1 (Suppressor Of Cytokine Signaling) described in Starr R. *et al.* (1997) *Nature* 387: 917-921; to JAB described in Endo T.A. *et al.* (1997) *Nature* 387: 921-924; and to SSI-1 (STAT-induced STAT inhibitor-1) described in Naka T. *et al.* (1997) *Nature* 387:924-928. These proteins are characterized in that they have an SH2 domain, bind to and inhibit JAK kinase, and, as a result, regulate cytokine signaling. Rat 29x contains an SH2 domain at amino acid residues 219-308 of SEQ ID NO:61.

Tyrosine phosphorylation regulates potassium channel activity (Prevarskaya N.B. *et al.* (1995) *J. Biol. Chem.* 270:24292-24299). JAK kinase phosphorylates proteins at tyrosines and is implicated in the regulation of channel activity (Prevarskaya N.B. *et al. supra*). Accordingly, based on its homology to SOCS-1, JAB, and SSI-1, rat 29x may modulate the activity of potassium channels, e.g., Kv4, by modulating JAK kinase activity.

EXAMPLE 21: IDENTIFICATION AND CHARACTERIZATION OF RAT 5p

In this example, the identification and characterization of the gene encoding rat 5p is described. Rat 5p was isolated as a positive clone from the yeast two-hybrid screen described above, using rKv4.3N as a bait.

The nucleotide sequence of the rat 5p cDNA and the predicted amino acid sequence of the rat 5p polypeptide are shown in Figure 32 and in SEQ ID NOs:63 and 64, respectively. The rat 5p cDNA encodes a protein having a molecular weight of approximately 11.1 kD and which is 95 amino acid residues in length.

Rat 5p binds rKv4.3N and rKv4.2N with similar strength in yeast two-hybrid assays. In contrast, 5p does not bind rKv1.1N, indicating that the 5p-Kv4N interaction is specific.

Rat 5p is expressed in the spleen, lung, skeletal muscle, heart, kidney, brain, liver, and testes, as determined by northern blot analysis.

The rat 5p is identical to rat Calpactin I light chain or P10 (Accession Number P05943). P10 binds and induces the dimerization of annexin II (p36). P10 may function as a regulator of protein phosphorylation in that the p36 monomer is the preferred target of a tyrosine-specific kinase (Masiakowski P. *et al.* (1998) *Proc. Natl. Acad. Sci. U.S.A.* 85 (4): 1277-1281).

Tyrosine phosphorylation regulates the activity of potassium channels (Prevarskaya N.B. *et al. supra*). Thus, due to its identity to P10, rat 5p may modulate the activity of potassium channels, e.g., Kv4, by modulating the activity of a tyrosine-specific kinase.

EXAMPLE 22: IDENTIFICATION AND CHARACTERIZATION OF RAT 7q

In this example, the identification and characterization of the gene encoding rat 7q is described. Rat 7q was isolated as a positive clone from the yeast two-hybrid screen described above, using rKv4.3N as a bait. Full length rat 7q was obtained by RACE PCR.

The nucleotide sequence of the rat 7q cDNA and the predicted amino acid sequence of the rat 7q polypeptide are shown in Figure 33 and in SEQ ID NOs:65 and 66, respectively. The rat 7q cDNA encodes a protein having a molecular weight of approximately 23.5 kD and which is 212 amino acid residues in length.

Rat 7q binds rKv4.3N and rKv4.2N with same strength in yeast two-hybrid assays. In contrast, 7q does not bind rKv1.1N, indicating that the 7q-Kv4N interaction is specific.

Rat 7q is expressed in the heart, brain, spleen, lung, liver, skeletal muscle, kidney, and testes, as determined by northern blot analysis.

Rat 7q is identical to RAB2 (rat RAS-related protein, Accession Number P05712) at the amino acid level. RAB2 appears to be involved in vesicular traffic and protein transport (Touchot N. *et al.* (1987) *Proc. Natl. Acad. Sci. U.S.A.* 84 (23): 8210-8214). Accordingly, based on its homology to RAB2, rat 7q may be involved in potassium channel, e.g., Kv4, trafficking.

EXAMPLE 23: IDENTIFICATION AND CHARACTERIZATION OF RAT 19r

In this example, the identification and characterization of the gene encoding rat 19r is described. Partial rat 19r was isolated as a positive clone from the yeast two-hybrid screen described above, using rKv4.3N as a bait. Full length rat 19r was obtained by RACE PCR.

The nucleotide sequence of the rat 19r cDNA and the predicted amino acid sequence of the rat 19r polypeptide are shown in Figure 34 and in SEQ ID NOs:67 and 68,

667260"26400460

respectively. The rat 19r cDNA encodes a protein having a molecular weight of approximately 31.9 kD and which is 271 amino acid residues in length.

Rat 19r is expressed in the heart, brain, spleen, lung, liver, skeletal muscle, kidney, and testes, as determined by northern blot analysis.

5 Rat 19r binds rKv4.3N and rKv4.2N with slight preference for rKv4.3N in yeast two-hybrid assays. In contrast, 19r does not bind rKv1.1N, indicating that the 19r-Kv4N interaction is specific.

10 Rat 19r is identical to Rat phosphatidylinositol (PTDINS) transfer protein alpha (PTDINSTP, Accession Number M25758 or P16446) described in Dickeson S.K. *et al.* (1989) *J. Biol. Chem.* 264:16557-16564. PTDINSTP is believed to be involved in phospholipase C-beta (PLC-beta) signaling, phosphatidylinositol transfer protein (PtdIns-TP) synthesis, secretory vesicle formation, and enhancement of phosphatidylinositol 3-kinase (PtdIns 3-kinase) activity (Cunningham E. *et al.* (1995) *Curr. Biol.* 5 (7): 775-783; (1995) *Nature* 377 (6549): 544-547; and Panaretou C. *et al.* (1997) *J. Biol. Chem.* 272 (4): 15 2477-2485).

20 Accordingly, based on its homology with PTDINSTP, rat 19r may modulate potassium channel, e.g., Kv4, activity via the PLC-beta signaling pathway and/or the PtdIns 3-kinase signaling pathway. Rat p19r may also be involved in potassium channel, e.g., Kv4, trafficking.

Equivalents

25 Those skilled in the art will recognize, or be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the following claims.

09400492 "092199
657260" 25400460

What is claimed is:

1. A method for identifying a compound suitable for treating a cardiovascular disorder comprising:

- a) contacting a PCIP polypeptide or a fragment thereof, or a cell expressing a PCIP polypeptide or a fragment thereof, with a test compound; and
- b) determining whether said PCIP polypeptide or fragment thereof, binds to said test compound, thereby identifying a compound suitable for treating a cardiovascular disorder.

2. The method of claim 1, wherein the binding of said test compound to said PCIP polypeptide or fragment thereof, is detected by a method selected from the group consisting of:

- a) detection of binding by direct detection of test compound/polypeptide binding;
- b) detection of binding using a competition binding assay; and
- c) detection of binding using an assay for PCIP activity.

3. A method for identifying a compound suitable for treating a cardiovascular disorder, comprising:

a) incubating a cell expressing i) a potassium channel comprising a Kv4.3 or Kv4.2 subunit, or a fragment of a potassium channel comprising a Kv4.3 or Kv4.2 subunit, and ii) a PCIP polypeptide or a fragment thereof, in the presence and absence of a candidate compound; and

b) determining whether the presence of the candidate compound modulates the interaction of the potassium channel or fragment thereof with said PCIP polypeptide or fragment thereof, thereby identifying a compound suitable for treating a cardiovascular disorder.

4. A method for treating a cardiovascular disorder comprising contacting a potassium channel with an effective amount of a compound that modulates the binding of a PCIP protein to said potassium channel.

5. A method for determining if a subject is at risk for a cardiovascular disorder comprising detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes a mutated PCIP polypeptide to be produced.

6. A method for determining if a subject is at risk for a cardiovascular disorder comprising detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes abnormal expression of a PCIP polypeptide.

5 7. A method for determining if a subject is at risk for a cardiovascular disorder comprising detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes abnormal processing of a PCIP polypeptide.

10 8. A method for identifying a subject suffering from a cardiovascular disorder comprising detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes a mutated PCIP polypeptide to be produced.

15 9. A method for identifying a subject suffering from a cardiovascular disorder comprising detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes abnormal expression of a PCIP polypeptide.

20 10. A method for identifying a subject suffering from a cardiovascular disorder comprising detecting, in a sample of cells from the subject an alteration in a PCIP gene which causes abnormal processing of a PCIP polypeptide.

11. The method of any one of claims 1, 3, 4, 5, 6, 7, 8, 9, or 10, wherein said cardiovascular disorder is associated with an abnormal I_{to} current.

25 12. The method of any one of claims 1, 3, 4, 5, 6, 7, 8, 9, or 10, wherein said PCIP is 9q.

13. The method of any one of claims 1, 3, 4, 5, 6, 7, 8, 9, or 10, wherein said PCIP is 8t.

30 14. The method of any one of claims 1, 3, 4, 5, 6, 7, 8, 9, or 10, wherein said PCIP is p19.

15. The method of any one of claims 1, 3, 4, 5, 6, 7, 8, 9, or 10, wherein said cardiovascular disorder is long-QT syndrome.

35 16. The method of any one of claims 1, 3, 4, 5, 6, 7, 8, 9, or 10, wherein said cardiovascular disorder is congestive heart failure.

METHODS FOR TREATING CARDIOVASCULAR DISORDERS

5

Abstract of the Disclosure

The invention provides methods for identifying compounds suitable for treating a cardiovascular disorder, as well as methods for treating a cardiovascular disorder. The invention also provides methods for determining if a subject is at risk for a cardiovascular disorder.

10

067260" 26407460

Table 1. Demographic characteristics of the study population	
Age (years)	Mean (SD)
Male	55.2 (10.5)
Female	56.8 (11.2)
Marital status	
Married	68.5%
Single	12.3%
Divorced	15.7%
Widowed	3.5%
Education level	
High school or less	45.2%
College	32.1%
Postgraduate	22.7%
Occupation	
Professional	28.9%
Managerial	18.4%
Technical	15.6%
Service	22.3%
Unemployed	14.8%
Income (TL/month)	
< 1000	12.5%
1000-2000	25.3%
2000-3000	38.7%
> 3000	23.5%
Health status	
Good	65.4%
Fair	28.9%
Poor	5.7%
Smoking status	
Smoker	35.2%
Non-smoker	64.8%
Alcohol consumption	
Regular	18.7%
Occasional	22.5%
Never	58.8%
Comorbidities	
Hypertension	42.1%
Diabetes	15.3%
Coronary artery disease	8.9%
Chronic kidney disease	3.2%
Chronic liver disease	1.8%
Chronic lung disease	2.5%
Chronic pain	12.4%
Depression	10.7%
Anxiety	9.3%
Other	5.6%



4

YTPVLKEDTPRQHVDVFFQKMDKNKDGIIVTLDEFLESCQEDDNIMRSLQLFQNVN

FIGURE 1

RAT 1vN (r1vN) DNA (CD: 339-1037)

GGCACACAACCCCTGGATTCTTCGGAGAATATGCCGTGAGGTGTTGCCAATTATTAGTTCTCTTGGCTAGCAGATGTTTA
GGGACTGGTtaaGCCTTTGGAGAAATTACCTTAGGAAAACGGGGAAATAAAAGCAAAGATTACCATGAATTGCAAGATTA
CCTAGCAATTGCAAGGtagGAGGAGAGAGGTGGAGGGCGGAGTAGACAGGAGGGAGGGAGAAAGtgaGAGGAAGCTAGGC
TGGTGGAAATAACCCCTGCACTTGGAACAGCGGCAAAGAAGCGCGATTTTCCAGCTTtaaATGCCTGCCCGCGTTCTGCTT
GCCTACCCGGGAACGGAGATGTTGACCCAGGGCGAGTCTGAAGGGCTCCAGACCTTGGGGATAGTAGTGGTCTGTGTTC
CTCTCTGAAACTACTGCACTACCTCGGGCTGATTGACTTGTGCGGATGACAAGATCGAGGATGATCTGGAGATGACCATGG
TTTGCCATCGGCCTGAGGGACTGGAGCAGCTTGAGGCACAGACGAACTTCACCAAGAGAGAACTGCAAGTCCTTTACCGG
GGATTCAAAAACGAGTGCCCCAGTGGTGTGGTTAACGAAGAGACATTCAAGCAGATCTACGCTCAGTTTTTCCCTCATGG
AGATGCCAGCACATACGCACATTACCTCTTCAATGCCTTCGACACCACCCAGACAGGCTCTGTAAAGTTCGAGGACTTTG
TGACTGCTCTGTGATTTTACTGAGAGGAACGGTCCATGAAAAACTGAGGTGGACGTTTAAATTTGTACGACATCAATAAA
GACGGCTACATAAAACAAAGAGGAGATGATGGACATAGTGAAAGCCATCTATGACATGATGGGGAAATACACCTATCCTGT
GCTCAAGAGGACACTCCCAGGCAGCACGTGGACGCTTCTTCCAGAAPATGGATAAAAATAAAGATGGCATTGTAACGT
TAGACGAATTTCTCGAGTCTGTGAGGAGGATGACAACATCATGAGGTCTCTACAGCTGTTCCAAAATGTCATGTAACGT
AGGACACTGGCCATCCTGCTCTCAGAGACACTGACAAACACCTCAATGCCCTGATCTGCCCTTGTTCCAGTTTTACACAT
CAACTCTCGGGACAGAAATACCTTTTACACTTTGGAAGAATTCTCTGCTGAAGACTTTCTACAAAACCTGGCACCAGTG
GCTCAGTCTCTGATTGCCAACTCTTCCCTCCCTCCTCCTTGGAGGGACGAGCTGAAATCCGAAGTTTGTGTTTGAAGC
ATGCCCATCTCTCCATGCTGCTGCTGCCCTGTGGAAGGCCCTCTGCTTGAGCTTAAACAGTAGTGACAGTTTTCTGCG
TATACAGATCCCCAACTCACTGCCTCTAAGTCAGGCAGACCCTGATCAATCTGAACCAAATGTGCACCATCCTCCGATGG
CCTCCCAAGCCAATGTGCCTGCTTCTTCTCCTCTGGTGGGAAGAAAGAACGCTCTACAGAGCACTTAGAGCTTACCATGA
AAATACTGGGAGAGGCAGCACCTAACACATGTAGAATAGGACTGAATTATTAAGCATGGTGGTATCAGATGATGCAACA
GCCCATGTCATTTTTTTTTTCCAGAGGTAGGGACTAATAATTCTCCACACTAGCACCTACGATCATAGAACAAGTCTTTT
AACACATCCAGGAGGGAAACCGCTGCCAGTGGTCTATCCCTTCTCTCCATCCCCTGCTCAAGCCCAGCACTGCATGTCT
CTCCCGGAAGGTCCAGAATGCCTGTGAAATGCTGTAACCTTTTATACCCTGTTATAATCAATAAACAGAACTATTTTCGTAC
AAAAAAAAAAAAAAAA

FIGURE 2

RAT 1vN (r1vN) PROTEIN

MLTQGESEGLQTLGIVVVLCSLKLHLYLGLIDLSDDKIEDDLEMTMVCHRPEGLEQLEAQTNFTKRELQVLYRGFKNEC
PSGVVNEETFKQIYAQFFPHGDASTYAHYLFNAFDTTQTGSKVFEDFVTALSILLRGTVHEKLRWTFNLYDINKDGYINK
EEMMDIVKAIYDMMGKYTYPVLKEDTPRQHVDVFFQKMDKNKDGIVTLDEFLESCQEDDNIMRSLQLFQNVN.

FIGURE 2 (cont'd)

657260" 25403460

667260"2640460

MOUSE IV (CD: 477-1127)

CGGCCCCCTGAGATCCAGCCCCGAGCGCGGGCGGAGCGGCCGGGTGGCAGCAGGGGCGGGCGGGCGGAGCGCAGCTCCCG
CACCGCACGCGCGCGGGCTCGGCAGCCTCGGCCGTGCGGGCACGCCGCCCGGTGTCCAAACATCAGGCAGGCTTTGGGG
CTCGGGGCTCGGGCCTCGGAGAAGCCAGTGGCCCCGGTGGGTGCCCGCACCGGGGGGCGCCTGTC. LAGGCTCCCGCGAGC
CTCTGGCCCTGGGAGTCAGTGCATGTGCCTGGTGAAGAAGGCAGCAGCCACGAGCTCCAGGCGCCCCGGCCCCACGTTT
TCTGAATACCAAGCTGCAGGCGAGCTGCTCGGGGCTTTTTTGTCTTCTCGCTTTCTCTCTCCAATTCAAAGTGGGCA
ATCCACACCGATTCTTTTCAGGGGAGGGAAGAGACAGGGCCTGGGGTCCCAAGACGCACACAAGTCTTCGCTGCCATGG
GGGCGCTCATGGGCACTTTCTCTCCCTGCAGACCAAAACAAAGCGACCCCTCTAAAGACAAGATTGAGGATGAGCTAGAG
ATGACCATGGTTTGCCACCGGCGCTGAGGGACTGGAGCAGCTTGAGGCACAGACGAACTTCACCAAGAGAGAACTGCAAGT
CTTGTAACCGGGATTCAAAAACGAGTGCCTAGCGGTGTGGTCAATGAAGAAACATTCAAGCAGATCTACGCTCAGTTTT
TCCCTCACGGAGATGCCAGCACATATGCACATTACCTCTTCAATGCCTTCGACACCACCCAGACAGGCTCTGTAAAGTTC
GAGGACTTTGTGACTGCTCTGTCGATTTTACTGAGAGGGACAGTCCATGAAAACTAAGGTGGACGTTTAATTTGTATGA
CATCAATAAAGACGGCTACATAAAACAAAGAGGAGATGATGGACATAGTCAAAGCCATCTATGACATGATGGGAAATACA
CCTATCTGTGCTCAAAGAGGACACTCCCAGGCAGCATGTGGATGTCTTCTCCAGAAAAATGGATAAAAAATAAGATGGC
ATTGTAACGTTAGATGAATTTCTTGAATCATGTCAGGAGGATGACAACATCATGAGATCTCTACAGCTGTTCCAAAATGT
CATGTAACCTGAGGACACTGGCCATTCTGCTCTCAGAGACACTGACAAACACCTTAATGCCCTGATCTGCCCTTGTTCAA
TTTTACACCAACTCTTGGGACAGAAATACCTTTTACACTTTGGAAGAATTCTCTGCTGAAGACTTTCTACAAAACCTG
GCACCACGTGGCTCTGTCTCTGAGGGACGAGCGGAGATCCGACTTTGTTTTGGAAGCATGCCCATCTCTTCATGCTGCTG
CCCTGTGGAAGGCCCTCTGCTTGAGCTTAATCAATAGTGCACAGTTTTATGCTTACACATATCCCCAACTCACTGCCTC
CAAGTCAGGCAGACTCTGATGAATCTGAGCCAAATGTGCACCATCCTCCGATGGCCTCCCAAGCCAATGTGCCTGCTTCT
CTTCTCTGGTGGGAAGAAAGAGTGTCTACGGAACAATTAGAGCTTACCATGAAAATATTGGGAGAGGCAGCACCTAAC
ACATGTAGAATAGGACTGAATTATTAAGCATGGTGATATCAGATGATGCAAATTGCCCATGTCATTTTTTTCAAAGGTAG
GGACAAATGATTCTCCACACTAGCACCTGTGGTCATAGAGCAAGTCTCTTAACATGCCCAGAAGGGGAACCACTGTCCA
GTGGTCTATCCCTCTCTCCATCCCTGCTCAAACCCAGCACTGCATGTCCCTCCAAGAAGGTCCAGAATGCCTGCCAAA
CGCTGTACTTTTATACCTGTTCTAATCAATAAACAGAACTATTTCTGTAACAAAAAAAAAAAAAAAAAAAA

MOUSE IV PROTEIN

MGAVMGTFSSLQTKQRRPSKDKIEDELEMTMVCHRPEGLEQLEAQTNFTKRELQVLYRGFKNECPSGVVNEETFQIYAQ
FFPHGDASTYAHYLFNAFDTTQTGSVKFEDFVTALSILLRGTVHEKLRWTFNLYDINKDGYINKEEMMDIVKAIYDMMGK
YTYPVLKEDTPRQHVDFVFFQKMDKNKDGVITLDEFLESCQEDDNIMRSLQLFQNVN.

FIGURE 3

RAT IVL DNA (CD: 31-714)

GTCCCAAGTCGCACACAAGTCTTCGCTGCCATGGGGGCCGTCATGGGTACCTTCTCGTCCCTGCAGACCAACAAAGGCG
ACCCTCTAAAGACATCGCCTGGTGGTATTACAGTATCAGAGAGACAAGATCGAGGATGATCTGGAGATGACCATGGTTT
GCCATCGGCCTGAGGGACTGGAGCAGCTTGAGGCACAGACGAACTTCACCAAGAGAGAACTGCAAGTCCTTTACCGGGGA
TTCAAAAACGAGTGCCCCAGTGGTGTGGTTAACGAAGAGACATTCAAGCAGATCTACGCTCAGTTTTTCCCTCATGGAGA
TGCCAGCACATACGCACATTACCTCTTCAATGCCTTCGACACCACCCAGACAGGCTCTGTAAAGTTCGAGGACTTTGTGA
CTGCTCTGTCGATTTTACTGAGAGGAACGGTCCATGAAAACTGAGGTGGACGTTTAATTGTACGACATCAATAAAGAC
GGCTACATAAAACAAAGAGGAGATGATGGACATAGTGAAAGCCATCTATGACATGATGGGGAAATACACCTATCCTGTGCT
CAAAGAGGACACTCCCAGGCAGCAGTGGACGTCTTCTTCCAGAAAAATGGATAAAAAATAAAGATGGCATTGTAACGTTAG
ACGAATTTCTCGAGTCTGTGAGGAGGATGACAACATCATGAGGTCTCTACAGCTGTTCCAAAATGTCATGTAAGTGAAGG
ACACTGGCCATCCTGCTCTCAGAGACACTGACAAACACCTCAATGCCCTGATCTGCCCTTGTTCAGTTTTACACATCAA
CTCTCGGGACAGAAATACCTTTTACACTTTGGAAGAATTCTCTGCTGAAGACTTTCTACAAAACCTGGCACCGCGTGGCT
CAGTCTCTGATTGCCAACTCTTCTCCCTCCTCCTTGTAGAGGGACGAGCTGAAATCCGAAGTTTTGTTTTGGAAGCATG
CCCATCTCTCCATGCTGCTGCTGCCCTGTGGAAGGCCCTCTGCTTGAGCTTAAACAGTAGTGCACAGTTTTCTGCGTAT
ACAGATCCCCAACTCACTGCCTTAAGTCAGGCAGACCCTGATCAATCTGAACCAAATGTGCACCATCCTCCGATGGCCT
CCCAAGCCAATGTGCCTGCTTCTTCTCCTCTGGTGGGAAGAAAGAACGCTCTACAGAGCACTTAGAGCTTACCATGAAAA
TACTGGGAGAGGCAGCACCTAACACATGTAGAATAGGACTGAATTATTAAGCATGGTGGTATCAGATGATGCAAAACAGCC
CATGTGATTTTTTTTCCAGAGGTAGGGACTAATAATTCTCCACACTAGCACCTACGATCATAGAACAAGTCTTTTAACA
CATCCAGGAGGGAAACCGCTGCCCAGTGGTCTATCCCTTCTCTCCATCCCTGCTCAAGCCCAGCACTGCATGTCTCTCC
CGGAAGGTCCAGAATGCCTGTGAAATGCTGTAACCTTTTATACCCTGTTATAATCAATAAACAGAACTATTTCTGACAAAA
AAAAAAAAAAAAA

RAT IVL PROTEIN

MGAVMGTFSSLQTKQRRPSKDIAWWYYQYQRDKIEDDLEMTMVCHRPEGLEQLEAQTNFTKRELQVLYRGFKNECPSGVV
NEETFQIYAQFFPHGDASTYAHYLFNAFDTTQTGSVKFEDFVTALSILLRGTVHEKLRWTFNLYDINKDGYINKEEMMD
IVKAIYDMMGKYTYPVLKEDTPRQHVDVFFQKMDKNKDGIVTLDEFLESCQEDDNIMRSLQLFQNVN.

FIGURE 4

MOUSE IVL DNA (CD: 77-760)

ATCCACACCGATTCTTTTCAGGGGAGGGAAAGAGACAGGGCCTGGGGTCCCAAGACGCACACAAGTCTTCGCTGCCATGG
GGGCCGTCATGGGCACTTTCTCCTCCCTGCAGACCAAACAAGGCGACCCCTCTAAAGACATCGCCTGGTGGTATTACCAAG
TATCAGAGAGACAAGATTGAGGATGAGCTAGAGATGACCATGGTTTGCCACCGGCCTGAGGGACTGGAGCAGCTTGAGGC
ACAGACGAACTTCACCAAGAGAGAACTGCAAGTCTTGTAACGGGGATTCAAAAACGAGTGCCTAGCGGTGTGGTCAATG
AAGAAACATTCAAGCAGATCTACGCTCAGTTTTTCCCTCACGGAGATGCCAGCACATATGCACATTACCTCTTCAATGCC
TTCGACACCACCCAGACAGGCTCTGTAAAGTTCGAGGACTTTGTGACTGCTCTGTGCGATTTTACTGAGAGGGACAGTCCA
TGAAAACTAAGGTGGACGTTTAATTTGTATGACATCAATAAAGACGGCTACATAAAACAAGAGGAGATGATGGACATAG
TCAAAGCCATCTATGACATGATGGGGAAATACACCTATCCTGTGCTCAAAGAGGACACTCCCAGGCAGCATGTGGATGTC
TTCTCCAGAAAATGGATAAAAAATAAGATGGCATTGTAACGTTAGATGAATTTCTTGAATCATGTCAGGAGGATGACAA
CATCATGAGATCTCTACAGCTGTTCCAAAATGTCATGTAAGTGAAGGACACTGGCCATTCTGCTCTCAGAGACACTGACAA
ACACCTTAATGCCCTGATCTGCCCTTGTTCAAATTTTACACACCAACTCTTGGGACAGAAAATACCTTTTACACTTTGGAA
GAATTCTCTGCTGAAGACTTTCTACAAAACCTGGCACCACGTGGCTCTGTCTCTGAGGGACGAGCGGAGATCCGACTTTG
TTTTGGAAGCATGCCCATCTCTTCATGCTGCTGCCCTGTGGAAGGCCCTCTGCTTGAGCTTAATCAATAGTGACAGTT
TTATGCTTACACATATCCCCAACTCACTGCCTCCAAGTCAGGCAGACTCTGATGAATCTGAGCCAAATGTGCACCATCCT
CCGATGGCCTCCCAAGCCAATGTGCCTGCTTCTCTCCTCTGGTGGGAAGAAAGAGTGTCTACGGAACAATTAGAGCTT
ACCA†GAAAAATATTGGGAGAGGCAGCACCTAACACATGTAGAATAGGACTGAATTATTAAGCATGGTGATATCAGATGAT
GCAAATTGCCCATGTCATTTTTTTCAAAGGTAGGGACAAATGATTCTCCCACTAGCACCTGTGGTCATAGAGCAAGTC
TCTTAACATGCCCAGAAGGGGAACCACTGTCCAGTGGTCTATCCCTCCTCTCCATCCCTGCTCAAACCCAGCACTGCAT
GTCCCTCCAAGAAGGTCCAGAATGCCTGCGAAACGCTGTACTTTTATACCCTGTTCTAATCAATAAACAGAACTATTTTCG
TACAAAAAAAAAAAAAAAAA

MOUSE IVL PROTEIN

MGAVMGTFSSLQTKQRRPSKDIAWYYYQYQRDKIEDELEMTMVCHRPEGLEQLEAQTNFTKRELQVLYRGFKNECPSGVV
NEETFQKIYAQFFPHGDASTYAHYLFNAFDTTQTGSKVFEDFVTALSILLRGTVHEKLRWTFNLYDINKDGYINKEEMMD
IVKAIYDMMGKYTYPVLKEDTPRQHVDVFFQKMDKNKDGVITLDEFLESCQEDDNIMRSLQLFQNMV.

FIGURE 5

RAT IVN DNA (FIRST-PASS, PARTIAL; CD: 345-955)

GTCCGGGCACACAACCCCTGGATTCTTCGGAGAATATGCCGTGACGGTGTGCCAATTATTAGTTCTCTTGGCTAGCAGA
TGTTTAGGGACTGGTTAAGCCTTTGGAGAAATTACCTTAGGAAAAACGGGGAAATAAAAGCAAAGATTACCATGAATTGCA
AGATTACCTAGCAATTGCAAGGTAGGAGGAGAGAGGTGGAGGGCGGAGTAGACAGGAGGGAGGGAGAAAGTGAGAGGAAG
CTAGGCTGGTGAAATAACCCCTGCACTTGGAAACAGCGGCAAGAAGCGCGATTTTCCAGCTTTAAATGCCTGCCCGCGTT
CTGCTTGCTACCCGGGAACGGAGATGTTGACCCAGGGCGAGTCTGAAGGGCTCCAGACCTTGGGGATAGTAGTGGTCCT
GTGTTCTCTCTGAAACTACTGCACTACCTCGGGCTGATTGACTTGTTCGGATGACAAGATCGAGGATGATCTGGAGATGA
CCATGGTTTGCCATCGGCCTGAGGGACTGGAGCAGCTTGAGGCACAGACGAACTTCACCAAGAGAGAACTGCAAGTCCTT
TACCGGGGATTCAAAAACGAGTGCCCCAGTGGTGTGGTTAACGAAGAGACATTCAAGCNGATCTACGCTCAGTTTTTCCC
TCATGGAGATGCCAGCACATACGCACATTACCTCTTCAATGCCTTCGACACCACCCAGACAGGCTCTGTAAAGTTCGAGG
ACTTTGTGACTGCTCTGTGATTTTACTGAGAGGAACGGTCCATGAAAACTGAAGTGGACGTTTAATTTGTACGACATC
AATAAGACGGCTACATAAACAAAGAGGAGATGATGGACATAGTAAAAGCCATCTATGACATGATGGGGAAATACACCTA
TCTTGTGCTCAAAGAGGACACTTCCAGGCAGCACGTGGACGTCTTCTTCCAGAAAATGGATAAAAAATAAGATGG

RAT IVN PROTEIN (PARTIAL)

MLTQGESEGLQTLGIVVVLCSLKLHLYLGLIDLSDDKIEDDLEMTMVCHRPEGLEQLEAQTNFTKRELQVLYRGFKNEC

PSGVVNEETFKXIYAQFFPHGDASTYAHYLFNAFDTTQTGSVKFEDFVTALSILLRGTVHEKLKWTFLYDINKDGYINK

EEMMDIVKAIYDMMGKYTYLVLKEDTSRQHVDVFFQKMDKNKD

FIGURE 6

55T250" 25400450

HUMAN 9QL DNA (CD:207-1019)

CTCACCTGCTGCCTAGTGTTCCCTCTCCTGCTCCAGGACCTCCGGGTAGACCTCAGACCCCGGGCCATTCCCAGACTCA
GCCTCAGCCCGGACTTCCCCAGCCCCGACAGCACAGTAGGCCGCCAGGGGGCGCCGTGTGAGCGCCCTATCCCGGCCACC
CGGCGCCCCCTCCCACGGCCCGGGCGGGAGCGGGGGCGCCGGGGGCCATGCGGGGCCAGGGCCGAAGGAGAGTTTGTCCG
ATTCCCAGACCTGGACGGCTCCTACGACCAGCTCACGGGCCACCTCCAGGGCCCACTAAAAAGCGCTGAAGCAGCGA
TTCCTCAAGCTGCTGCCGTGCTGCGGGCCCCAAGCCCTGCCCTCAGTCAGTGAAACATTAGCCGCCCCAGCCTCCCTCCG
CCCCACAGACCCCGCCTGCTGGACCCAGACAGCGTGGACGATGAATTTGAATTGTCCACCGTGTGTACCGGCCTGAGG
GTCTGGAGCAGCTGCAGGAGCAAACCAAATTCACGCGCAAGGAGTTGCAGGTCTGTACCGGGGCTTCAAGAACGAATGT
CCCAGCGGAATTGTCAATGAGGAGAACTTCAAGCAGATTTACTCCCAGTTCTTTCTCAAGGAGACTCCAGCACCTATGC
CACTTTTCTCTTCAATGCCTTTGACACCAACCATGATGGCTCGGTCAAGTTTGTAGGACTTTGTGGCTGGTTTGTCCGTGA
TTCTTCGGGGAAGTGTAGATGACAGGCTTAATTGGGCCTTCAACCTGTATGACCTTAACAAGGACGGCTGCATCACCAAG
GAGGAAATGCTTGACATCATGAAGTCCATCTATGACATGATGGGCAAGTACACGTACCCTGCACTCCGGGAGGAGGCCCC
AAGGGAACACGTGGAGAGCTTCTTCCAGAAGATGGACAGAAACAAGGATGGTGTGGTGACCATTGAGGAATTCATTGAGT
CTTGTCAAAAGGATGAGAACATCATGAGGTCCATGCAGCTCTTTGACAAATGTCATCTAGCCCCCAGGAGAGGGGGTCAGT
GTTTCTGGGGGACCATGCTCTAACCTAGTCCAGGCGGACCTCACCTTCTCTTCCAGGTCTATCCTCATCCTACGC
CTCCTGGGGGCTGGAGGGATCCAAGAGCTTGGGGATTCAAGTAGTCCAGATCTCTGGAGCTGAAGGGGCCAGAGAGTGGG
CAGAGTGCATCTCGGGGGGTGTTCCCAACTCCACAGCTCTCACCCCTTCTCTGCCTGACACCCAGTGTGAGAGTGCC
CCTCCTGTAGGAATTGAGCGGTTCCCCACCTCCTACCCTACTCTAGAAAACACTAGAGCGATGTCTCCTGCTATGGTGC
TTCCCCATCCCTGACCTCATAAACATTTCCCTAAGACTCCCTCTCAGAGAGAATGCTCCATTCTTGGCACTGGCTGG
CTTCTCAGACCAGCCATTGAGAGCCCTGTGGGAGGGGGACAAGAATGTATAGGGAGAAATCTTGGGCCTGAGTCAATGGA
TAGGTCCTAGGAGGTGGGTGGGTTGAGAATAGAAGGGCCTGGACAGATTATGATTGCTCAGGCATACCAGGTTATAGCT
CCAAGTCCACAGGTCTGCTACCACAGGCCATCAAAATATAAGTTTCCAGGCTTTGCAGAAGACCTTGTCTCCTTAGAAA
TGCCCCAGAAAATTTCCACACCTCCTCGGTATCCATGGAGAGCCTGGGGCCAGATATCTGGCTCATCTCTGGCATTGCT
TCCTCTCCTTCTCTGCTATGTGTTGGTGGTGGTGTGGTGGGGGAATGTGGATGGGGGATGTCTGGCTGATGCCTGC
CAAAATTTTCATCCCACCTCCTTGCTTATCGTCCCTGTTTGGAGGCTATGACTTGAGTTTTGTTTCCCATGTTCTCTA
TAGACTTGGGACCTTCTGAACTTGGGGCCTATCACTCCCCACAGTGGATGCCTTAGAAGGGAGAGGGAAGGAGGGAGGC
AGGCATAGC

FIGURE 7

09400492 092199

HUMAN 9QL PROTEIN

MRGQGRKESLSDSRDLGSDYDQLTGHPGPTKKALKQRFLKLLPCCGPQALPSVSETLAAPASLRPHRPRLLDPDSVDDE
FELSTVCHRPEGLEQLQEQTKFTRKELQVLYRGFKNECPSGIVNEENFKQIYSQFFPQGDSSTYATFLFNAFDTNHDGSV
SFEDFVAGLSVILRGTVDDRNLNWFNLVDLNKDGCTTKEEMLDIMKSIYDMMGKYTYPALREEAPREHVESFFQKMDRNK
DGVVTIEEFIESCQKDENIMRSMQLFDNVI.

FIGURE 7 (cont'd)

RAT 9QL DNA (PARTIAL; CD: 2-775)

CCGAGATCTGGACGGCTCCTATGACCAGCTTACGGGCCACCTCCAGGGCCAGTAAAAAGCCCTGAAGCAGCGTTTCC
TCAAGCTGCTGCCGTGCTGCGGGCCCCAAGCCCTGCCCTCAGTCAGTGAAACATTAGCTGCCCCAGCCTCCCTCCGCCCC
CACAGACCCCGCCCGCTGGACCCAGACAGCGTAGAGGATGAGTTTGAATTATCCACGGTGTGTCACCGACCTGAGGGCCT
GGAACAACCTCCAGGAACAGACCAAGTTCACACGCAGAGAGCTGCAGGTCTGTACCGAGGCTTCAAGAACGAATGCCCCA
GTGGGATTGTCAACGAGGAGAACTTCAAGCAGATTTATTCTCAGTTCTTTCCCCAAGGAGACTCCAGCAACTATGCTACT
TTTCTCTTCAATGCCTTTGACACCAACCACGATGGCTCTGTCAGTTTTGAGGACTTTGTGGCTGGTTTGTGGTGATTCT
TCGGGGGACCATAGATGATAGACTGAGCTGGGCTTTCAACTTATATGACCTCAACAAGGACGGCTGTATCACAAGGAGG
AAATGCTTGACATTATGAAGTCCATCTATGACATGATGGCAAGTACACATACCCTGCCCTCCGGGAGGAGGCCCAAGA
GAACACGTGGAGAGCTTCTCCAGAAGATGGACAGGAACAAGGACGGCGTGGTGACCATCGAGGAATTCATCGAGTCTTG
TCAACAGGACGAGAACATCATGAGGTCCATGCAGCTCTTTGATAATGTCATCTAGCTCCCCAGGGAGAGGGGTTAGTGTG
TCCTAGGGTGACCAGGCTGTAGTCTAGTCCAGACGAACCTAACCTCTCTCTCCAGGCCTGTCCTCATCTTACCTGTAC
CCTGGGGGCTGTAGGATTCAATATCCTGGGGCTTCAGTAGTCCAGATCCCTGAGCTAAGTCAAAAAGTAGGCAAGAGT
AGGCAAGCTAAATCTGGGGGCTTCCCAACCCCGACAGCTCTCACCCCTTCTCAACTGATACCTAGTGCTGAGGACACCC
CTGGTGATAGGGACCAAGTGGTTCTCCACCTTCTAGTCCCACTCTAGAAAACACATTAGACAGAAGGTCTCCTGCTATGGT
GCTTTCCCATCCCTAATCTCTTAGATTTTCTCAAGACTCCCTTCTCAGAGAACACGCTCTGTCCATGTCCCAGCTGG
GGACATGGACAGAGCGTGTCTCTAGTTCTAGATCGCGAGCGGCCGC

RAT 9QL PROTEIN (PARTIAL)

RDLDGSYDQLTGHPGPSKKALKQRFLKLLPCCGPQALPSVSETLAAPASLRPHRPRPLDPDSVEDEFELSTVCHRPEGL
EQLQEQTKFTRRELQVLYRGFKNECPSGIVNEENFKQIYSQFFPQGDSSNYATFLNAFDTHDGSVSFEDFVAGLSVIL
RGTIDRLSWAFNLYDLNKDGCITKEEMLDIMKSIYDMMGKYTYPALREEAPREHVESFFQKMDRKNKDGVTIEEFIESC
QQDENIMRSMQLFDNVI.

FIGURE 8

667269 25400460

MOUSE 9QL DNA (CD: 181-993)

CGGGACTCTGAGGTGGGCCCTAAAAATCCAGCGCTCCCCAGAGAAAAGCCTTGCCAGCCCCTACTCCCGGCCCCAGCCCC
AGCAGGTGCGTGCGCCGCCAGGGGGCACTGTGTGAGCGCCCTATCCTGGCCACCCGGCGCCCCCTCCACGGCCCAAGCGG
GGAGCGGGGGCGCGGGGGCCATGCGGGGGCAAGGCCGAAAAGGAGAGTTTGTCCGAATCCCGAGATTGGACGGCTCCTAT
GACCAGCTTACGGGCCACCTCCAGGGCCCAAGTAAAAAGCCCTGAAGCAGCGTTTCTCAAGCTGCTGCCGTGCTGCGG
GCCCCAAGCCCTGCCCTCAGTCAGTGAAACATTAGCTGCCCCAGCCTCCCTCCGCCCCACAGACCCCGCCCGCTGGACC
CAGACAGCGTGGAGGATGAGTTTGAACATCCACGGTGTGCCACCGGCCTGAGGGTCTGGAACAACCTCCAGGAACAAACC
AAGTTCACACGCGAGAGATTGCAGGTCTGTACAGAGGCTTCAAGAACGAATGTCCAGCGGAATTGTCAACGAGGAGAA
CTTCAAGCAAAATTTATTCTCAGTTCTTTCCCAAGGAGACTCCAGCAAETACGCTACTTTTCTTCAATGCCTTTGACA
CCAACCATGATGGCTCTGTCAAGTTTGTAGGACTTTGTGGCTGGTTTGTCAAGTATTCTCGGGGAACCATAGATGATAGA
CTGAACTGGGCTTTCAACTTATATGACCTCAACAAGGATGGCTGTATCACGAAGGAGGAAATGCTCGACATCATGAAGTC
CATCTATGACATGATGGGCAAGTACACCTACCCTGCCCTCCGGGAGGAGGCCCCGAGGGAACAGTGGAGAGCTTCTTCC
AGAAGATGGACAGAAACAAGGACGGCGTGGTGACCATTGAGGAATTCATTGAGTCTTGTCAACAGGACGAGAACATCATG
AGGTCCATGCAACTCTTTGATAATGTCATCTAGCTCCCCAGGGAGAGGGGTTAGTGTGTCCAGGGTAACCATGCTGTAG
CCCTAGTCCAGGCAAACTAACCCTCCTCTCCCCGGGTCTGTCTCATCTACCTGTACCCTGGGGGCTGTAGGGATTCA
ACATCCTGGCGCTTCAGTAGTCCAGATCCCTGAGCTAAGTGGCGAGAGTAGGCAAGCTAAGTCTTTGGAGGGTGGGTGGG
GGCGCGCAGATTCCCAACCCCGACGACTCTACCCCTTTCTCGACTGATACCCAGTGTGAGGCTACCCCTGGTGTCCG
GAACGACCAAAAGTGGTCTCTGCTCCCCAGCCCACTCTAGAGACCCACACTAGACGGGAATATCTCCTGCTATGGTGT
TTCCCCATCCCTGACCGCAGATTTTCTCCTAAGACTCCCTTCTCAGAGAATATGCTTTTGTCCCTTGTCCCTGGCTGGC
TTTTCAGCCTAGCCTTTGAGGACCCTGTGGGAGGGGAGAATAAGAAAAGCAGACAAAATCTTGGCCCTGAGCCAGTGGTTA
GGTCTAGGAATCAGGCTGGAGTGGAGACCAGAAAGCCTGGGCAAGGCTATGAGAGCCCCAGGTGGCTTGTACCCGCCAG
GTTCACAGGGCTGCTGCTCTGGGTGAGCAGAGTATGAGTTTCCAGACTTCCAGAAAGCCTTATGCTCTTAGCAATGTC
CCAGAAATTCACCATACACTTCTCAGTGTCTTAGGATCCAGATGTCCGGTCCATCCCTGAAACCTCTCCCTCCTCCTTGC
TCCTATGGTGGGAGTGGTGGCCAGGGGACGATGAGTGAGCCGGTGTCTGATGATGCCTGTCAAGGTCCCACCTACCCCT
CCGGCTGTCAAGCCGTCTGGTGACCCTGTTTGATTCTCCATGACCCCTGTCTAGATGTAGAGGTGTGGAGTGAGTCTAG
TGGCAGCCTTAGGGGAATGGGAAGAACGAGAGGGGCACTCCATCTGAACCCAGTGTGGGGGCATCCATTGGAATCTTTGC
CTGGCTCCCCACAATGCCCTAGGATCCTCTAGGGTCCCCACCCCACTCTTTAGTCTACCCAGAGATGCTCCAGAGCTCA
CCTAGAGGGCAGGGACCATAGGATCCAGGTCCAACCTGTCATCAGCATCCGGCCATGCTGCTGCTGCTTATTAATAAACCC
TGCTTGTGCTTCAGCGCCCTTCCAGTCCAGGAGGTCTGAGGGGAAGCCCCCACTTTCCCGCCTCCTGTGACACATT
GTTGACTGCTTTGCATTTTGGGCTCTTCTACCTATATTTTGTATAATAAGAAAGACACCAGATCCAATAAAACACATGGC
TATGCACAAAAAAAAAAAAAAAAA

MOUSE 9QL PROTEIN

MRGQGRKESLSERDLDSYDQLTGHPGPSKALKQRFLKLLPCCGPQALPSVSETLAAPASLRPHRPRPLDPDSVEDE
FELSTVCHRPEGLEQLQEQTKFTRRELQVLYRGFKNECPSGIVNEENFKQIYSQFFPQGDSSNYATFLNFDTNHDGSV
SFEDFVAGLSVILRGITIDRLNWFNLVDLNKDGCIKEMLDIMKSIYDMMGKYTPALREEAPREHVESFFQKMDRKN
DGVVTIEEFIESCQDENIMRSMQLFDNVI

FIGURE 9

HUMAN 9QM DNA (CD: 207-965)

CTCACCTGCTGCCTAGTGTTCCTCTCCTGCTCCAGGACCTCCGGGTAGACCTCAGACCCCGGGCCCATTTCCAGACTCA
GCCTCAGCCCGGACTTCCCCAGCCCCGACAGCACAGTAGGCCGCCAGGGGGCGCCGTGTGAGCGCCCTATCCCGGCCACC
CGGCGCCCCCTCCACGGCCCCGGGCGGGAGCGGGGCGCCGGGGGCCATGCGGGGCCAGGGCCGAAGGAGAGTTTGTCCG
ATTTCCAGACCTGGACGGCTCTACGACCAGCTCACGGGCCACCTCCAGGGCCCACTAAAAAAGCGCTGAAGCAGCGA
TTCTCAAGCTGCTGCCGTGCTGCGGGCTCAAGCCCTGCCCTCAGTCAGTAAAAACAGCGTGGACGATGAATTTGAATT
GTCCACCGTGTGTACCGGCCTGAGGGTCTGGAGCAGCTGCAGGAGCAAACCAATTCACGCGCAAGGAGTTGCAGGTCC
TGTACCGGGGCTTCAAGAACGAATGTCCAGCGGAATTGTCAATGAGGAGAACTTCAAGCAGATTTACTCCAGTTCTTT
CCTCAAGGAGACTCCAGCACCTATGCCACTTTTCTCTTCAATGCCTTTGACACCAACCATGATGGCTCGGTCAGTTTGA
GGACTTTGTGGCTGGTTTGTCCGTGATTCTTCGGGGAAGTGTAGATGACAGGCTTAATTGGGCTTCAACCTGTATGACC
TTAACAAGGACGGCTGCATCACAAGGAGGAAATGCTTGACATCATGAAGTCCATCTATGACATGATGGGCAAGTACAG
TACCTGCACTCCGGGAGGAGGCCCCAAGGGAACACGTGGAGAGCTTCTTCCAGAAGATGGACAGAAACAAGGATGGTGT
GGTGACCATTGAGGAATTCATTGAGTCTTGTCAAAAGGATGAGAACATCATGAGGTCCATGCAGCTCTTTGACAATGTCA
TCTAGCCCCCAGGAGAGGGGGTCAGTGTTTCTGGGGGACCATGCTCTAACCTAGTCCAGGCGGACCTCACCTTCTC
TTCCAGGTCTATCCTCATCTACGCTCCCTGGGGGCTGGAGGGATCCAAGAGCTTGGGGATTCAGTAGTCCAGATCTC
TGGAGCTGAAGGGGCCAGAGAGTGGGCAGAGTGCATCTCGGGGGGTGTTCCCAACTCCACCAGCTCTCACCCCTCTCT
GCCTGACACCCAGTGTGAGAGTGCCCCCTCTGTAGGAATTGAGCGGTTCCCCACCTCCTACCTACTCTAGAAACACAC
TAGAGCGATGTCTCCTGCTATGGTGCTTCCCCATCCCTGACCTCATAAACATTTCCCTAAGACTCCCCTCTCAGAGAG
AATGCTCCATTCTTGGCACTGGCTGGCTTCTCAGACCAGCCATTGAGAGCCCTGTGGGAGGGGGACAAGAATGTATAGGG
AGAAATCTTGGGCTGAGTCAATGGATAGGTCTAGGAGGTGGGTGGGGTTGAGAATAGAAGGCTGGACAGATTATGA
TTGCTCAGGCATACCAGTTATAGCTCCAAGTTCACAGGTCTGCTACCACAGGCCATCAAAATATAAGTTTCCAGGCTT
TGCAGAAGACCTTGTCTCCTTAGAAATGCCCCAGAAATTTCCACACCTCCTCGGTATCCATGGAGAGCTGGGGCCAG
ATATCTGGCTCATCTCTGGCATTGCTTCTCTCCTTCTCTGCTGATGTTGGTGGTGTTGTGGTGGGGGAATGTGA
TGGGGGATGTCTGCTGATGCCTGCCAAAATTTTCATCCACCTCCTTGTATCGTCCCTGTTTTGAGGGCTATGACT
TGAGTTTTTGTTCCTCATGTTCTCTATAGACTTGGGACCTTCTGAACTTGGGGCCTATCACTCCCCACAGTGGATGCCT
TAGAAGGGAGAGGGAAGGAGGGAGGCAGGCATAGC

FIGURE 10

HUMAN 9QM PROTEIN

MRGQGRKESLSDSRDLGSDYDQLTGHPGPTKKALKQRFLKLLPCCGPQALPSVSENSVDDEFELSTVCHRPEGLEQLQE

QTKFTRKELQVLYRGFKNECPSGIVNEENFKQIYSQFFPQGDSSTYATFLFNAFDTNHDGSVSFEDFVAGLSVILRGTVD

DRLNWAFNLYDLNKDGCITKEEMLDIMKSIYDMMGKYTYPALREEAPREHVESFFQKMDRNKDGVVTTIEEFIESQKDEN

IMRSMQLFDNVI

FIGURE 10 (cont'd)

2540460 2540460 2540460

RAT 9QM DNA (CD: 214-972)

CTCACTTGCTGCCCCAAGGCTCCTGCTCCTGCCCCAGGACTCTGAGGTGGGCCCTAAAACCCAGCGCTCTCTAAAGAAAAAG
 CCTTGCCAGCCCCCTACTCCCGCCCCCAACCCAGCAGGTGCTGCGCCGCCAGGGGGCGCTGTGTGAGCGCCCTATTCT
 GGCCACCCGGCGCCCCCTCCACGGCCCCAGGCGGGAGCGGGGCGCCGGGGGCCATGCGGGGCCAAGGCAGAAAGGAGAGT
 TTGTCCGAATCCCGAGATCTGGACGGCTCCTATGACCAGCTTACGGGCCACCCTCCAGGGCCCAGTAAAAAGCCCTGAA
 GCAGCGTTTCTCTAAGCTGCTGCCGTGCTGCGGGCCCCAAGCCCTGCCCTCAGTCAGTGAAAACAGCGTAGAGGATGAGT
 TTGAATTATCCACGGTGTGTACCGACCTGAGGGCCTGGAACAACCTCCAGGAACAGACCAAGTTACACGCAGAGAGCTG
 CAGGTCTGTACCGAGGCTTCAAGAACGAATGCCCCAGTGGGATTGTCAACGAGGAGAACTTCAAGCAGATTATTCTCA
 GTTCTTTCCCCAAGGAGACTCCAGCAACTATGCTACTTTTCTTCAATGCCTTTGACACCAACCAGATGGCTCTGTCA
 GTTTTGAGGACTTTGTGGCTGGTTTGTCCGTGATTCTTCGGGGGACCATAGATGATAGACTGAGCTGGGCTTTCAACTTA
 TATGACCTCAACAAGGACGGCTGTATCACAAGGAGGAAATGCTTGACATTATGAAGTCCATCTATGACATGATGGGCAA
 GTACACATACCTGCCCCTCCGGGAGGAGGCCCAAGAGAACACGTGGAGAGCTTCTTCCAGAAGATGGACAGGAACAAGG
 ACGGCGTGGTGACCATCGAGGAATTCATCGAGTCTTGTCAACAGGACGAGAACATCATGAGGTCCATGCAGCTCTTTGAT
 AATGTCATCTAGCTCCCCAGGGAGAGGGGTAGTGTGCTCCTAGGGTGACCAGGCTGTAGTCTAGTCCAGACGAACTAA
 CCCTCTCTCTCCAGGCTGTCTCATCTTACCTGTACCCTGGGGCTGTAGGGATTCAATATCTCTGGGGCTTCAGTAGTC
 CAGATCCCTGAGCTAAGTCACAAAAGTAGGCAAGAGTAGGCAAGCTAAATCTGGGGGCTTCCCAACCCCCGACAGCTCTC
 ACCCCTTCTCAACTGATACCTAGTGCTGAGGACACCCCTGGTGTAGGGACCAAGTGTTCTCCACCTTCTAGTCCCACTC
 TAGAAACCACATTAGACAGAAGGTCTCCTGCTATGGTGCTTTCCCCATCCCTAATCTCTTAGATTTTCTCAAGACTCCC
 TTCTCAGAGAACACGCTCTGTCCATGTCCCCAGCTGGCTTCTCAGCCTAGCCTTTGAGGGCCCTGTGGGGAGGCGGGGAC
 AAGAAAGCAGAAAAGTCTTGCCCCCGAGCCAGTGTTAGGTCTAGGAATTGGCTGGAGTGGAGGCCAGAAAGCCTGGG
 AGATGATGAGAGCCCAGCTGGGCTGTCACTGCAGGTTCCGGGGCCTACAGCCCTGGGTCAGCAGAGTATGAGTTCACAGA
 CTTTCCAGAAGGTCCTTAGCAATGTCCAGAAAATCACCGTACACTTCTCAGTGTCTTAGGAGGGCCCCGGATCCAGATG
 TCTGGTTTATCCCTGAATCCTCTCCCTCCTTCTTGCTCGTATGGTGGGAGTGGTGGCCAGGGGAAGATGAGTGGTGTCCC
 GGATGATGCCTGTCAAGGTCCCACCTCCCTCCGGCTGTTCTCATGACAGCTGTTTGGTTCTCCATGACCCCTATCTAGA
 TGTAGAGGCATGGAGTGAGTCAGGGATTTCCCGAACTTGAGTTTTACCACTCCTCCTAGTGGCTGCCTTAGGGGAATGGG
 AAGAACCCAGTGTGGGGGACCCATTAGAATCTTTGCCCGGCTCCTCACAATGCCCTAGGGTCCCCTAGGGTACCCGCTC
 CCTCTGTTTAGTCTACCCAGAGATGCTCCTGAGCTCACCTAGAGGGTAGGGACGGTAGGCTCCAGGTCCAACCTCTCCAG
 GTCAGCACCTGCCATGCTGCTGCTCCTCATTAAACAACTGCTTGTCTCCTCCTGCGCCCTTCTCAGTCAGCCAGGGT
 CTGAGGGGAAGGGCCTCCCGTTTCCCCATCCGTGAGACATGGTTGACTGCTTTGCATTTTGGGCTCTTCTATCTATTTTG
 TAAAAAAGACATCAGATCCAATAAAACACACGGCTATGCACAAAAAAAAAAAAAAAAAAAA

RAT 9QM PROTEIN

MRGQGRKESLSERDLDSYDQLTGHPGPGSKALKQRFLKLLPCCGPQALPSVSENSVEDEFELSTVCHRPEGLEQLQE
 QTKFTRRELQVLYRGFKNECPSGIVNEENFKIYQFFPQGDSSNYATFLFNAFDTNHDGSVSFEDFVAGLSVILRGTD
 DRLSWAFNLYDLNKDGCITKEEMLDIMKSIYDMMGKYTYPALREEAPREHVESFFQKMDRNDKGVVTTIEEFIESCQDEN
 IMRSMQLFDNVI

FIGURE 11

HUMAN 9QS DNA (CD:207-869)

CTCACCTGCTGCCTAGTGTTCCTCTCCTGCTCCAGGACCTCCGGGTAGACCTCAGACCCCGGGCCCATCCAGACTCA
GCCTCAGCCCGGACTTCCCCAGCCCCGACAGCACAGTAGGCCGCCAGGGGGCGCCGTGTGAGCGCCCTATCCCGGCCACC
CGGGCCCCCTCCCACGGCCCCGGGCGGGAGCGGGGCGCCGGGGGCCATGCGGGGCCAGGGCCGCAAGGAGAGTTTGTCCG
ATCCCGAGACCTGGACGGCTCCTACGACCAGCTCACGGACAGCGTGGACGATGAATTTGAATTGTCCACCGTGTGTAC
CGGCCTGAGGGTCTGGAGCAGCTGCAGGAGCAAACCAAAATTCACGCGCAAGGAGTTGCAGGTCTGTACCGGGGCTTCAA
GAACGAATGTCCAGCGGAATTGTCAATGAGGAGAAGTTCAAGCAGATTACTCCAGTTCTTCTCAAGGAGACTCCA
GCACCTATGCCACTTTTCTCTTCAATGCCTTTGACACCAACCATGATGGCTCGGTCAGTTTGAAGGACTTTGTGGCTGGT
TTGTCCGTGATTCTTCGGGGAAGTGTAGATGACAGGCTTAATTGGGCTTCAACCTGTATGACCTTAACAAGGACGGCTG
CATCACCAAGGAGGAAATGCTTGACATCATGAAGTCCATCTATGACATGATGGGCAAGTACACGTACCCTGCACTCCGGG
AGGAGGCCCCAAGGGAACACGTGGAGAGCTTCTTCCAGAAGATGGACAGAAACAAGGATGGTGTGGTGACCATTGAGGAA
TTCAATTGAGTCTTGTCAAAAGGATGAGAACATCATGAGGTCCATGCAGCTCTTTGACAATGTCATCTAGCCCCCAGGAGA
GGGGGTCAAGTGTTCCTGGGGGACCATGCTCTAACCCTAGTCCAGGCGGACCTCACCTTCTCTTCCAGGTCTATCCT
CATCCTACGCCTCCCTGGGGGCTGGAGGGATCCAAGAGCTTGGGGATTCAAGTAGTCCAGATCTCTGGAGCTGAAGGGGCC
AGAGAGTGGGCAGAGTGCATCTCGGGGGTGTTCCTCAACTCCACAGCTCTACCCCTTCTCTGCTGACACCCAGTGT
TGAGAGTGCCCTCTGTAGGAATTGAGCGGTTCCCCACCTCCTACCTACTCTAGAAACACACTAGAGCGATGTCTCCT
GCTATGGTGCTTCCCCATCCCTGACCTCATAAACATTTCCCTAAGACTCCCTCTCAGAGAGAATGCTCCATTCTGG
CACTGGCTGGCTTCTCAGACCAGCCATTGAGAGCCCTGTGGGAGGGGGACAAGAATGTATAGGGAGAAATCTTGGGCTG
AGTCAATGGATAGGTCCTAGGAGGTGGTGGGTTGAGAATAGAAGGGCCTGGACAGATTATGATTGCTCAGGCATACCA
GGTTATAGCTCCAAGTTCACAGGTCTGCTACCACAGGCCATCAAAATATAAGTTTCCAGGCTTTCAGAGAAGACCTTGT
TCCTTAGAAATGCCCCAGAAATTTCCACACCTCCTCGGTATCCATGGAGAGCCTGGGGCCAGATATCTGGCTCATCTC
TGGCATTGCTTCTCTCCTTCTCTGCTGATGTGTGGTGGTGGTGTGGTGGGGGAATGTGGATGGGGGATGTCCTGGC
TGATGCTGCCAAAATTCATCCACCCCTCCTTGCTTATCGTCCCTGTTTTGAGGGCTATGACTTGAGTTTTTGTTCCTC
ATGTTCTCTATAGACTTGGGACCTTCTGAACTTGGGGCTATCACTCCACAGTGGATGCCTTAGAAGGGAGAGGGAA
GGAGGGAGGCAGGCATAGC

FIGURE 12

MONKEY 9QS DNA (CD: 133-795)

CCCACGCGTCCGCCACGCGTCCGCGGACGCGTGGGGTGCACTAGGCCGCCAGGGGGCGCCGTGTGAGCGCCCTATCCCG
 GCCACCCGGCGCCCCCTCCACGGACCGGGCGGGAGCGGGGCGCCGGGGGCCATGCGGGGCCAGGGCCCAAGGAGAGTT
 TGTCGGAITCCCGAGACCTGGACGGATCCTACGACCAGCTCACGGACAGCGTGGAGGATGAATTTGAATTGTCCACCGTG
 TGTCACCGCCTGAGGGTCTGGAGCAGCTGCAGGAGCAAAACCAATTACGCGCAAGGAGTTGCAGGTCTGTACCGGGG
 CTTCAAGAACGAATGTCCGAGCGGAATTGTCAATGAGGAGAACTTCAAGCAAAATTTACTCCCAGTTCTTTCTCAAGGAG
 ACTCCAGCACCTATGCCACTTTTCTTTCAATGCCTTTGACACCAACCATGATGGCTCGGTCACTTTTGAGGACTTTGTG
 GCTGGTTTGTCCGTGATTCTTCGGGGAAGTGTAGATGACAGGCTTAATTGGGCCTTCAACTTGTATGACCTCAACAAGGA
 CGGCTGCATCACCAAGGAGGAAATGCTTGACATCATGAAGTCCATCTATGACATGATGGGCAAGTACACATACCTGCAC
 TCCGGGAGGAGGCCCCAAGGGAACATGTGGAGAATTCTTCCAGAAGATGGACAGAAACAAGGATGGCGTGGTGACCAAT
 GAGGAATTCATTGAGTCTTGCAAAAGGATGAGAACATCATGAGGTCCATGCAGCTCTTGACAATGTCATCTAGCCCCC
 AGGAGAGGGGGTCACTGTTTCTCGGGGGACCATGCTCTAACCTAGTCCAGGTGGACCTCACCTTCTCTTCCAGGTC
 TATCCTGTCTAGGCCTCCCTGGGGCTGGAGGGATCCAAGAGCTTGGGGATTCACTAGTCCAGATCTCTGGAGCTGAA
 GGGGCCAGAGAGTGGGCAGAGTGATCTTGGGGGTGTCCCAACTCCCACCAGCTTTCACCCGCTTCTGCTGACACC
 CAGTGTGAGAGTGCCCTCCTGTAGGAACTGAGTGTTCCCCACCTCCTACCCCACTCTAGAAACACACTAGACAGAT
 GTCTCGTGCTATGGTGCTTCCCCCATCCCTGACTTCATAAATTTCCCTAAAACCTCCCTTCTCAGAGAGAATGCTCCA
 TTCTTGGCACTGGCTGGCTTCTCAGACCAGCCTTTGAGAGCCCTGTGGGAGGGGACAAGAATGTATAGGGGAGAAATCT
 TGGGCCTGAGTCAATGGATAGGTCTAGGAGGTGGCTGGGGTGTAGAATAGAAAGGCCTGGACACAATGTGATTGCTCAG
 GCATACCAAGTTATAGCTCCAAGTTCCACAGGTCTGCTACCACAGGCCATCAAAATATAAGTTTCCAGGCTTGCAGAAG
 ACCTTGCTCCTTGGAAAATGCCCCAGATATTTCCATACCTCCTCGATATCCATGGAGAGCCTGGGGCTAGATATCTGG
 CATATCCTCGCATTGCTTCTCTCCTCCTCCTGCTGATGTGTTGGTGGTGGTTGTGGCAGGGGAATGTGGATAAGGAGAT
 GTCTGGCAGATGCCTGCCAAAGTTTCATCCACCTCCTGCTCATCGCCCTGTTTTGAGGGCTGTGACTTGAGTTTT
 TGTTTCCATGTTCTCTATAGACTTGGGACCTTCTGAACTTGGGGCTATCACTCCCCACAGTGGATGCCTTAGAAGGG
 AGAGGGAAGGAGGGAGGCAGGCATAGCATCTGAACCCAGTGTGGGGCATTCACTAGGATCTTCAATCAACCCGGGCTCT
 CCCCCAACCCCCAGATAACCTCCTCAGTTCCCTAGAGTCTCCTCTGCTCTACTCAATCTACCCAGAGATGCCCTTAGC
 AACTCAGAGGGCAGGGACCATAGGACCCAGGTCCAACCCATTGTGACACCCAGCCATGCTGCCATCCCTTAGCAC
 ACCTGCTCGTCCCATTCAGCTTACCTCCCAGTCAAGCAGAATCTGAGGGGAGGGCCCCCAGAGAGCCCCCTTCCCCATC
 AGAAGACTGTTGACTGCTTGCATTTTGGGCTCTTCTATATATTTTGTAAAAATAAGAACTATACCAGATCTAATAAAACA
 CAATGGCTATGCAAAAAAAAAAAAAAAAAAAAA

MONKEY 9QS PROTEIN

MRGQGRKESLSDSRDLGSDYDQLTDSVEDEFELSTVCHRPEGLEQLQEQTFRKELQVLYRGFKNECPGIVNEENFKQ
 IYSQFFPQGDSTYATFLNAFDTNHDGSVSFEDFVAGLSVILRGTVDDRNLNWFNLYDLNKDGCTKEEMLDIMKSIYD
 MMGKYTYPALREEAPREHVENFFQKMDRNKDGVVTIEEFIESCQKDENIMRSMQLFDNVI

FIGURE 13

RAT 9QC DNA (CD: 208-966)

TGCTGCCCAAGGCTCCTGCTCTGCCCCAGGACTCTGAGGTGGGCCCTAAAAACCCAGCGCTCTCTAAAGAAAAGCCTTGCC
CAGCCCCCTACTCCCGCCCCCAACCCACAGCAGGTGCGTGCGCCGCCAGGGGGCGCTGTGTAGCGCCCTATTCTGGCCAC
CCGGCGCCCCCTCCACGGCCAGCGGGAGCGGGCGCCGGGGGCCATGCGGGGCCAAGGCAGAAAGGAGAGTTTGTC
GAATCCCAGAGATCTGGACGGCTCCTATGACCAGCTTACGGGCCACCTCCAGGGCCCAGTAAAAAGCCCTGAAGCAGCG
TTTCCTCAAGCTGCTGCCGTGCTGCGGGCCCCAAGCCCTGCCCTCAGTCAGTGAAAACAGCGTAGAGGATGAGTTTGAAT
TATCCACGGTGTGTACCGACCTGAGGGCCTGGAACAACCTCCAGGAACAGACCAAGTTTCACGCAGAGAGCTGCAGGT
CTGTACCGAGGCTTCAAGAACGAATGCCCCAGTGGGATTGTCAACGAGGAGAACTTCAAGCAGATTTATTCTCAGTTCTT
TCCCCAAGGAGACTCCAGCAACTATGCTACTTTTCTCTTCAATGCCTTTGACACCAACCACGATGGCTCTGTCAGTTTTG
AGGACTTTGTGGCTGGTTTGTGGTATTCTTCGGGGGACCATAGATGATAGACTGAGCTGGGCTTTCAACTTATATGAC
CTCAACAAGGACGGCTGTATCACAAGGAGGAAATGCTTGACATTATGAAGTCCATCTATGACATGATGGGCAAGTACAC
ATACCTCGCCCTCCGGGAGGAGGCCCAAGAGAACACGTGGAGAGCTTCTCCAGAAGATGGACAGGAACAAGGACGGCG
TGGTGACCATCGAGGAATTCATCGAGTCTTGTCACAGGACGAGAACATCATGAGGTCCATGCAGCTCTCACCCCTTCTC
AACTGATACCTAGTGCTGAGGACACCCCTGGTGTAGGGACCAAGTGGTTCTCCACCTTCTAGTCCCACTCTAGAAACCAC
ATTAGACAGAAGGTCTCTGCTATGGTGCTTTCCCCATCCCTAATCTCTTAGATTTTCTCAAGACTCCCTTCTCAGAGA
ACACGCTCTGTCCATGTCCCAGCTGGCTTCTCAGCCTAGCCTTTGAGGGCCCTGTGGGGAGGCGGGACAAGAAAAGCAG
AAAAGTCTTGGCCCCGAGCCAGTGGTTAGGTCTAGGAATTGGCTGGAGTGGAGGCCAGAAAGCCTGGGCAGATGATGAG
AGCCACGTGGGTGTCACTGCAGGTTCGGGGGCTACAGCCCTGGGTGAGCAGAGTATGAGTTCCAGACTTTCCAGAA
GGTCTTAGCAATGTCCAGAAATTCACCGTACACTTCTCAGTGTCTTAGGAGGGCCCGGATCCAGATGTCTGGTTCAT
CCCTGAATCCTCTCCCTCCTTCTTGCTCGTATGGTGGGAGTGGTGGCCAGGGGAAGATGAGTGGTGTCCCGGATGATGCC
TGTCAGGTCCCACCTCCCTCCGGCTGTTCTCATGACAGCTGTTTGGTTCTCCATGACCCCTATCTAGATGTAGAGGCA
TGGAGTGAGTCAGGGATTTCGGAACCTTGAGTTTTACACTCCTCCTAGTGGCTGCCTTAGGGGAATGGGAAGAACCAG
TGTGGGGGCACCCATTAGAATCTTTGCCCGGCTCCTCACAATGCCCTAGGGTCCCTAGGGTACCCGCTCCCTCTGTTA
GTCTACCCAGAGATGCTCCTGAGCTCACCTAGAGGGTAGGGACGGTAGGCTCCAGGTCCAACCTCTCCAGGTCAGCAC
TGCCATGTGCTGCTCCTCATTAACAAACCTGCTTGTCTCCTCCTGCGCCCTTCTCAGTCAGCCAGGGTCTGAGGGGAA
GGGCTCCCGTTTCCCATCCGTCAGACATGGTTGACTGCTTTGCATTTTGGGCTCTTCTATCTATTTTGTAAAAATAAGA
CATCAGATCCAATAAAACACACGGCTATGCACAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

RAT 9QC PROTEIN

MRGQGRKESLSERDLGSDYDLTGHPGPKKALKQRFLLPCCGPQALPSVSENSVEDEFELSTVCHRPEGLEQLQE
QTKFTRRELQVLYRGFKNECPGIVNEENFKQIYSQFFPQGDSSNYATFLFNAFDTNHDGSVSFEDFVAGLSVILRGTD
DRLSWAFNLYDLNKDGCITKEEMLDIMKSYDMMGKYTPALREEAPREHVESFFQKMDRNKDGVVITIEFIESCQQDEN
IMRSMQLSPLLN.

FIGURE 14

RAT 8T (9Q SPLICE VARAIANT) DNA (MAY NOT BE FULL LENGTH, CD: 1-678)

ATGAACCACTGCCCTCGCAGGTGCCGGAGCCCGTTGGGGCAGGCAGCTCGATCTCTCTACCAGTTGGTAACTGGGTCGCT
GTCGCCAGACAGCGTAGAGGATGAGTTTGAATTATCCACGGTGTGTACCGACCTGAGGGCCTGGAACAACCTCCAGGAAC
AGACCAAGTTCACACGCAGAGAGCTGCAGGTCCTGTACCGAGGCTTCAAGAACGAATGCCCCAUGTGGGATTGTCAACGAG
GAGAACTTCAAGCAGATTTATTCTCAGTTCTTTCCCCAAGGAGACTCCAGCAACTATGCTACTTTTCTTCAATGCCTT
TGACACCAACCACGATGGCTCTGTCAGTTTTGAGGACTTTGTGGCTGGTTGTGCGTGATTCTCGGGGGACCATAGATG
ATAGACTGAGCTGGGCTTTCAACTTATATGACCTCAACAAGGACGGCTGTATCACAAAGGAGGAAATGCTTGACATTATG
AAGTCCATCTATGACATGATGGGCAAGTACACATACCCTGCCCTCCGGGAGGAGGCCCAAGAGAACACGTGGAGAGCTT
CTTCAGAAGATGGACAGGAACAAGGACGGCGTGGTGACCATCGAGGAATTCATCGAGTCTTGTCACAGGACGAGAACA
TCATGAGGTCCATGCAGCTCTTTGATAATGTCTATCTAGCTCCCCAGGGAGAGGGGTTAGTGTGCTCCTAGGGTGACAGGC
TGTAAGTCTAGTCCAGACGAACCTAACCCCTCTCTCCAGGCCGTGCTCCTCATCTTACCTGTACCCTGGGGGCTGTAGGGA
TTCAATATCCTGGGGCTTCAGTAGTCCAGATCCCTGAGCTAAGTCACAAAAGTAGGCAAGAGTAGGCAAGCTAAATCTGG
GGGCTTCCCAACCCCCGACAGCTCTACCCCTTCTCAACTGATACCTAGTGCTGAGGACACCCCTGGTGTAGGGACCAAG
TGGTTCTCCACCTTCTAGTCCCACTCTAGAAACCACATTAGACAGAAGGTCTCCTGCTATGGTGCTTTCCCCATCCCTAA
TCTCTTAGATTTTCTCAAGACTCCCTTCTCAGAGAACACGCTCTGTCCATGTCCCCAGCTGGCTTCTCAGCCTAGCCTT
TGAGGGCCCTGTGGGGAGGCGGGACAAGAAAGCAGAAAAGTCTTGGCCCCGAGCTAGTGTTAGGTCTAGGAATTGGC
TGGAGTGGAGGCCAGAAAGCCTGGGCAGATGATGAGAGCCAGCTGGGCTGTCACTGCAGGTTCAGGGCCTACAGCCCT
GGGTCAGCAGAGTATGAGTTCAGACTTTCCAGAAGGTCTTAGCAATGTCCAGAAATTCACCATACACTTCTCAGTG
TCCCGGATGATGCCTGTCAAGGTCCCACCTCCCTCCGGCTGTTCTCATGACAGCTGTTTGGTTCTCCATGACCCCTATC
TAGATGTAGAGGCATGGAGTGAGTCAGGGATTTCCGAACCTGAGTTTTACCACTCCTCCTAGTGGCTGCCTTAGGGGAA
TGGGAAGAACCCAGTGTGGGGCACCCATTAGAATCTTTGCCCGGTTCTCACAATGCCCTAGGTCCCTAGGGTACCC
GCTCCCTCTGTTTAGTCTACCCAGAGATGCTCCTGAGCTCACCTAGAGGGTAGGGACGGTAGGCTCCAGGTCCAACCTCT
CCAGGTGAGCACCCCTGCCATGCTGCTGCTCCTCATTAAACAACTGCTTGTCTCCTCCTGCGCCCTTCTCAGTCAGCCA
GGGCTGAGGGGAAGGGCCTCCCGTTTCCCATCCGTCAGACATGGTTGACTGCTTTGCATTTGGGCTCTTCTATCTAT
TTTGTAAAAAAGACATCAGATCCAATAAAACACACGGCTATGCACAAAAA

RAT 8T (9Q SPLICE VARAIANT) PROTEIN (MAY NOT BE FULL LENGTH)

MNHCPRRCRSPLGQAARSLYQLVTGSLSPDSVEDEFELSTVCHRPEGLEQLQEQTFRRELQVLYRGFKNECPSGIVNE
ENFKQIYSQFFPQGDSSNYATFLNAFDTNHDGSVSFEDFVAGLSVILRGITDDRSLSWAFNLYDLNKDGCITKEEMLDIM
KSIYDMMGKYTPALREEAPREHVESFFQKMDRNDKGVVTIEEFIESCQDENIMRSMQLFDNVI

FIGURE 15

Variable	Mean	SD	Min	Max
Age	34.5	10.2	18	65
Gender	1.2	0.4	1	2
Marital status	1.5	0.5	1	3
Education	12.5	1.5	9	16
Income	1.8	0.8	1	3
Occupation	1.5	0.5	1	3
Religion	1.2	0.4	1	2
Health status	1.5	0.5	1	3
Stress level	2.5	1.0	1	4
Life satisfaction	3.5	1.0	1	5
Work-life balance	2.5	1.0	1	4
Family support	3.0	1.0	1	4
Community support	2.5	1.0	1	4
Work environment	2.0	1.0	1	3
Job satisfaction	3.0	1.0	1	4
Organizational commitment	3.5	1.0	1	4
Turnover intention	1.5	0.5	1	3
Employee engagement	3.0	1.0	1	4
Work-life balance	2.5	1.0	1	4
Family support	3.0	1.0	1	4
Community support	2.5	1.0	1	4
Work environment	2.0	1.0	1	3
Job satisfaction	3.0	1.0	1	4
Organizational commitment	3.5	1.0	1	4
Turnover intention	1.5	0.5	1	3
Employee engagement	3.0	1.0	1	4

FIGURE 16

>human KChIP3

MQPAKEVTKASDGSLLGDLGHTPLSKKEGIKWQRPRLSRQALMRCCLVKWILSSTAPQGSDDSD
SELELSTVRHQPEGLD
QLQAQTKFTKKELQSLYRGFKNECPTGLVDEDTFKLIYAQFFPQGDATTYAHFLFNAFDADGNG
AIHFEDFVVGLSILLR
GTVHEKWKWAFNLYDINKDGYITKEEMLAIMKSIYDMMGRHTYPILREDAPAEHVERFFEKMD
RNQDGVVTIEEFLEACQ
KDENIMSSMQLFENVI

661250"26400460

FIGURE 16 (cont'd)

RAT P19 DNA (FIRST-PASS, PARTIAL; CD:1-330)

TTTGAGGACTTTGTGGTTGGGCTCTCCATCCTGCTTCGAGGGACCGTCCATGAGAAGCTCAAGTGGGCCTTCAATCTCTA
CGACATCAACAAGGACGGTTACATCACCAAAGAGGAGATGCTGGCCATCATGAAGTCCATCTACGACATGATGGGCCGCC
ACACCTACCCTATCCTGCGGGAGGACGCACCTCTGGAGCATGTGGAGAGGTTCTTCCAGAAAATGGACAGGAACCAGGAT
GGAGTAGTGACTATTGATGAATTTCTGGAGACTTGTGAGAAGGACGAGAACATCATGAGCTCCATGCAGCTGTTTGAGAA
CGTCATCTAGGACATGTAGGAGGGGACCCTGGGTGGCCATGGGTTCTCAACCCAGAGAAAGCCTCAATCCTGACAGGAGAA
GCCTCTATGAGAAACATTTTCTAATATATTTGCAAAAAGTG

RAT P19 PROTEIN (PARTIAL)

FEDFVVGLSILLRGTVHEKLLKWFNLYDINKDGYITKEEMLAIMKSIYDMMGRHTYPILREDAPLEHVERFFQKMDRNQD
GVVTIDEFLETQKDENIMSSMQLFENV

FIGURE 17

667260" 26400460

MOUSE P19 DNA (CD: 49-819)

CGGGCTGCAAAGCGGGAAGATTAGTGACGGTCCCTTTTCAGCAGCAGAGATGCAGAGGACCAAGGAAGCCGTGAAGGCATC
AGATGGCAACCTCCTGGGAGATCCTGGGCGCATACCACTGAGCAAGAGGGAAAGCATCAAGTGGCAAAGGCCACGGTTCA
CCCCCAGGCCCTGATGCGTTGCTGCTTAATCAAGTGGATCCTGTCCAGTGTGCCCCACAAGGCTCAGACAGCAGTGAC
AGTGAAGTGGAGTTATCCACGGTGGCCATCAGCCAGAGGGCTTGGACCAGCTACAAGCTCAGACCAAGTTCACCAAGAA
GGAGCTGCAGTCCCTTTACCGAGGCTTCAAGAATGAGTGTCCACAGGCTGGTGGATGAAGACACCTTCAAACCTATTT
ATCCCCAGTTCTCCCTCAGGGAGATGCCACCACCTATGCACACTTCTCTTCAATGCCTTTGATGCTGATGGGAACGGG
GCCATCCACTTTGAGGACTTTGTGGTTGGGCTCTCCATCCTGCTTCGAGGGACGGTCCATGAGAAGCTCAAGTGGGCTT
CAATCTCTATGACATTAACAAGGATGGTTGCATCACCAAGGAGGAGATGCTGGCCATCATGAAGTCTCTACGACATGA
TGGGCGCCACACCTACCCCATCCTGCGGGAGGATGCACCCCTGGAGCATGTGGAGAGGTTCTTTCAGAAAATGGACAGG
AACCAGGATGGAGTGGTGACCATTGATGAATTTCTGGAGACTTGTGAGAAGGATGAGAACATCATGAAGTCCATGCAGCT
GTTTGAGAACGTCATCTAGGACATGTGGGAGGGGACCCAGTGGTCATTGCTTCTCAACCCAGAGAAGCCTCAATCCTGA
CAGGAGAAGCCTCTATGAGAAACATTTTCTAATATATTGCAAAAAGTGAGCAGTTTACTTCCAAGACACAGCCACCGT
CACACACAGACACAGACATACAGACACACACACACACACATGGTTCCTCTGGCTTGGCCAAGGAAGTGGCAGCC
AGAAAGCACCCCCGCTATTCTAGGTCAATAAAAAAGGCTGCCTCTGGGATGGCCAGCCCTGGCTAGATGTTACCCACA
AGGAACTCAGAGATCGAGAGGACCAGGTCTACAAAGCTAAGGTCCCTGTGTCTTTCTACCACTCGGGAGATCAAACCTAC
TCCCTGCTATGGACCCATGCTCTTAGGAAGCTCCAGAACTCCAAGGGGACAAAGAGGGGAGAGGTCTATAGGAAGAA
ATGGTTTGGAAAGCTGGGCTTGACGCTTATGCTAATGATCAGCTGGGGTCTGGAACCCGAGTGCCAGGCTACCTACTA
TGCCGTGAGCTTAGATAGTGAGGGGCCATTGGACTAAGACCTCCTGTAAGAGTGGGGCAGGATTGAGGTTTGGAGAAA
CTGAGGAAACAATTTGTCCATACCACTGGGTGAAGACTGCTGGCCAGTGGGAATGTGGCTGGTGGAGATTTCACCACTC
CAGCACCAGGATGGCTCTCCAAGGTCTCTTTGATTCCCTGGGGAGATCACTGGCTCATAGACTGACAACAGGGAAC
TGGGCTGAAATGGGAGGTCTGGTAGGGGCTACCCCTCCTTTCCCTGGCCACTTGCCACCCAGTTCTTAAACACAGTG
GATCGGCCACACCTCTGTGGCTGCCCTTGAACAGACTCATCCCGACCAAGACAAAAAGCACAACTCCTAGCAGCTCAG
GCCAAGCCCAAGGGGAAGGCCTGGGTCCCTGCAGCCCTGATTAGTGGCCGAGGAAGACGCTCAGACATCCATCCTGTA
CCTCGGAGCCTTGGGGTCTCACAGCCCTTTCCAGCCAGCTCGCCAACATTCTAAAGCACAAACCTGCGGATTCTGCT
TGCTTGGGCTGCGCCCTGGGGATTGAAGGCCACTGTTAACCTAAGCTGGAGCTAGCCCTGAGGGCTGGGGACCTGTGAC
CAGGCAACAGGTGAGCAGACCCCTCAGGAGGAGAGAGAGCTGTTCTGCTCCCGAGGCTCGCCAGAAAGGAACAGTGT
CCAAGAAGCATGTTTCTGGAGGAACATCCCCACAAAAGTACATTCCATCATCTGAAGCCCGGTCTCTGCTCAGGCTGC
CTCTGAAAGTCCACGTGTGTTCCCGAGAAGGCCAGCCCAAGATAAGGGAGGTCTTAGAGGAAGGACAGGGTGACAAC
CCCCTATACAGGTGGACCCCCCTCTGAGGACTGTACTGACCCATCTCCATCCTGACCGGGGCTTCTCTTACCCGA
TCTACAGACCACAGTTCTCCCTGGCTCAGGACCCCTGTCCCCAGTCTGACTCTTCCATCGAGGTCCCTGTCTGT
GAAAAGCCAAGGCCACGGGAAAAGGCCACCACTCTAACCTGCTGCATCCCTAGCCTCTGGCTGCACGCCAACCTGGAG
GGGTCTGTCCCTTTGACAGGACACAGACTGGCCGATGTCCGATGGCAGAAGCGTCTCCCTTGGGTGACGCTGGAAG
GGTGGTTTCTGTCTCAGCGCCCAACATATTAGTCTATATTTTAATAAAAGAACTTGACAAAGGAAAAAAAAA
AAAA

FIGURE 18

>AI 352454 (partial) cds = 1-339
CACGAGGTGGAAAGCATTTTCGGCTCAGCTGGAGGAGGCCAGCTCTACAGGCGGTTTCCTGT
ACGCTCAGAACAGCACCAA
GCGCAGCATTAAAGAGCGGCTCATGAAGCTCTTGCCCTGCTCAGCTGCCAAAACGTCGTCTC
CTGCTATTCAAAACAGCG
TGGAAGATGAACTGGAGATGGCCACCGTCAGGCATCGGCCCCGAAGCCCTTGAGCTTCTGGA
AGCCCAGAGCAAATTTACC
AAGAAAGAGCTTCAGATCCTTTACAGAGGATTTAAGAACGTAAGAACTTTCTTTTGACTTT
ACCTTCACACAATTCCCA
GAGGAGCATTGAGAAATGAgaggaaaaggggaaaatatccattctatgagaagccccatcatatgtatattcatact
gatccttcccagataggaatataatcagtatctgtggactttgaatctctgtggcacacceatgctggcatactgtaatt
gcccataaacaanagttttgagaaaaaaaaaaaaaaaaaaaaaaaaa

>AI352454
HEVESISAQLEEASSTGGFLYAQNSTKRSIKERLMKLLPCSAAKTSSPAIQNSVEDELEMATVRHR
PEALELLEAQSKFT
KKELQILYRGFKNVRTFFLTLP SHNSQRSIEK

FIGURE 19

26400460

P193 (AA349365) DNA (CD: 2-127, partial)

TGAAAGGTTCTTCGAGAAAATGGACCGGAACCAAGGATGGGGTAGTGACCATTGAAGAGTTCCTGGAGGC
CTGTCAGAAGGATGAGAACATCATGAGCTCCATGCAGCTGTTTGAGAATGTCATCTAGGACACGTCCAAA
GGAGTGTCATGGCCACAGCCACCTCCACCCCAAGAAACCTCCATCCTGCCAGGAGCAGCCTCCAAGAAA
CTTTTAAAAAATAGATTTGCAAAAAGTGAACAGATTGCTACACACACACACACACACACACACACAC
ACACACACACAGCCATTCTGCGGTGGCAGAGGGGACAGAGTTCAGGGAGGGGCTGAGTCTGGCTAG
GGGCCGAGTCCAGGAGCCCCAGCCAGCCCTTCCCAGGCCAGCGAGGCGAGGCTGCCCTCTGGGTGAGTGG
CTGACAGAGCAGGTCTGCAGGCCACCAGCTGCTGGATGTACCAAGAAGGGGCTCGAGTGGCCCTGCAG
GGGAGGGTCCAATCTCCGGTGTGAGCCACCTCGTCCCGTTCTCCATTCTGCTTTCTTGCCACACAGTGGG
CCGGCCCCAGGCTCCCCTGGTCTCCTCCCCGTAGCCACTCTCTGCCACTACCTATGCTTCTAGAAAGCCC
CTCACCTCAGGACCCACAGAGGGACCAAGCTGGGGGGCAGGGGGGAGAGGGGGTAATGGAGGCCAAGCCT
GCAGCTTTCTGGAAATTCTTCCCTGGGGGTCCCAGGATCCCCTGCTACTCCACTGACCTGGAAGAGCTGG
GTACCAGGCCACCCACTGTGGGGCAAGCCTGAGTGGTGAGGGGGCCACTGGGCCCCATTCTCCCTCCATGG
CAGGAAGGCGGGGATTTCAGTTTAGGGATTGGGTGCTGGTGGAGAATCTGAGGGCACTCTCTGCCAG
CTCCACAGGGTGGGATGAGCCTCTCCTTGCCCCAGTCTGGTTCACTGGGAATGCAGTGGGTGGGGCTGT
ACACACCTCCAGCACAGACTGTTCCCTCCAAGGTCTCTTAGGTCCCGGGAGGAACGTGGTTCAGAGAC
TGGCAGCCAGGGAGCCCGGGCAGAGCTCAGAGGAGTCTGGGAAGGGGCGTGTCCCTCCTCTTCTGTGA
GTGCCCCCTCCATGGGCCAGCAGCTTGGCTGAGCCCCCTCTCCTGAAGCAGTGTGCGCGTCCCTCTGCCTT
GCACAAAAGCACAAGCATTCTTAGCAGCTCAGGCGCAGCCCTAGTGGGAGCCCAGCACACTGCTTCT
CGGAGGCCAGGCCCTCCTGCTGGCTGAGGCTTGGGCCCAGTAGCCCCAATATGGTGGCCCTGGGGAAGA
GGCCTTGGGGGTCTGCTCTGTGCCTGGGATCAGTGGGGCCCCAAAGCCAGCCCCGGCTGACCAACATTCA
AAAGCACAACCCCTGGGGACTCTGCTTGGCTGTCCCCTCCATCTGGGGATGGAGAATGCCAGCCCCAAG
CTGGAGCCAATGGTGAGGGCTGAGAGGGCTGTGGCTGGGTGGTCAGCAGAAACCCCAAGGAGGAGAGA
GATGCTGTCTCCGCTGATTGGGGCTCACCCAGAAGGAACCGGTCCCAGGCCGATGGCCCCCTCCAGG
AACAATCCACATAATACATTCCATCACAGCCAGCCAGCTCCACTCAGGGCTGGCCCGGGGAGTCCCCG
TGTGCCCCAAGAGGCTAGCCCCAGGGTGAGCAGGGCCCTCAGAGGAAAGGCAGTATGGCGGAGGCCATG
GGGGCCCCCTCGGCATTACACACAGCCTGGCCTCCCCTGCGGAGCTGCATGGACGCTGGCTCCAGGCTC
CAGGCTGACTGGGGGCTCTGCCTCCAGGAGGGCATCAGCTTTCCCTGGCTCAGGGATCTTCTCCCTCCC
CTCACCCGCTGCCAGCCCTCCCAGCTGGTGTCACTCTGCCTCTAAGGCCAAGGCCTCAGGAGAGCATCA
CCACCACACCCCTGCCGGCCTTGGCCTTGGGGCCAGACTGGCTGCACAGCCCAACCAGGAGGGGTCTGC
CTCCACGCTGGGACACAGACCGGCCGATGTCTGCATGGCAGAAGCGTCTCCCTTGGCCACGGCCTGGG
AGGGTGGTTCTGTTCTCAGCATCCACTAATATTCAGTCCTGTATATTTAATAAAATAAACTTGACAAAG
GAAAAAAAAAAAAAAAAAAAA

P193 PROTEIN (PARTIAL)

ERFFEKMDRNQDGVVTIEEFLEACQKDENIMSSMLFENV

FIGURE 20




Diagram to indicate homology and uniqueness among rat 1v, rat 9qm, and mouse p19 proteins.
Numbers: amino acid positions.

The C-terminal 185 amino acids are conserved (hatched lines). The homologies among the homology domains are:

- rat 1v vs rat 9q: 74%
- rat 1v vs mouse P19: 71%
- rat 9q vs mouse P19: 75%

The N-termini are distinct (open and shaded boxes).

The putative calcium-binding EF-hand motifs conserved in all are represented as solid bars

FIGURE 21

Table 1. Demographic characteristics of the study population	
Age (years)	Mean (SD)
Male	55.2 (10.5)
Female	56.8 (11.2)
Marital status	
Married	78.5%
Single	12.5%
Divorced	5.5%
Widowed	4.5%
Education level	
High school or above	65.5%
Below high school	34.5%
Occupation	
White collar	45.5%
Blue collar	54.5%
Income (US\$)	
< 1000	15.5%
1000-2000	35.5%
2000-3000	25.5%
> 3000	23.5%
Health insurance	
Yes	85.5%
No	14.5%
Smoking status	
Smoker	25.5%
Non-smoker	74.5%
Alcohol consumption	
Yes	15.5%
No	84.5%
Family size	
1-2	35.5%
3-4	45.5%
5 or more	19.0%

A. exon1 sequence (with introns included):

CGGGAGGAGAGAGGCAGCTCGGCTCGGCTCCGCGCTCAGCTCCGCTCTGCCTCCGGCTCTGCGCTCACCTGCTGCCT
AGTGTTCCCTCTCCTGCTCCAGGACCTCCGGGTAGACCTCAGACCCGGGGCCATTCCCAGACTCAGCCTCAGCCCG
GACTTCCCCAGCCCCGACAGCACAGTAGGCCGCCAGGGGGCGCCGTGTGAGCGCCCTATCCCGGCCACCCGGCGCCCC
CCTCCCACGGCCCCGGGCGGGAGCGGGGCGCCGGGGGCCATGCGGGGCGAGGCCCGCAAGGAGAGTTTGTCCGATTCC
CGAGACCTGGACGGCTCTCTACGACCACTCAGGGTGAGTCAGTGCAGTGGGGTCCGGAGGAGGGGTGGATTCC
ATTCTCCAGACCCCTTCGCGCTCTCCGACCCCGGCTGGCCCGCACCACAACTCTGCCCATTCAGGACACTCTTA
TGGCCGGTCTGGGCGGCAGGACACTGGGGTTCAAAGCCTTGGGTCCCGCAGGGGTGGGGAGGAACAGAAGAGGCA
GGTGTGGAGAGGCAGCAGGTGTGGGCGTATGTGACACAGGGCTGAGAGGGTGTCTGGAGTGGGAGGTGTTACCGTGC
GTGAGCACCTGTCAATTCTGTGTGTGTGTGTGTGTGCGCGGCACCTCCACAGCTGGTTGCCATGTGCCTGGGC
TTGGTGACAGCTAGGGTGAGTGTGATGTGTGTGGCAGTGC AATTGTATGGTCTCGTCAAGTGTGTGAGTGTGTAATTCT
GGACCCCTGGTTGTACTGATGAAGTTGTTTGACCATGTGTCTATGTGCAACGATGTGTGTGAGTGTGTAATTCT
GTATGAAAGTGGTGTGTAAC TACCAGAATGTGT CAGGGCTCACTTTAGGGTGGCTTGTCTCTTTG

B. Exon 2-11 sequence (with introns included):

[illegible]

FIGURE 22

ACTCAGCGNGGGTGGGACAGGAGGACCCAANCCGGTCCANATTTTCCCANAAAGCATGGCTTNGATGCTTGAGGNG
 CGGGCGGAAGGGAGGCAAGGCCCTGAGACTGAACCTTCTAGCTGGAGGTTCTGGGGCGGGGCCAGAACGRAAGTGGCG
 CCTGTAGACTGTCACTTTCGTTCCATGTTTTTTATTTGTGCACTGGGAAAGAAGTCTTCCCTCCCATCACATGAGCC
 ACGTGGTGAGTCTCTGGAGGCTTGAAGATTATCCCCCTCCCTGGGAGTCTTGGGCCATGGAGGGTGGGGCGGTGA
 ACGGAAGGGGATTTTGTCTCTGCCCTCAGCCTGGTGCCCTCTCCTTCCAGGAATGTCCAGCGGAATTGTCAATGAG
 GAGAAGTTCAAGCAGATTTACTCCAGTCTTTTCTCAAGGAGGTGAGGGGACAAGGCCAAGGGGAAGCAGTTGTC
 CTTCTTAGGCTGAGGAGGGAGGATTCTGGAGGAGCTGGGAATGCCAAGGTGATGGGGGTATGGGGAGCTCCTT
 AGAGGGAGGAAGTCTCTCTGTGTGGAAGCCAACCTTCTCCACACTCACCTGCAGACTCCAGCACCTATGCCACTT
 TTCTCTTCAATGCCTTTGACACCAACCATGATGGCTCGGTCACTTTTGGAGTGAGCTGGGCGAGGTGGGCCAGGGAA
 GCCTGTTTCTGGAGTTTCAAGGGCAGGATCTCCAGGCCAAACCCAGAGAAGGAGTTGGGTGAAGAGKACCCGAGGAC
 ACAGCTCCCTNCTGCCTTCTTCCAGGACTTTGTGGCTGGTTTGYCCGTGATTCTTCGGGGAAGTGTAGATGACAGG
 CTTAATTGGGCTTCAACCTGTATGACCTTAACAAGGACGGCTGCATCACCAGGAGGTGCAGGGCAACTGAAGGGC
 TGGGGGTCTGTGGCGGTGATGGGGGTGGCGTGCAKAGGGTGATGGGAGGGAAATATGACCCACATATGCCACAAAG
 AATGGGATCAAGGGAGGCTGGAGGCTCTGAGGAAGGATCCTTCTCTCTTGGCCTAACAGGAAATGCTTGACATCA
 TGAAGTCCATCTATGACATGATGGGCAAGTACACGTACCCTGCACTCCGGGAGGAGGCCCAAGGGAACAGTGGAG
 AGCTTCTTCCAGGTAAGTGGGAGTGGGTATGGCTGGAGGGCCCTGGAGTGAAGGGAAGAAGGCCAAGAACAGCAGG
 GAACTCACCTGACTTCTGTCTGCCTCTCTTGGCATCCCTCCTGTTCTCCCTGCCTGACCACCTTCTTGAGAAGA
 TGGACAGAAACAAGGATGGTGTGGTGACCATTGAGGAATTCATTGAGTCTTGTCAAAAGGTACAGCTCCCTGCCCTC
 TACATTACCCTGACCTGGACTCAGGCCTGATTAGTAATGCAGGGAAGGCTTCTTGGGAAGAATACCACCTTCCC
 ACCTCACCCCATATTTCAATCTATTCTTTGTGGGAGGCTTACCCCTTCCCTACCTCAGGTCTCTCTGGGCATCT
 CCTTCTCTGTGCTTTTGAATGTCCCGTCTGTGACTCAAGTGTCCCTCTCACTGTCTCTGATAAAGCTCCTTCTCT
 TTCTCTCTTCAATCTGCCTCGCTCACATCATGGCCACAGGATGAGAACATCATGAGGTCCATGCAGCTCTTTGAC
 AATGTCTATAGCCCCCAGGAGAGGGGGTCACTGTTTCCCTGGGGGGACCATGCTCTAACCTAGTCCAGGCGGACCT
 CACCTTCTCTTCCAGGTCTATCCTCATCTACGCTCCCTGGGGGCTGGAGGGATCCAAGAGCTTGGGGATTGAG
 TAGTCCAGATCTCTGGAGCTGAAGGGGCCAGAGAGTGGGCAGAGTGCATCTCGGGGGGTGTTCCCACTCCCACAG
 CTCTCAGCCCCCTTCTGCCTGACACCCAGTGTGAGAGTGGCCCTCCTGTAGGAATTGAGCGGTTCCCCACCTCCTA
 CCCCTACTCTAGAAACACACTAGACAGATGTCTCCTGCTATGGTGCTTCCCCCATCCCTGACCTCATAAACATTTCC
 CTTAAGACTCCCCTCTCAGAGAGAATGCTCCATTCTTGGCACTGGCTGGCTTCTCAGACCAGCCATTGAGAGCCCTG
 TGGGAGGGGGACAGAATGTATAGGGAGAAATCTTGGGCCCTGAGTCAATGGATAGGTCCTAGRAGGTGGCTGGGGTT
 GAGAATAGAAGGGCCTGGACAGATTATGATTGCTCAGGCATACCAGGTTATAGCTCCAAGTTCACAGGTCTGCTAC
 CACAGGCCATCAAATATAAGTTTCCAGGCTTGCAGAAGACCTTGTCTCCTTAGAAATGCCCCAGAAATTTTCCAC
 ACCCTCCTCGGTATCCATGGAGAGCCTGGGGCCAGATATCTGGCTCATCTCTGGCATTGCTTCTCTCCTTCTTTCC
 TGCATGTGTTGGTGGTGGTTGTGGTGGGGGAATGTGGATGGGGGATGCTTGGCTGATGCTGCCAAATTTTCATCC
 CACCTCCTTGTCTATCGTCCCTGTTTTGAGGGCTATGACTTGAGTTTTTGTTCCTATGTTCTCTATAGACTTGGG
 ACCTTCTGAACCTTGGGGCTATCACTCCCCACAGTGGATGCCTTAGAAGGGAGAGGGAAGGAGGGAGGCAGGCATA
 GCATCTGAACCCAGTGTGGGGGCACTTACTAGAATCTTCAATCAACCTGGGCTCTCCCCACCCACCCAGATAACC
 TCCTCAGKTCCTAGGGTCTCTTCTYGCTTGACTCAATCTACCCAGAGATGCCCCCTTAGCACACCTAGAGGGCAGGG
 ACCATAGGACCCAGGTTCCAACCCATTGTGTCAGCACCCAGCCATGCGGCCACCCCTTAGCACACCTGCTCGTCCCA
 TTTAGCTTACCCTCCCAGTTGGCCAGAATCTGAGGGGAGAGCCCCCAGAGAGCCCCCTTCCCCATCAGAAGACTGTT
 GACTGCTTTGCATTTTGGGCTCTTCTATATATTTGTAAAGTAAGAAATATACCAGATC: TAATAAAACACAATGGC
 TATGCACAGGCTGCGCTCTCTGCCTTTTGTCCCTCCCACCTACAAATACTACACAACCCCTAACGAATGCACCTGCA
 GCCTTTTAGATCCCCAAGAAAGTGGCTTTCTTTTCCATAGTTGGCCATACCTTGGCATGAGACTGAGACACAGGCTC
 TGGAATGGTTGGAACCCACCCACCTCAGGCCCCACATGAATCTCCCTCCCACACAGCCTGAGAGGAGACAAGGA
 AGGAAGGACAGGACACTGATGTCCGAAGACTGTGCCAAGCAAGCTGTTTTTGTAGCTGACATTCTTACAAGTTGAAT
 CACAGATTTCTAATTTACAGACTTTTGTAGTTAATCTCAAAGTGCTTTCTTTTGGGGGCTCCTTTAAGTTCTTTCT
 TTTTTTTTTTTTTT

FIGURE 22 (cont'd)

657260" 25400460

>monkey KChIP4 cds = 265 5
gtcgaccacgcgtccggtgcgtgtg~~g~~ugcggggggagccccgccagccaaatgccaggatcagcatgagaggctgg
actttagtcagggtctgtctcaccgggggggacgcccggctttgcagggtgcagctgcgaggaactgtcactttttc
cccttgcgaagctttgtccaagcctgacgttgctacgattctgtaattaactccctccactccaaaggggtctggaggc
tgggatgctctgccagctcagaggATGTTGACTCTGGAGTGGGAGTCCGAAGGACTGCAAACAGTGGGTA
TTGTTGTGAT
TATATGTGCATCTCTGAAGCTGCTTCATTTGCTGGGACTGATTGATTTTTTCGGAAGACAGCGT
GGAAGATGAACTGGAGA
TGGCCACTGTCAGGCATCGGCCTGAGGCCCTTGAGCTTCTGGAAGCCCAGAGCAAATTTACC
AAGAAAGAGCTTCAGATC
CTTTACAGAGGATTTAAGAACGAATGCCCCAGTGGTGTGTTAATGAAGAAACCTTCAAAGA
GATTTACTCGCAGTTCTT
TCCACAGGGAGACTCTACAACATATGCACATTTTCTGTTCAATGCGTTTGATACGGACCACA
ATGGAGCTGTGAGTTTCG
AGGATTTTCATCAAAGGTCTTTCCATTTTGCTCCGGGGGACAGTACAAGAAAACTCAATTGG
GCATTTAATCTGTATGAT
ATAAATAAAGATGGCTACATCACTAAAGAGGAAATGCTTGATATAATGAAAGCAATATACG
ACATGATGGGTAAATGTAC
ATATCCTGTCTCAAAGAAGATGCACCCAGACAACACGTCGAAACATTTTTTCAGAAAATGG
ACAAAAATAAAGATGGGG
TTGTTACCATAGATGAGTTCATTGAAAGCTGCCAAAAAGATGAAAACATAATGCGCTCCATG
CAGCTCTTTGAAAATGTG
ATTTAActgtcaactagatcctgaatccaacagacaaatgtgaactattctaccacctaaagtgcggagctaccactt
ttagcatagattgctcagcttgacactgaagcatattatgcaacaagctttgttttaataaagcaatcccccaga
tttgagtttctcagttataaattgcatcctttccataatgccactgagttcatgggatgttctaactcatttcatact
tgtgaatattcaaaagtaatagaatctggcatatagtttattgattccttagccatgggattattgaggctttcacata
tcagtattttaaaataccagtgtttttgcctcattgtatgtattcagtcctagattttgaatggttttctaata
actgacatctgcatttaatttccagaaataaattatcatgtctgaatgtctgaatccatttatatactttaagt
aaacaataagattactacaattaacacatagttccagtttctatggccttccctccaccttctattataaattaat
tttattcgtgatttttaaacatttaaaaattatcatcagatatgcctaatatgcctaataaacttaata
agcatttaattttccatcacattatagccaaggcctatatactatataattttggatttgtaattcttacaggct
gtttccattgtatcatcaagtgggaagttcaagacggcatcaacaaaacaaggatgtttacagacatatgcaaagggtc
aggatatctatcctccagtatgttaatgcttaataacaagtaatcctaacagcattaaggccaaatctgtcctctt
cccctgacttccctacagcatgtttatattacaagccattcagggacaagaaccttgactacccactgtctactagg
aacaacaacagcaagcaaaattcactttgaaagcaccagtggttccattacattgacaactactaccaagattcagta
gaaaataagtgctcaacaactaatccagattacaatatgatttagtgcataaaaattccaacaattcagattatttt
aatcatctcagccacaactgtaaagttgccacattactaaagacacacacatcgtccctgtttgtagaatatcacaaa
gaccaagaggctacagaaggaggaaatttgcaactgtctttgcaacaataaatcagggtatctattctgggtgtagagatag
gatgttgaaagctgccctgctatcaccagtgtagaaattaagagtagtacaatacatgtacactgaaattgccatcgcg
tgtttgtgtaaactcaatgtgcacattttgtatttcaaaaagaaaaataaaagcaaaataaaatgttwawaamwmwaaa
aaaaaaaaaaaa

>monkey KChIP4
MLTLEWESEGLQTVGIVVVICASLKLLHLLGLIDFSEDSVEDELEMATVRHRPEALELLEAQSFT
KKELQILYRGFKNE
CPSGVVNEETFKEIYSQFFPQGDSTTYAHFLFNAFDTDHNGAVSFEDFIKGLSILLRGTVQEKLNW
AFNLYDINKDGYIT
KEEMLDIMKAIYDMMGKCTYPVLKEDAPRQHVETFFQKMDKNKDGVVITIDEFIESCQKDENIM
RSMQLFENVI

FIGURE 23

>monkey KChIP4 C terminal splice variant cds = 265-966
gtgacccacgcgtccgggtgcgctgtggttgcggggggagccccgccagccaaatgccaggatcagcatgagaggctgg
actttagtcagggtctgcctcaccggggggaccgccggctttgcagggtgcagctgcgaggaaactgtcactttttc
cccttgcaagtcctttgtccaagcctgacgttgctacgattctgaattaactccctccactccaaaggggtctggaggc
tgggatgctctgccagctcagaggATGTTGACTCTGGAGTGGGAGTCCGAAGGACTGCAAACAGTGGGTA
TTGTTGTGAT
TATATGTGCATCTCTGAAGCTGCTTCATTTGCTGGGACTGATTGATTTTTTCGGAAGACAGCGT
GGAAGATGAACTGGAGA
TGGCCACTGTCAGGCATCGGCCTGAGGCCCTTGAGCTTCTGGAAGCCCAGAGCAAATTTACC
AAGAAAGAGCTTCAGATC
CTTTACAGAGGATTTAAGAACGAATGCCCCAGTGGTGTGTTAATGAAGAAACCTTCAAAGA
GATTTACTCGCAGTTCTT
TCCACAGGGAGACTCTACAACATATGCACATTTTCTGTTCAATGCGTTTGATACGGACCACA
ATGGAGCTGTGAGTTTCG
AGGATTTTCATCAAAGGTCTTTCCATTTTGCTCCGGGGGACAGTACAAGAAAACTCAATTGG
GCATTTAATCTGTATGAT
ATAAATAAAGATGGCTACATCACTAAAGAGGAAATGCTTGATATAATGAAAGCAATATACG
ACATGATGGGTAAATGTAC
ATATCCTGTCCTCAAAGAAGATGCACCCAGACAACACGTCGAAACATTTTTTTCAGGCTGTTT
TCCATTGTATCATCAAGT
GGAAGTTCAAGACGGCATCAAACAAAACAAGGATGTTTACAGACATATGCAAAGGGTCAGG
ATATCTATCCTCCAGTATA
TGTTAAAtgettaataacaagtaatcctaacagcattaagggccaaatctgcctctttccctgacttcttacagcatg
tttatattacaagccattcagggacaaagaaacctgactacccactgtctactaggaacaaacagcaagcaaaa
ttcactttgaaagcaccagtgggtccattacattgacaactactaccaagattcagtagaaaataagtgtcaacaacta
atccagattacaatatgatttagtgcataaaaattccaacaattcagatttttaatacatctcagccacaactgta
aagtgccacattactaaagacacacacatcgctccctgtttgtagaatatcacaagaccaagaggctacagaaggag
gaaatttgcaactgtctttgcaacaataaatcaggtatctattctggtgtagagataggatgttgaaagctgccctgcta
tcaccagtgtagaattaagagtagtacaatacatgtacactgaaatttgccatcgctgtttgtgtaactcaatgtgc
acattttgtatttcaaaaagaaaaataaaagcaaaataaaatgttwawaamwmwaaaaaaaaaaaaaaaaaa

>monkey KChIP4 C terminal splice variant
MLTLEWESEGLQTVGIVVHICSLKLLHLLGLIDFSEDSVEDELEMATVRHRPEALELLEAQSKFT
KKELQILYRGFKNE
CPSGVVNEETFKEIYSQFFPQGDSTTYAHFLFNAFDTDHNGAVSFEDFIKGLSILLRGTVQEKLNW
AFNLVDINKDGYIT
KEEMLDIMKAIYDMMGKCTYPVLKEDAPRQHVETFFQAVFHCIKWKFKTASNKTRMFTDICK
GSGYLSSSIC

FIGURE 24

551250"26400460

0540452 1794393
164260 2540460

KChip1_1v -----MGAVMGTF-----SSLOTKQ-----RmP-----
KChip2_9q1 MRGQGRKESLSDSRDL DGSYDQLTGHPPGPTKKALKQRFLKLLPCCGPQALPSVSETLAA
KChip3_P19 --MQPAKEVTKAS---DGSLLGLDLGH---TPLSKKEGLKWQRPRLSRQALMRCCLVKWI
KChip4_352 ---MLTLEWESEGLQTVGIVVITCAS---LKLLHLLGLIDFSE-----
KChip4_231 ---MLTLEWESEGLQTVGIVVITCAS---LKLLHLLGLIDFSE-----
hsncspara ----HEVESISAQLEEASSTGGFLYAQN-STKRSIKERLMKLLPCS-----

KChip1_1v -----SKDKIEDELEMTMVCHRPEGLEOLEAQTNFTKRELOVLYRGFKNECPS
KChip2_9q1 PASLRPHRPRLLDPSVDDEFELSTVCHRPEGLEOLEAQTKFTTKRELOVLYRGFKNECPS
KChip3_P19 LSSTAPQ-----GSDSSDSELELSTVRHQPEGLDOLQAQTKFTTKELQSLYRGFKNECPT
KChip4_352 -----DSVEDELEMATVHRPEALELLEAQSKFTKKELQILYRGFKNECPS
KChip4_231 -----DSVEDELEMATVHRPEALELLEAQSKFTKKELQILYRGFKNECPS
hsncspara -AAKTSSP---AIONSVDEDELEMATVHRPEALELLEAQSKFTKKELQILYRGFKNVRTF

KChip1_1v GVVNEDTFKQIYAQFFPHGDASTYAHYLFNAFDTTOTGSVKFEDFVTALSILLRGTVHEK
KChip2_9q1 GIVNEENFKQIYSOFFPOGDSSTYATFLNAFDTNHDGSVSFEDFVAGLSVILLRGTVDDR
KChip3_P19 GLVDEDTFKLIYAQFFPOGDATTYAHFLFNAFDADGNGATHFEDFVVGLSILLRGTVHEK
KChip4_352 GVVNEETFKEIYSOFFPOGDSTTYAHFLFNAFDTDHNGAVSFEDFTKGLSILLRGTVOEK
KChip4_231 GVVNEETFKEIYSOFFPOGDSTTYAHFLFNAFDTDHNGAVSFEDFTKGLSILLRGTVOEK
hsncspara FLTLPSHNSQRSIEK-----

KChip1_1v LRWTFNLYDINKDGYINKKEEMMDIVKAIYDMMGKYTYPVLKEDTPROHVDVFFQKMD---
KChip2_9q1 LNWAFFNLYDLNKDGCITKEEMLDIMKSIYDMMGKYTYPALREEAPREHVESFFQKMD---
KChip3_P19 LKWAFFNLYDINKDGYITKEEMLDIMKSIYDMMGRHTYPILEDAPAEHVERFFEKMD---
KChip4_352 LNWAFFNLYDINKDGYITKEEMLDIMKAIYDMMGKCTYPVLKEDAPROHVETFFQKMD---
KChip4_231 LNWAFFNLYDINKDGYITKEEMLDIMKAIYDMMGKCTYPVLKEDAPROHVETFFQAVFHCI
hsncspara -----

KChip1_1v ---KNKDGIVTLDEFLESCQEDDNIMRSLOLFQNVN
KChip2_9q1 ---RNKDGVVTIIEEFLESCQKDENIMRSMQLFDNVI
KChip3_P19 ---RNQDGVVTIIEEFLEACQKDENIMSSMQLFENV
KChip4_352 ---KNKDGVVTIDEFLESCQKDENIMRSMQLFENV
KChip4_231 IKWKFKTASNKTRMTDICKGSGYLSSSIC-----
hsncspara -----

Figure 25

Rat 33b07 protein

MNGVEGNNELPLANTSTLSALVPEDLDLKQDQPLSEETDTVREMEAAGEAGAEGGASPDSEHCDPQLCLRVAENGCAAAAG
EGLEDGLSSSKCGDAPLASVAANDSNKNGCQLAGPLSPAKPKTLEASGAVGLGSQMMPGPKTKVMTTKGAI SATTGKEG
EAGAAMQEKKGQKEKKAAGGGKDETRPRAPKINNCMSLEAIDQELSNVNAQADRAFLQLERKFGRMRRLHMQRRSFI I
QNIPGFVWTAFRNHPQLSPMISGQDEDMRYMINLEVEELKHPRAGCKFKFIFQSNPYFRNEGLVKEYERRSSGRVVSLS
TPIRWHRQEPQAHIHNRNREGNTIPSFNWFSDHSLLEFDRIA EIKGELWSNPLQYYLMGDGPRRGVRVPPRPVESP
SFRFQSG.

Rat 33b07 DNA (coding: 85-1308)

GGTGGAGCTAAGCACTCACTGCGGTGCTGCCCTGCGTCTGCAGAGAACAAGGAAAGCTTCTCTGCAGGGCTGTCAGCTGC
CAAAATGAACGGCGTGAAGGGAACAACGAGCTCCCTCTCGCTAACACCTCGACCTCCGCCCTTGTCCCGGAAGATCTGG
ATCTGAAGCAAGACCAGCCGCTCAGCGAGGAACTGACACGGTGCAGGAGATGGAGGCTGCAGGTGAGGCCGGTGCAGGAG
GGAGGCGCGTCCCCGATTGCGAGCACTGCGACCCCCAGCTCTGCTCCGAGTGGCTGAGAATGGCTGTGCTGCCGCAGC
GGGAGAGGGGCTGGAGGATGGTCTGTCTTCACTAAAGTGTGGGACGCACCCTTGGCGTCTGTGGEAGCCAACGACAGCA
ATAAAAATGGCTGTGAGCTTGCAGGGCCGCTCAGCCCTGCTAAGCCAAAACTCTGGAAGCCAGTGGTGCAGTGGGCTG
GGGTGCGAGATGATGCCAGGGCCGAAGAAGACCAAGGTAATGACTACCAAGGGCGCCATCTCTGCGACTACAGGCAAGGA
AGGAGAAGCAGGGGCGCAATGCAGGAAAAGAAGGGGTGCAGAAAGAAAAAAGGCAGCTGGAGGAGGAAAGACGAGA
CTCGTCTAGAGCCCCAAGATCAATAACTGCATGGACTCCCTGGAAGCCATCGATCAAGAGCTGTCAAATGTAAATGCG
CAAGCTGACAGGGCCTTCTCCAGCTGGAACGCAAATTTGGGCGGATGAGAAGGCTCCACATGCAGCGCCGAAGTTTCAT
CATCCAAAACATCCCAGGTTTCTGGGTACAGCGTTTCGGAACCAACCGCAACTGTCAACCGATGATCAGTGGCCAAGATG
AAGACATGATGAGGTACATGATCAATTTAGAGGTGGAGGAGCTTAAGCACCCAAGAGCAGGGTGCAAATTTAAGTTCATC
TTCCAAAGCAACCCCTACTTCCGAAATGAGGGGCTGGTCAAAGAGTACGAGCGCAGATCCTCAGGTGAGTGGTGTGCT
CTCTACGCCAATCCGCTGGCACCAGGGGTCAAGAACCCAGGCCCATATCCACAGGAATAGAGAGGGGAACACGATTCCCA
GTTTCTTCAATTGGTTCTCAGACCACAGCCTCCTAGAATTCGACAGAATAGCTGAAATTATCAAAGGGGAGCTTTGGTCC
AATCCCTACAATACTACCTGATGGGCGATGGGCCACGCAGAGGAGTTCGAGTCCCACCAAGGCAGCCAGTGGAGAGTCC
CAGGTCCTTCAGGTTCCAGTCTGGCTAAGCTCTGCCCTCGTGAGAAGCTCTTACAGAAGAGTCCCTACCACCTTCTCAGC
TTGGCTAGCAGCATGCAGCCTTCTGTCTGCTTTCTCTTCTTGGATTGTGTCTTTGGTTCTTCTAAGTCTCCGGTAGTT
TCAAGGTTGTGGCTTCCAAGTCTTTGCTCTTCTTCTTCTTGGCCATCACGATGCTCTGCATAGTGTTAATGGTGTTCCAA
GTGCATGGCCTCCAACTGCTTCTATGCCAAGCTCAGTGCTGTAGTTTGTACTGCTTTTCTTTGCATGGCTTGGTTCTT
GTCTGTGATCTTCTAGGTTTTTTGTTTTCTTTTTTAAAAGTGGTTCTCTATCAAAAGAAAGCTTGACATATCCTTACCAA
GAACTAGCCAGATTTCTACTGTGTTCCCGATATCTATGTACTGTGAAGAACTGTGAGTTTCGCCACTGCAAGATGGGAC
TGTATCCCAATCCAGCCATCAGCCCAACAGGACATTCCAAGCTGTACCAACTGATCCTAGCTGTCTTCTGGGCCTTTG
CCATTTACCTGCTTTTATCTATAGAATGAGCAGGTGGCTGGTAGGTGACTACTAGGTAAGAGTGAAGTATTAGGTGAG
GAGTGTCTTCTGTACCAACATTGTTCTTGTACCAATGCATCATGATCAGCTTGGATCAGCTACTGACTGTCTGATATTC
TAACCCCCAACACAAAAA

FIGURE 26

Human 33b7 (106d5) DNA (coding: 88-1332)

GGGGTGGTGCTAGACGTTTCGGGGCAGAGCTCGGCCGCTGCGGAGGACAAGGAAGTCTCCCTCTCCACTAGTCTGACTTC
TTCCAAATGAGCGGCTGGATGGGGGCAACAAGTCCCTCTCGCCCAACCGGGCGCTGGCTGCTCCCGACCATGCCT
CAGGAGATCCGGACCTAGACCACTGAGGCTCCGTGAAGAAACCGAGGCGACACAGGTGATGGCGAACACAGGTGGG
GGCAGCTGGAGACCGTTGCGGAGGGGGTGCATCCCAAGTCTGTGCTGCTGGCCCCGCTCCGCGTCCAGTTGC
CGGGAGTCGCGGCGGTGCAGCGACCAAGCCGGGCGAGGAGTGTCCACCTTCTACGAAAGGTCTGGAAGCAGCCTCTG
CCGCCGAGGCTGCTGACAGCAGCCAGAAAATGGCTGTGAGCTTGGAGAGCCCGTGGCCCTGCTGGGCGAAGGCTCTA
GAAGCCTGTGGCGCAGGGGGCTTGGGGTCTCAGATGATACCGGGGAAGAAGGCCAAGGAAGTGACGACTAAAAACCGCGC
CATCTCGGCAGCAGTGGAAAAGGAGGAGAACAGGGGCGGCGATGGAGGAAAAGAAGGTAGTGAGAGGAAAAAAGG
TGGCAGGAGGGGTGAAAGAGGAGACACGGCCCCAGGCCCGAAGATCAATAACTGCATGGACTCACTGGAGGCCATCGAT
CAAGAGTTGTCAAACGTAAATGCCAGGCTGACAGGGCCTTCTTACGCTTGGAGCGAAGTTTGGCCGCATGCGAAGGCT
CCACATGCAGCGCAGAAGTTTCATTATCCAGAATATCCAGGTTTCTGGGTTACTGCCTTTGAAACACCCCCAGCTGT
CACCTATGATCAGTGGCCAAGATGAAGACATGCTGAGGTACATGATCAATTTGGAGGTGGAGGAGCTTAAACACCCCCAGA
CGAGGCTGCAAAATTCAGTTTCTTTCAGGGCAACCCCTACTTCCGAAATGAGGGGCTTGTCAAGGAATATGAACGCAG
ATCCTCTGGCCGGGTGGTGTCTCTTTCACCTCCAATCCGCTGGCAGCCAGGCGCAAGACCCCGAGGCTCATATCCACAGAA
ACCGGGAAGGGAACACTATCCCTAGTTTCTTCACTGGTTTTTCAGACCACAGCCTTCTAGAATTGACAGAATTGCAGAG
ATTATCAAAGGAGAACTGTGGCCCAATCCCCTACAATACTACCTGATGGGTGAAGGGCCCCGTAGAGGAATTCGAGGCCC
ACCAAGGCAGCCAGTGGAGAGCGCCAGATCCTTCAGGTTCCAGTCTGGCTAATCTCTGTCTGTGAGAGCTTCTGCACA
AGTTTCTTACCCTCCTCTTGGACCTATGCTTGGCCAACAGCATGCAGTCTTCCATCTGCTTTCTTCTACTGTGG
ATTATCTTTTCTTTGGTTCTAAATCTCAGTAATCGGTTGCAAGATTGTTGGCTTACCTGCCTGTGCCATTCTTCTCT
GGGCTTCATGCTTTTCTGCTTGTGTTAATGTTTCAAGTGCATGGCCTTCTACGGCTTCTATGCCAAGCGTATGATA
CTATAGATATAGTGTACCATACTGCCTTTCTTTCATGGCTTGGACCTATCTGTGACCATGCTCTTCTCCCAATTTAAG
TGGTTCTGTACCACAAGAATCTTGATACATTTTCACAAATAACTGATTGGGCTTCATACCTTTATGCTGGCTGTGCTCTG
ATACCCATGTACTTATGGTAAGCTATTTGGGTATTACCACTGCAAGACAAAAGTATCTTAACCCGGCCATCAACCCA
AATTGGACATTCAGACTACCAACTGGATCCCAGTGCCTTCTGGGCTTGTGCCATCCACCCTACTGGTTATCTGTA
TAGAACAGCTGGTGGCTGATGGGTGACTGCTAGGCGTACTGAGGTAATAGATGAAAAGTGTCTATGTTATCATTG
GTTTTCTGTACCTTTGGTTACTCTACGTCTAGCCAGCTGCTGGTGAGTATGAAGCCTGTGCTATAGCCACCCCTACT
CACTCTCACCTTCTGGTTGAATTTGCTTAGGCCACCATTGTCTGCCTCATCAGGAATATCTGTAGACGTAGCTCCAG
GGAGCTCACAGCAACACCCCTACCACCAGGATGGGCAGTAAATGTGACAGAGCCCAAGCAAGGCTGGAACGCAGTCC
CTTCCAGCTTAGTCTTTCTGACTCCTAGCCAACAAACCTTAATGTGAGCAACTCTTTAGGCATTTCTCTTTTCC
CCGCTGCACCACTCTGAACATGACAAAAGTTGCCAGAGTTGGGGCATTGAGGAAGAGATATTTCTGGAATGTGAGACT
TGTTATGCCTCTGTCTCTTCTCTCCCTCCCCCTCCCCCTCTCCCTCCCCCTCTCCCTCCCATCCCTTTTCTTCCCTTTCA
CTCTGAAGCAGTTTTAGCTTATTAACAGAAAACAAAAGTGGCAAAGCAGGCTTTTTGTTTAATTTGCTCTTTCCCTGATT
GTGTTTCAGAGAGAAAGGTTATGATTAAATGGGCTCCAGATCTCTTATTGCCCTTATTCCTCCACCCCACTTCTTTTAGCA
AGGTCTGAAAGTTTTCAAAGGGAGACCTATAGGTTAATGTTTGTAGTTATAGGCAGTGTAAATTAGGCAGATTTTGACATA
TTTATCTTTTTACCCATCCATTTCTACCAAAACCTGTGTATTTCTTGAGTTTTAGTTTGAGAAGCTGGAAGAGAGAGA
AGGGCCTCACAGTGTAGGTTTCAGGACGGGTCAAAGGCAAAGGCCTTTGTGATGTGAGCAAAGGCAACCAAACTTAGCC
TCACTCCACTTTTCTAAGATGGAATTTCTTTTTGGGCCTTGGACTGCTTCTAGGGTAGCATTTTGTAGGTCACTCTTC
TCCTTTGTACTATTTTGTCTTCTGCCCTGATGTCCCTTGGGTCTCCATCTACTGCCTGGCTTTCTTGGCCCTCATTCTC
AGCTTCTGCATTTTCTTCCCTGCTTCTAACAAATGAAGAAGCAGGCTGCAGCCTGCATTGTGGAAGATCTCCAGCCTCCT
TGTAGGGGATAAGGGGATGTGTAGCATCTGTGTGATTTCACGGACAAGTTCCAGTAGGTGGGACAGTGTGCGGTCAA
GGCTTAGTTATGATCATGTGTGGTGATAAGACCATCCACCATCACCTTTTCCCTTTGGTTTTGAAGGCCTTGCCCTA
AGCTACCTGAGGGTTTAGGAGGTCTGAACACACACAGTGGAGAGGTTAATCTAGGTGGGAACTGAGTAAAGTCCAGA
GCAGGAATGAGCCTGCTGTGGCGTGGGTTTGGAAAGGCTCACAGGAAGAAGCTGCAGGATCAGGGGTGGGAGGGGAGGC
CCCTGAGGTGCTCTCCAGGGAAGAGGGGCTGGGGTTTAAATAGCATGCTTGGAGGAAGATTTTCTTCAATTTTTCTTAA
GTCCTTGAATTCACCAGTAGATTTTTGTAAACAAATGTAAGTCGATGTTTTCTCTCAATTATCCTAGGAGTGACCTTAA
TATGTGTGGAAGATTAATGGTATATGCTCCTTATGTCAGTGTTTTTGAGTAAATCCATTTCTTCTGTGTTTACGCT
ATGACAAAATTGATGTTTACAGGCCTGCTTTTTGCTTATAATTGACAACATGTGCAAAAATACCAAAATTTGTGCTCTGTG
CAGTATGAAGAATTCAGTGAATATTCATTAATGTATTAGCTTGTGTTGCTCTCTGTTTATATATGGCTCTATTCTAGAA
ATATAATTTGAATGTGATCTTTCAATAGTCTGAATATTTTACAAATATAGCTATGTCTTGTGAAAATAACCTCAAAAAG
AAAAATACGACTCTGTTGTCTTACTTGATATTTCTTGCCCTAGTAATGTACTTGACATTTATGTTTCTAAGCAGTGTAAAG
TACCAGTAGAATTTCTCTGTCAAACCTCAATGATCATTAGTACTTTTGTCTTCTCCCATGTGCTTGAAGGAAAAATAAAG
TGCTACTACCGTATTTCTGTTTTTATCAAAAAATAAAAAATAATTTAAAAAACAAAAA

Human 33b7 (106d5) protein

MSGLDGKNKPLAQTGGLAAPDHASGDPDLQCCQLREETEATQVMANTGGGSLETVAEGGASQDPVDCGPALRVPVAGS
RGGAATKAGQEDAPPSTKLEAASAAEADSSQKNGCQLGEPGPGQKALEACGAGGLGSQMI PGKKAKEVTTKKRAIS
AAVEKEGEAGAAMEKKVVQKEKKVAGGVKEETRPAPKINNCMDSLEAIDQELSNVNAQADRAFLQLERKFGMRRLHM
QRRSFIIQNI PGFWTAFRNHPQLSPMISGQDEMDLRYMINLEVEELKHPRAGCKFKFI IQGNPYFRNEGLVKEYERRSS
GRVVSLSPTPIRWHRGQDPQAH IHRNREGNTIPSFNWFSDHSLLEFDRIA EIIK GELWPNPLQYYLMGEGPRRGIRGPPR
QPVESARSFRFQSG

FIGURE 27

Rat lp protein (partial)

LKGARPRVVNSTCSDFNHGSALHIAASNLCLGAAKCLLEHGANPALNRKQVPAEVVDPMDMSLDKAEAAALVAKELRT
LLEEAVPLSCTLPKVTLPNYDNVPGNLMLSALGLRLGDRVLLDGQKTGTLRFCTTEFASGQWVGVELDEPEGKNDGSVG
GVRYFICPPKQGLFASVSKVSKAVDAPPSSVTSTPRTPRMDFSRVTGKGRREHKGKKKSPSSPSLGSLLQREGAKAEVGD
QVLVAGQNRDCAFLWEDRLCSRLLVWH

Rat lp DNA (partial, coding:1-804)

CTGAAAGGGGCGAGGCCAGGGTGGTGAAGTCCACCTGCAGTGACTTCAACCATGGCTCAGCTCTGCACATCGCTGCCTC
GAATCTGTGCTGGGCGCGCCAAATGTTTACTGGAGCATGGTGCCAACCCAGCGCTGAGGAATCGAAAAGGACAGGTAC
CAGCGGAAGTGGTCCCAGACCCCATGGACATGTCCCTTGACAAGGCAGAGGCAGCCCTGGTGGCCAAGGAATTGCGGACG
CTGCTAGAAGAGGCTGTGCCACTGTCTGCACCCCTTCTTAAAGTCACTACCCAACTATGACAACGTCCCAGGCAATCT
CATGCTCAGCGCGCTGGGCTGCGTCTAGGAGACCGAGTGCTCCTCGATGGCCAGAAGACGGGCACGCTGAGGTTCTGCG
GGACCACCGAGTTCGCCAGTGGCCAGTGGGTGGGCGTGGAGCTAGATGAACCGGAAGGCAAGAACGACGGCAGCGTTGGG
GGTGTCCGGTACTTCACTGTGCCCTCCCAAGCAGGGTCTCTTTGCATCTGTGTCCAAGGTCTCCAAGGCAGTGGATGCACC
CCCCTCATCTGTTACCTCCACGCCCCGCACTCCCGGATGGACTTCTCCCGTGTAAACGGGCAAAGGCCGGAGGGAACACA
AAGGGAAGAAGAAGTCCCCATCTTCCCCATCTCTGGGCAGCCTGCAGCAGCGTGAAGGGGCCAAAGCTGAAGTTGGAGAC
CAAGTCTTGTGGCAGGCCAGAACAGGGATTGTGCGTTTCTATGGGAAGACAGACTTTGCTCCAGGTTACTGGTATGGCA
TTGAACTGGACCAGGCCAGGGCAAGCATGACGGCTCTGTGTTCCGGTGTCCGGTACTTTACCTGTGCCCCGAGGCACGGG
GTCTTTGCACCAGCATCTCGTATCCAGAGGATTGGTGGATCCACTGATCCCCCTGGAGACAGTGTGGAGCAAAAAAAGT
GCATCAAGTGACAATGACACAGCCCAAACGCACCTTCAACAAGTCCGGACCCCAAAGGACATTGCATCAGAGAAGTCTA
TCTCCAGGTTACTCTCTGCTGCTGGTTTCTTGGATGCTGAGGGCGGAGATGCAGTCTTAGAGACCTGGATACCTGACA
CAGAGACAGAGTCCCCCTTAGCATCTCCTGACACAAGGAGACCCAGTCACCCCTAAGATAGAGATTCCCAGTGACACCTC
CAGAATAGAAACCCGTTAGCCAGCCCTCGATTACTGAGGTCCCATTTAATACAGATCTCCCATGACGACTCCCCCAAT
ACAGACCTCATGTTACCCCAAAAGAGATTCCCTGAGTAGCACCTTCAGGCTAGTCCCTGTCCCTACCCCTCAGAGCAGA
TTTCCCCCAATAAACATTTTCCACATCACCCAAAGGGATGCTGACCCTCTCCACGACAGGACGTTCTTGAGTTACAGTGG
ATTAGAGTCCCATGAATGAAGACCCCCCACCCGGTTCTCCTTAAGCATAGGTCATACCTCCAGAATAGCCAGCCACA
TCACTATCCCCATGTAACATCAGTCTCCTCAAATGGCGTGAGGTCACTAGAAAGACCTTATACTCTCCTCTCCTTCTCA
GAGATGCCCTCCATTCACTTAAGTCCCTGTTCTACCCCTGAACAAGACACCTAATTAACGGGCCCACTCACCTCAATTA
CAAACACCAAAATCGTCTGGAAGCATGAATTACAGGACAGCAAGTCTTCTGCCCCTCTGCACCCCTTGAGAAACCCCCAG
TGCCTTGTATGAAGCCCAACCCACATGGCCACAGTCCCTGTGCTGGCCAAGGCTCCCAGAAAATTCTCTATTTTTTAAA
GTAATAACTTCCCCCCTTTGGGGGATCCCCAATTTGGAGACCCCATTTCTAGAACACTGGGGAGTTCAAATTCAGAG
AGAATATATATTATATATAATCCCCAATTTCCCATGCTTCCAAGCCCTACATCTCTAGAAGACCCCAATTTCTAATTC
CCAGGACTTCCCCTACCCAAGTCACAGAATCTCAAATCCCCAGGGAATCCCAAACCTTAAGATACCAATCCCAAACCCCTC
AGGAAATCCCCCAACACAAGGTCTTAGGACCGGGAGGAAGGAACCTGTTGCCAGGAGAATCCAGGCTCTCAGGGCA
TCTCAAACCTGACTCCAGGCACCAAGGAGACCCCAAACAGAAAGTCCCATCTTTGGAACAAGGATAGGACTCTAATACCC
TTAGTCCATGGATCTTTAATTTCCCAACCTCCAACTCCATGGGCCCCACCTCAAGGGAACCCCAAGATCCAAATCTC
TGATAACTAATATGTGCAGGGCCCCAGGGCTCTAACAGGACCCCAATCATGGAGTCCCTACTTCAATCTACCTTCTGGT
CACAGTCCAAGACACTAAATCTGAGTCATTGGCCCCAAAGGACTTCACAGCACCTGGGCCAGACTAACAGCCTTGAAGGA
GAACCTGAGGGCCCCGTGGGTCCAGAGCAGACCTGGGGCCCTGACCACCAAGGACAGCTCACGACTGCCCTTCACTGCA
TGTCCCTAAACTCAGCATGACTCCTGTCTCTCAATAAAGACGTTTCTATGGCAAAAAAAAAAAAAAAAAAAAAAAAAA
AAA

FIGURE 28

Rat 7s Protein (partial)

ADTSRWAEALREISGRLEMPADSGYPAYLGARLASFYERAGRVKCLGNPEREGSVSIVGAVSPPGGDFSDPVTSATLG
IVQVFWGLDKKLAQRKHFPSVNWLISSKYMRLDEYDKHFTEFVPLRTKAKEILQEEEDLAEIVQLVGKASLAETDKI
TLEVAKLKDDFLQNGYTPYDRFCPFYKTVGMLSNMISFYDMARRAVETTAQSDNKITWSIIREHMGELIYKLSSMKFK
DPVKDGEAKIKADYAQLLEDNQNAFRSLED

Rat 7s DNA (partial, coding: 1-813)

GCTGACTCTACCTCTAGATGGGCTGAGGCCCTCAGAGAAATCTCTGGTCGCTTAGCTGAAATGCCTGCAGATAGTGGATA
CCCTGCATACCTTGGTGCCCGACTGGCTTCTTTCTATGAGCGAGCAGGCAGAGTGAAATGTCTTGGAAACCCTGAGAGAG
AAGGGAGTGTACGATTGTAGGAGCAGTTTCTCCACCTGGTGGTGATTTTTCTGATCCAGTCACATCTGCTACTCTGGGT
ATTGTTTCAGGTGTTCTGGGGCTTGGATAAGAAGCTAGCTCAGCGCAAGCACTTCCCGTCCGTCAACTGGCTCATTAGCTA
CAGCAAGTACATGCGCGCCCTGGACGAGTACTATGACAAACACTTCACAGAGTTCGTGCCTCTGAGGACCAAGCTAAGG
AGATTCTGCAGGAAGAGGAGGATCTGGCGGAAATCGTGAGCTCGTGGGAAAGGCGTCTTTAGCAGAGACAGATAAAATC
ACCCTGGAGGTAGCAAACTTATCAAAGATGACTTCCTACAACAAAATGGGTACACTCCTTATGACAGGTTCTGTCCATT
CTATAAGACGGTGGGGATGCTGTCCAACATGATTTCACTTCTATGATATGGCCCGCCGGGCTGTGGAGACCACCGCCAGA
GTGACAATAAGATCACATGGTCCATTATCCGTGAGCACATGGGGGAGATTCTCTATAAACTTTCCCTCCATGAAATCAAG
GATCCAGTGAAGGATGGCGAGGCAAGATCAAGGCCGACTACGCACAGCTTCTTGAAGATATGCAGAACGCATTCCGTAG
CCTGGAAGATTAGAAGTGTGACTTCTCTCCTCCTCTTCCGCAGCTCATATGTGTATATTTTCTGAATTTCTCATCTCCA
ACCCTTTGCTTCCATATTGTGCAGCTTTGAGACTAGTGCCCTCGTGCGTTCTCGTTCATTTTGTGTTTCTTTGGTAGGTC
TTATAAAACACACATTCTGTGCTCCGCTGTCTGAAGGAGCTCCTGACCTTTGTCTGAAGTGGTGAATGTAGTGCATATG
ATACACAGTGTAAACATACACATTGTAACATATACGTTCTGTAACTTGTATGAAGGTGACTACCCCTTCCCTCCTCTCC
AGTAACTGTAAACAGGACTACTGCATGTGCTCTATTGGGGATGGAAGGCCAGATCTCCATACCGTGGACAGGTACATAA
GGAACTAGACCACTTGCAACTTAGTGTGTTGTGAGTAACCATTTTGCAGGAAGTATTTCCATTTAAAAAACAAAAGATT
AATGTTCCAAATTATTTGTAGCTTCCCCAGTATCAATCAGGACTGTTTGTGGCGCACTTGGGAAGTATTTTGTTCCTAA
CAGACGTTTGAAGGCTGAACGTAATAGATAAATCAGTTCCTCTGAAAGTGTGAAAGTAAAAAGAGAGCTAGGTGGTCA
GACTTAAATTGACATCGTCTTGTGTTAAGCATATTTTATTTCACTGAGAGATTTAATATCAAGGACTTTTATATACTCAAT
TACTAGGAAATCTTTTTTAAGTACAATTTAAAAATCATTGAAAATGTGATCCACATCATAGCCATTTTCCCTTATATTTA
GTCAGATGAGCTCAGAGTGGGGAGGGTGTGGGTTAGAATACCACAAGGACACGCAGCAGTGCCTGCAGGCAGTGTGGCCG
GGGGCCAGAGCGGCATTGTTTTACGAGGTACGTGTGTGGCGTGTGTGTTTGCTTGTGACACTCTGAAAACAGCAAGCT
TACCAGTTCAGGAAATATTTGTTTTCTTCACTGGCTCAGAAAGCTCCTCAAAGTACCTGGTCCCTGAAGCTTCCTAT
CTGTTAATAGAGACGAGAGAGGTTCTTAAATTTAACTGGTGACAAAACAAAAAGAAAAAAGATCGATTTTGTCTTGC
TGTTTTGGTGTGTTTAAATAATAATTCCATATTTGCATAACGAGGCTCGCTTCTGAGAGCTTGGAGATCGTGCTCCCTCT
TCACTCTCCGGGGTGATAATGCTGGCGCCATGCTACCTCTTCAGGAGGGGAAGGGGATTGAACATGGCTAACACTCTCAA
GTACACAAGCGTAACGACAAAGTATTTATTTAAGCCTTGGTATGTTGTTTAAATTATTAGGTGGTGCATTTCTTATGGT
CTTTTGGGTAGACATAGTATACACTTCAGATGTAATGTGTAATCCTTGCTAGTGCATGTCTACACGATAGACTGCTATT
CAAGAAGGATATTCTTCCACATAACAATTTAAAACTATTAAATCAGATATGGATTATGCAATGACTTGTGAGAGGTGG
ATTAACGGTGCTGCTTAATCAGTTTGCTTCCAATATGGCTTCGTATCCAGAAGCCCTGACTAGTGGAGATGAGAAAGATT
TCAAAACCTGTCTGCCTACACCTACCAGCAACCTAGGCTTGTGATCAGATGAATGATCCCAAGAACTACTTGACCAAG
TGTGTTTTGTGTGCTGGATTGAGATGTGCGTCTCTCTCCCTCTGAGACTGTTGATGTATGAGTGTGAAGAAGTTACA
GAAACAACGCTCAGATTTTACGGTAACCTTCCCTCTGCCACACTGTAGAGTTTCAAGATTGTTCACTGATAGTGCTTCT
TTCGTAAGGATGTGTTAAATATAGCAGTCTTTTTTAAAGATTATGCAGTTCTCTATTTATTTGTGCTGTGCCTGGTCCTA
AGTGCAGCCGGTTAAACAAGTTTCATATGTATTTTTCCAGTGTTAAATCTCATACCTATGCCCTTTGGAAAGCTCCATCC
TGAACAATGAATAGAAGAGGCTATATAAATTCCTCCTTATCCTTAAGATTTCACTATCTTTATGTTAAGAGTAATGTAT
AATTATTTAAATCTATGAAAAATAAAAAGTGGATTTAAATTAAGAGATC

FIGURE 29

Rat 29x protein

ARLPAPAHARQQPLLSGPEPGSSARVPVPGVASRRQPRGGKPPSGDGLSEGPSRPLLHARGEAGLHRQSGRVPHTGTAY
FADEPTEAQAPGGFCVSPSLLGVRWPACATRTPGSLPLSPPSAQPRTLWPTPPAGPSSRMVARNQVAADNAISPASEPRR
RPEPSSSSSSSSPAAPARPRPCPVVPAPAPGDTHERTFRSHSDYRRI TRTSALLDACGFYWGPLSVHGAHERLRAEPVGT
FLVRDSRQRNCFFALSVMASGPTSIRVHFQAGRFHLDGSRETFDCLFELLEHYVAAPRRMLGAPLRQRRVRPLQELCRQ
RIVAAVGRENLARIPLNPVLRDYLSSFPFQI

Rat 29x DNA (coding: 433-1071)

GCAAGGCTCCCGGCCCCGAGCATGCGCGACAGCAGCCCCCTCCTCtCCGCCCCCTGAGCCCGGATCGTCCGCCCCGGTTCC
AGTTCCCGGCGTGGCCAGTAGGCGGCAGCCGCGAGGCGGCAAGCCACCCAGCGGGGACGGCCTGGAGTCGGGCCCCCTCTC
CACGCCCCCTTCTCCACGCGCGCGGGGAGGCAGGGCTCCACCGCCAGTCTGGAAGGGTTCCACATACAGGAACGGCCTAC
TTCGAGATGAGCCACCGAGGCTCAGGCTCCGGGCGGATTCTGCGTGTACCCCTCGCTCCTTGGGGTCCGCTGGCCGGC
CTGTGCCACCCGACGCCCCGCTCACTGCCTCTGTCTCCCCCATCAGCGCAGCCCCGGACGCTATGGCCACCCCTCCAG
CTGGCCCCCTCGAGTAGGATGGTAGCACGTAACAGGTGGCAGCCGACAATGCGATCTCCCCGGCATCAGAGCCCCGACGG
CGGCCAGAGCCATCCTCGTCTCTGCTCTTCGCTCGCCGGCGGCCCCGGCGCGTCCCCGGCCCTGCCCGGTGGTCCCCGGC
CCCGGCTCCGGGCGACACTCACTTCCGCACCTTCCGCTCCCACTCTGATTACCGGCGCATCACGCGGACCAGCGCTCTCC
TGGACGCCTGCGGCTTCTACTGGGGACCCCTGAGCGTGCATGGGGCGCACGAACGGCTGCGTGCCGAGCCCGTGGGCACC
TTCTTGGTGCGCGACAGTCGCCAGCGGAAGTCTTCTTCGCGCTCAGCGTGAAGATGGCTTCGGGCCCCACGAGCATTCTG
TGTGCACTTCCAGGCCGCGCGCTTCCACCTGGACGGCAGCCGCGAGACCTTCGACTGCCTCTTCGAGCTGCTGGAGCACT
ACGTGGCGGCGCGCGCCGCGCATGTTGGGGGCCCCACTGCGCCAGCGCCGCGTGCAGGCGCTGCAGGAGCTGTGTCGCCAG
CGCATCGTGGCCGCGCGTGGGTGCGGAGAACCTGGCAGCATCCCTCTTAACCCGGTACTCCGTGACTACCTGAGTTCCTT
CCCCTTCCAGATCTGACCGGCTGCCGCGCTGCCGCGAGCATTAAGTGGGAGCGCCTTATTATTCTTATTATTAATTATT
ATTATTTTcTGAACACGTTGGGAGCCCTCCCCGCTAGGTGCGAGGGAGTGGGTGTGGAGGGTGAGATGCCTCCCACT
TCTGGCTGGAGACCTTATCCGCGCTCTCGGGGGGCTCCCCCTCCTGGTGCTCCCTCCCGGTCCCCCTGGTTGTAGCAGCT
TGTGTCTGGGGCCAGGACCTGAAGTCCACGCTACCTCTCCATGTTTACATGTTCCAGTATCTTTGCACAAACCAGGGG
TGGGGGAGGGTCTCTGGCTTATTTTTCTGCTGTGCAGAAATATTCTATTTTATATTTTACATCCAGTTTAGATAATAAA
CTTTATTATGAAAGTTTTTTTTTAAAGAAAAAAAAAAAAAAAAAAAAA

FIGURE 30

Rat 25r DNA (coding 130- 58)

GGCACGGCTCCCGGGCCCGGAGCATGCGCGACAGCAGCCCCGGAACCCAGCCGCGGCGCCCGCGTCCCGCCGCCAGC
GCAGCCCCGGACGCTATGGCCACCCCTCCAGCTGGCCCTCGAGTAGGATGGTAGCACGTAACCAGGTGGCAGCCGACA
ATGCGATCTCCCGGGCATCAGAGCCCCGACGGCGGCCAGAGCCATCCTCGTCCCTCGTCTTCGTCTCCGCGCGGCCCG
GCGCGTCCCGGGCCCTGCGCGGTGGTCCCGGCCCGGCTCCGGGCGACACTCACTTCCGCACCTTCCGCTCCCACTCTGA
TTACCGGCGCATCACGCGGACCAGCGCTCTCCTGGACGCTGCGGCTTCTACTGGGGACCCCTGAGCGTGCATGGGGCGC
ACGAACGGCTGCGTGCCGAGCCCGTGGGCACCTTCTTGGTGCGCGACAGTCGCCAGCGGAACTGCTTCTTCGCGCTCAGC
GTGAAGATGGCTTCGGGCCCCACGAGCATTTCGTGTGCACTTCCAGGCCGGCCGCTTCCACCTGGACGGCAGCCGCGAGAC
CTTCGACTGCCTCTTCGAGCTGCTGGAGCACTACGTGGCGGCGCCGCGCCGATGTTGGGGGCCCCACTGCGCCAGCGCC
GCGTGCGGCGGCTGCAGGAGCTGTGTGCCAGCGCATCGTGGCCGCCGTGGGTGCGGAGAACCTGGCAGGCATCCCTCTT
AACCCGGTACTCCGTGACTACCTGAGTTCCTTCCCCTTCCAGATCTGACCGGCTGCCGCCGTGCCCGCAGCATTAAAGTGG
GAGCGCCTTATTATTTCTTATTATTAATTATTATTTCTGGAACACGTGGGAGCCCTCCCCGCCTAGGTCCGAGG
GAGTGGGTGTGGAGGGTGAGATGCCTCCCACTTCTGGCTGGAGACCTTATCCCGCCTCTCGGGGGGCTCCCTCCTGGT
GCTCCCTCCCGGTCCCTGTTGTAGCAGCTTGTGTCTGGGGCCAGGACCTGAACTCCACGCCTACCTCTCCATGTTTA
CATGTTCCAGTATCTTTGCACAAACCAGGGGTGGGGGAGGGTCTCTGGCTTCATTTTCTGCTGTGCAGAATATTCTAT
TTTATATTTTACATCCAGTTTAGATAATAAACTTTATTATGAAAGTTTTTTTTTAAAAAAAAAAAAAAAAA

054049.09459

FIGURE 31

Rat 5p protein
MPSQMEHAMETMMLTFHRFAGEKNYLTKEDLRVLMEREFPGFLENQKDPLAVDKIMKDLDQCRDGKVGFSFLSLVAGLI
IACNDYFVVHMKQKK

Rat 5p DNA (coding: 52-339)
CTTCCAAAGACTGCAGCGCCTCAGGGCCCAGGTTTCAACAGATTCTTCAAATGCCATCCCAAATGGAGCATGCCATGGA
AACCATGATGCTTACATTTTCACAGGTTTGCAGGGGAAAAAACTACTTGACAAAGGAGGACCTGAGAGTGCTCATGGAAA
GGGAGTTCCCTGGGTTTTTGGAAAATCAAAGGACCCTCTGGCTGTGGACAAAATAATGAAAGACCTGGACCAGTGCCGA
GATGGAAAAGTGGGCTTCCAGAGCTTTCTATCACTAGTGGCGGGGCTCATCATTGCATGCAATGACTATTTTGTAGTACA
CATGAAGCAGAAGAAGTAGGCCAACTGGAGCCCTGGTACCCACACCTTGATGCGTCCTCTCCCATGGGGTCAACTGAGGA
ATCTGCCCCACTGCTTCCTGTGAGCAGATCAGGACCCTTAGGAAATGTGCAAATAACATCCAATCCAATTCGACAAGCA
GAGAAAGAAAAGTTAATCCAATGACAGAGGAGCTTTCGAGTTTATATTGTTTGCATCCGGTTGCCCTCAATAAAGAAAG
TCTTTTTTTTTTAAGTTCCGAAAAAAAAAAAAAAAAAAAAA

FIGURE 32

1540460" 2540460

Rat 7q protein

MAYAYLFKYIIIGDTGVGKSCLLQFTDKRFQPVHDLTIGVEFGARMITIDGKQIKLQIWDTAGQESFRSITRSYYRGAA
GALLVYDITRRDTFNHLTTWLEDARQHSNSNMVIMLIGNKSDLESRRREVKKEEGEAFAREHGLIFMETSAKTASNVEEAF
INTAKEIYEKIQEGVFDINNEANGIKIGPQHAATNASHGGNQGGQQAGGGCC

Rat 7q DNA (coding 1-639)

ATGGCGTACGCCTATCTCTTCAAGTACATCATCATCGGCGACACAGGTGTTGGTAAATCGTGCTTATTGCTACAGTTTAC
AGACAAGAGGTTTCAGCCGGTGCATGACCTCACAATTGGTGTAGAGTTTGGTGCTCGAATGATAACCATTGATGGGAAAC
AGATAAACTCCAGATCTGGGATACAGCAGGGCAGGAGTCCTTTCGTTCTATCACAAGGTCATATTACAGAGGTGCAGCG
GGGGCTTTACTAGTGTATGATATTACAAGGAGAGACACGTTCAACCACTTGACAACCTGGTTAGAAGACGCCCGTCAGCA
TTCCAATTCCAACATGGTCATCATGCTTATTGGAAATAAAAGTGACTTAGAATCTAGGAGAGAAGTAAAAAGGAAGAAG
GTGAAGCTTTTGACGAGAGCATGGACTTATCTTCATGGAACTTCTGCCAAGACTGCTTCTAATGTAGAGGAGGCATTT
ATTAACACAGCAAAAGAAATTTATGAAAAATCCAAGAAGGGGTCTTTGACATTAATAATGAGGCAACGGCATCAAAAT
TGGCCCTCAGCATGCTGCTACCAATGCATCTCACGGAGGCAACCAAGGAGGGCAGCAGGCAGGGGGAGGCTGCTGCTGA

FIGURE 33

Rat 19r protein

MVLLKEYRVILPVSVDEYQVGQLYSVAEASKNETGGGEGVEVLVNEPYEKDDGEKGQYTHKIYHLQSKVPTFVRMLAPEG
ALNIHEKAWNAYPYCRTVITNEYMKEDFLIKIETWHKPDLTQENVHKLPEAWKHVEAIYIDIADRSQVLSKDYKAEED
PAKFKSIIKTGRGPLGNWQELVNQKDCPYMCAYKLVTVKFKWWGLQNKVENFIHKQEKRLFTNFHRQLFCWLDKWVDLT
MDDIRRMEEETKRQLDEMROKDPVKGMTADD

Rat 19r DNA (coding 1-816)

ATGGTGCTGCTCAAGGAATATCGGGTCATCCTGCCTGTGTCTGTAGATGAGTATCAAGTGGGGCAGCTGTACTCTGTGGC
TGAAGCCAGTAAAAATGAACTGGTGGTGGGAAGGTGTGGAGGTCTGGTGAACGAGCCCTACGAGAAGGATGATGGCG
AGAAAGGCCAGTACACACACAAGATCTACCACTTACAGAGCAAAGTCCCACGTTTGTTCGAATGCTGGCCCCAGAAGGC
GCCCTGAATATACATGAGAAAGCCTGGAATGCCTACCCCTTACTGCAGAACCGTTATTACAAATGAGTACATGAAGGAAGA
CTTTCTCATTTAAATTTGAAACCTGGCACAAGCCAGACCTTGGCACCCAGGAGAATGTGCATAAACTGGAGCCTGAGGCAT
GGAAACATGTGGAAGCTATATATATAGACATCGCTGATCGAAGCCAAGTACTTAGCAAGGATTACAAGGCAGAGGAAGAC
CCAGCAAAATTTAAATCTATCAAAACAGGACGAGGACCATTGGGCCCCGAATTGGAAGCAAGAAGTGTCAATCAGAAGGA
CTGCCCATATATGTGTGCATACAACTGGTTACTGTCAAGTTCAAGTGGTGGGGCTTGCAGAACAAAGTGGAAACTTTA
TACATAAGCAAGAGAAGCGTCTGTTTACAACTTTACAGGCAGCTGTTCTGTTGGCTTGATAAATGGGTTGATCTGACT
ATGGATGACATTCGGAGGATGGAAGAAGAGACGAAGAGACAGCTGGATGAGATGAGACAAAAGGACCCCGTGAAAGGAAT
GACAGCAGATGACTAG

FIGURE 34

65 F260" 26400450

Monkey KChIP4c (jlkxa053c02) DNA sequence (CD: 122-811)

CGCTCTCCTCCTCCCCTTTCTCTAGCAGTAGCCTTCTTAATGTAGTTTAAATGGCTTTACAAAGAAAGCCAGGCAGAGGAG
 CACTTCTCAGTGGCTGTGGTCCGACCATGACCTAGCTGACCATGAACTTGAAGGGGCTTGAAATGATAGCAGTTCTGATC
 GTCATTGTGCTTTTGTAAATTATGGAACAGTTTGGGCTGATTGAAGCAGGTTAGAAGACAGCGTGGAAGATGAACT
 GGAGATGGCCACTGTGAGGCATCGGCCTGAGGCCCTTGAGCTTCTGGAAGCCCAGAGCAAATTTACCAAGAAAGAGCTTC
 AGATCCTTTACAGAGGATTTAAGAAGCAATGCCCCAGTGGTGTGTTAATGAAGAAACCTTCAAAGAGATTTACTCGCAG
 TTCTTTCCACAGGGAGACTCTACAACATATGCACATTTTCTGTTCAATGCGTTTGATACGGACCACAATGGAGCTGTGAG
 TTTGAGGATTTTCATCAAAGGTCTTTCCATTTTGCTCCGGGGGACAGTACAAGAAAACTCAATTGGGCATTTAATCTGT
 ATGATATAAATAAAGATGGCTACATCACTAAAGAGGAAATGCTTGATATAATGAAAGCAATATACGACATGATGGGTAAA
 TGTACATATCCTGTCTCAAAGAAGATGCACCCAGACAACACGTCGAAACATTTTTTCAAGAAATGGACAAAAATAAGA
 TGGGGTTGTTACCATAGATGAGTTCATTGAAAGCTGCCAAAAAGATGAAACATAATGCGCTCCATGCAGCTCTTTGAAA
 ATGTGATTTAACTTGTCAACTAGATCCTGAATCCAACAGACAAATGTGAATATTTCTACCACCTTAAAGTCGGAGCTAC
 CACTTTTAGCATAGATTGCTCAGCTTGACACTGAAGCATATTATGCAACAAGCTTTGTTTTAATATAAGCAATCCCCA
 AAAGATTTGAGTTTCTCAGTTATAAATTTGCATCCTTTCCATAATGCCACTGAGTTCATGGGATGTTCTAACTCATTTCA
 TACTCTGTGAATATTCAAAGTAATAGAATCTGGCATATAGTTTTATTGATTCCTTAGCCATGGGATTATTGAGGCTTTC
 ACATATCAGTGATTTTAAATACAGTGTTTTTGTCTACTCATTTGTATGTATTGAGTCCTAGGATTTTGAATGGTTTTT
 TAATATACTGACATCTGCATTTAATTTCCAGAAATTAATTTTATGTTCTGAATGCTGTAATTCATTTATATACT
 TTAAGTAAACAAATAAGATTACTACAATTAACACATAGTTCCAGTTTCTATGGCCTTCACTTCCACCTTCTATTAGAA
 ATTAATTTTATCTGGTATTTTTAAACATTTAAAAATTTATCATCAGATATCAGCATATGCCTAATTATGCCTAATGAAAC
 TTAATAAGCATTTAATTTTCCATCATACATTATAGTCAAGGCCTATATACTATATAATTTTGGATTTGTTAATCTTA
 CAGGCTGTTTTCCATTGTATCATCAAGTGAAGTTCAAGACGGCATCAACAAAAACAAGGATGTTTACAGACATATGCAA
 AGGGTCAGGATATCTATCCTCCAGTATATGTTAATGCTTAATAACAAGTAATCCTAACAGCATTAAGGCCAAATCTGTC
 CTCTTTCCCTGACTTCCCTACAGCATGTTTATATTACAAGCCATTGAGGACAAAGAAACCTTGACTACCCCACTGTCT
 ACTAGGAACAAACAAACAGCAAGCAAAATTCACTTTGAAAGCACCAGTGTTCCATTACATTGACAACACTACTACCAAGAT
 TCAGTAGAAAAAAGTGCTCAACAATAATCCAGATTACAATATGATTTAGTGCATCATAAAATCCAACAATTCAGATT
 ATTTTTAATCACCTCAGCCACAACCTGTAAGTTGCCACATTACTAAAGACACACACATCGTCCCTGTTTTGTAGAAATAT
 CACAAAGACCAAGAGGCTACAGAAGGAGGAAATTTGCAACTGTCTTTGCAACAATAAATCAGGTATCTATTCTGGTGTAG
 AGATAGGATGTTGAAAGCTGCCCTGCTATCACCAGTGTAGAAATTAAGAGTAGTACAATACATGTACACTGAAATTTGCC
 ATCGCGTGTGTTGTGTAAGTCAATGTGCACATTTGTATTTCAAAAAGAAAAATAAAAGCAAAATAAAATGTTTATAAC
 TCTAAAAA

Monkey KChIP4c protein sequence

MNLEGLEMI AVLIVLVFVKLLEQFGLIEAGLEDSVEDELEMATVRRHPEALELLEAQSKFTKKELQILYRGFKNECPSG
 VVNEETFKEIYSQFFPQGDSTTYAHFLFNAFDTDHNGAVSFEDFIKGLSILLRGTVQEKLNWAFNLYDINKDGYITKEEM
 LDIMKAIYDMMGKCTYPVLKEDAPRQHVETFFQKMDKNKDGVVTTIDEFIESCQKDENIMRSMQLFENV I.

FIGURE 35

Monkey KChIP4d (jlkx015b10) DNA sequence (CD:64-816)


GTCGACAGACGCCCCCTGGCCGGTGGACTCCTGAGTCTTACTCCTGCACCCTGCGTCCCCAGACATGAATGTGAGGAGAGT
GGAAAGCATTTCGGCTCAGCTGGAGGAGGCCAGCTCCACAGGCGGTTTCCTGTATGCTCAGAACAGCACCAGCGCAGCA
TTAAAGAGCGGCTCATGAAGCTCTTGCCTGCTCAGCTGCCAAAACATCGTCTCCTGCTATTCAAAACAGCGTGGAAGAT
GAACTGGAGATGGCCACTGTGAGGCATCGGCCTGAGGCCCTTGAGCTTCTGGAAGCCCAGAGCAAATTTACCAAGAAAGA
GCTTCAGATCCTTTACAGAGGATTTAAGAACGAATGCCCCAGTGGTGTGTTAATGAAGAAACCTTCAAAGAGATTACT
CGCAGTTCTTTCCACAGGGAGACTCTACAACATATGCACATTTTCTGTCAATGCGTTTGATACGGACCACAATGGAGCT
GTGAGTTTCGAGGATTTTCATCAAAGGTCTTCCATTTTGTCTCGGGGACAGTACAAGAAAACTCAATTGGGCATTTAA
TCTGTATGATATAAATAAAGATGGCTACATCACTAAAGAGGAAATGCTTGATATAATGAAAGCAATATACGACATGATGG
GTAAATGTACATATCCTGTCTCAAAGAAGATGCACCCAGACAACACGTCGAAACATTTTTTCAGAAAAATGGACAAAAAT
AAAGATGGGGTTGTTACCATAGATGAGTTTCATTGAAAGCTGCCAAAAGATGAAAACATAATGCGCTCCATGCAGCTCTT
TGAAAAATGTGATTTAACTTGTCAACTAGATCCTGAATCCAACAGACAAATGTGAATCTTACCACCTTAAAGTCGGA
GCTACCACTTTTAGCATAGATTGCTCAGCTTGACACTGAAGCATATTATGCAACAAGCTTTGTTTAAATAAAGCAAT
CCCCAAAAGATTTGAGTTTCTCAGTTATAAATTTGCATCCTTTCCATAATGCCACTGAGTTCATGGGATGTTCTGACTCA
TTTCATACTCTGTGAATATTCAAAGTAATAGAATCTGGCATATAGTTTATTGATTCCCTAGCCATGGGATTTATTGAGG
CTTTCACATATCAGTGATTTTAAATACCAGTGTTTTGTCTACTCATTTGTATGTATTCAGTCCTAGGATTTTGAATGG
TTTTCTAATATACTGACATCTGCATTTAATTTCCAGAAATTAATTAATTTTTCATGTCTGAATGCTGTAATTCATTTAT
ATACTTTAAGTAAACAAATAAGATTACTACAATTAACACATAGTTCCAGTTTCTATGGCCTTCACTTCCCACCTTCTAT
TAGAAATTAATTTTATCTGGTATTTTAAACATTTAAAAATTTATCATCAGATATCAGCATATGCCTAATTATGCCTAAT
GAACTTAATAAGCATTTAATTTTCCATCATACTATAGTCAAGGCCCTATATACTATATATAATTTGGATTTGTTTAA
TCTTACAGGCTGTTTTCCATTGTATCATCAAGTGGAAGTTCAAGACGGCATCAAACAAAACAAGGATGTTTACAGACATA
TGCAAAGGGTCAGGATATCTATCCTCCAGTATATGTTAATGCTTAATAACAAGTAATCCTAACAGCATTAAAGGCCAAAT
CTGTCTCTTTCCCTGACTTCCCTACAGCATGTTTATATTACAAGCCATTTCAGGGACAAAGAAACCTTGACTACCCAC
TGTCTACTAGGAACAAACAAACAGCAAGCAAATTCACCTTGAAAGCACCAGTGGTTCCATTACATTGACAACACTACTACC
AAGATTCAGTAGAAAATAAGTGCTCAACAATAATCCAGATTACAATATGATTAGTGCATCATAAAATTCACAACATTC
AGATTATTTTAAATCACCTCAGCCACAACCTGTAAGTTGCCACATTACTAAAGACACACACATCGTCCCTGTTTGTAGA
AATATCACAAGACCAAGAGGCTACAGAAGGAGGAAATTTGCAACTGTCTTTGCAACAATAAATCAGGTATCTATTCTGG
TGTAAGATAGGATGTTGAAAGCTGCCCTGCTATCACCAGTGTAGAAATTAAGAGTAGTACAATACATGTACACTGAAAT
TTGCCATCGCGTGTGTTGTGTAACCTCAATGTGCACATTTTGTATTTCAAAAAGAAAAATAAAAGCAAATAAAATGTTA
AAAAAAAAAAAAAAAAAAAA

Monkey KChIP4d protein sequence

MNVRRESISAQLEEASTGGFLYAQNSTKRSIKERIMKLLPCSAAKTSSPAIQNSVEDELEMATVHRPEALELLEAQS
KFTKKELQILYRGFKNECPSGVVNEETFKEIYSQFFPQGDSTTYAHFLNAFDTHNGAVSFEDFIKGLSILLRGTVQEK
LNWAFNLYDINKDGYITKEMLDIMKAIYDMMGKCTYPVLKEDAPRQHVETFFQKMDKNKDGVVITIDEFIESCQKDENIM
RSMQLFENVI.

FIGURE 36


Alignment of monkey KChIP4



Decoration 'Decoration #1' Shade (with solid black) residues that differ from KChIP4N1

FIGURE 37



KChIP2 Expression Alters Kv4.2 Current




Current Parameter	CHO	
	rKv4.2	rKv4.2 + KChIP2
Peak Current (nA/cell, at 50 mV)	0.51 ± 0.098	3.3 ± 0.45
Peak Current Density (pA/pF, at 50 mV)	18.6 ± 2.8	196.6 ± 26.6
Inactivation time constant (ms, at 50 mV)	28.47 ± 3.5	95.14 ± 8.3
Recovery from Inactivation time constant (ms, at -80 mV)	257.9	49.5
Activation $V_{1/2}$ (mV)	20.5	-2.2
Steady-state Inactivation $V_{1/2}$ (mV)	-47.1	-45.7

FIGURE 38

KChIP3 Expression Alters Kv4.2 Current



Voltage Dependence



Current Parameter	CHO	
	rKv4.2 +RBG4	rKv4.2 +KChIP3
Peak Current (nA/cell, at 50 mV)	0.46 ± 0.084	3.5 ± 0.99
Peak Current Density (pA/pF, at 50 mV)	29.7 ± 11.2	161.7 ± 21.8
Inactivation time constant (ms, at 50 mV)	29.5 ± 9.5	67.2 ± 14.1
Recovery from Inactivation time constant (ms, at -80 mV)	435.9	130.8
Activation $V_{1/2}$ (mV)	4.1	6.1

FIGURE 39




FIGURE 40

h KCHIP1 M G A - - - - - V M G T F S S L Q T K Q R R P S K - - - - -
h KCHIP2 M R G Q G R K E S L S D S R D L D G S Y D Q L T G H P P G P T K K A L K - - - Q R F S K - - L P C C G P Q - - - A L
h KCHIP3 M - - Q P A K E V - - - T K A S D G S L G D L G H T P L S K K E G I K W Q R P R L S R Q A L M R C C L V K W I L S S T
h HIP M G K Q N S K - - - - -
r NCS1 M G K S N S K - - - - -

EF1

h KCHIP1 - - - - - D K I E D E L E M T M V C H R P E G L E Q L E A Q T N F T K R E L Q V L Y R G F K N E C P S G V V N E D T F K
h KCHIP2 P S V S E N S V D D E F E L S T V C H R P E G L E Q L Q E Q T K F T R K E L Q V L Y R G F K N E C P S G I V N E E N F K
h KCHIP3 A P Q G S D S S D S E L E L S T V R H Q P E G L D Q L Q A Q T K F T R K E L Q S L Y R G F K N E C P T G L V D E D T F K
h HIP - - - - - L R P E M L Q D L R E N T E F S E L E L Q E W Y K G F L K D C P T G I L N V D E F K
r NCS1 - - - - - L K P E V V E E L T R K T Y F T E K E V Q Q W Y K G F I K D C P S G Q L D A A G F Q

EF2

h KCHIP1 Q I Y A Q F F P H G D A S T Y A H Y L F N A F D T T Q T G S V K F E D F V T A L S I L L R G T V H E K L R W T F N L Y D
h KCHIP2 Q I Y S Q F F P Q G D S S N Y A T F L F N A F D T N H D G S V S F E D F V A G L S V I L R G T V D D R L N W A F N L Y D
h KCHIP3 L I Y A Q F F P Q G D A T T Y A H F L F N A F D A D G N G A I H F E D F V G L S I L L R G T V H E K L K W A F N L Y D
h HIP K I Y A N F F P Y G D A S K F A E H V F R T F D T N S D G T I D F R E F I I A L S V T S P G R L E Q K L M W A F S M Y D
r NCS1 K I Y K Q F F P F G D P T K F A T F V F N V F D E N K D G R I E F S E F I Q A L S V T S R G T L D E K L R W A F K L Y D

EF3

Y Z -Y -X -Z
h KCHIP1 I N K D G Y I N K E E M M D I V K A I Y D M M G K Y T Y P V L K K E D T P R Q H V D V F F Q K M D K N K D G I V T L D E F
h KCHIP2 L N K D G C I T K E E M L D I M K S I Y D M M G K Y T Y P A L R E E A P R E H V E S F F Q K M D R N K D G V V T I E E F
h KCHIP3 I N K D G Y I T K E E M L A I M K S I Y D M M G R H T Y P I L R E D A P A E H V E R F F E K M D R N Q D G V V T I E E F
h HIP L D G N G Y I S R E E M L E I V Q A I Y K M V S S V M K M P E D E S T P E K R T E K I F R Q M D T N N D G K L S L E E F
r NCS1 L D N D G Y I T R N E M L D I V D A I Y Q M V G N T V E L P E E E N T P E K R V D R I F A M M D K N A D G K L T L Q E F

EF4

h KCHIP1 L E S C Q E D D N I M R S L Q - - - L F Q N V M .
h KCHIP2 I E S C Q K D E N I M R S M Q - - - L F D N V I .
h KCHIP3 L E A C Q K D E N I M S S M Q - - - L F E N V I .
h HIP I R G A K S D P S I V R L L Q C D P S S R S Q F .
r NCS1 Q E G S K A D P S I V Q A L - - - S L Y D G L V .

[illegible]

Attorney's

Number MNI-069CP

Declaration, Petition and Power of Attorney

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHODS FOR TREATING CARDIOVASCULAR DISORDERS

the specification of which

(check one)

X is attached hereto.

was filed on _____ as _____

Application Serial No.

and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

This application in part discloses and claims subject matter disclosed in my earlier filed application(s), as follows:

X Serial No. 60/110,033, filed November 25, 1998 ;
Serial No. 60/109,333, filed November 20, 1998
Serial No. 60/110,277, filed November 30, 1998, as to which I claim priority
benefit under Title 35, United States Code, §119(e).

X Serial No. 09/298,731, filed April 23, 1999;
Serial No. 09/350,614, filed July 9, 1999;
Serial No. 09/350,874, filed July 9, 1999, as to which I claim priority
benefit under Title 35, United States Code, §120.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56, including all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of the continuation-in-part application.

AS TO PARENT APPLICATION:

As to the subject matter of this application which is common to said earlier application, I do not know and do not believe that the same was ever known or used in the United States of America before my or our invention thereof or patented or described in any printed publication in any country before my or our invention thereof, or more than one year prior to said earlier application, or in public use or on sale in the United States of America more than one year prior to said earlier application; that the common subject matter has not been patented or made the subject of an inventor's certificate issued before the date of said earlier application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months prior to said earlier application; and

As to applications for patents or inventor's certificate or PCT international application(s) designating at least one country other than the United States of America, on the common subject matter, filed in or designating any country foreign to the United States of America, prior to said earlier application by me or my legal representatives or assigns,

Check one:

☒ no such applications have been filed.

☐ such applications have been filed as follows

EARLIEST FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 MONTHS
(6 MONTHS FOR DESIGN) PRIOR TO SAID EARLIER U.S. APPLICATION

Country	Application Number	Date of Filing (month,day,year)	Priority Claimed Under 35 USC 119
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No

ALL FOREIGN APPLICATION(S), IF ANY, FILED MORE THAN 12 MONTHS
(6 MONTHS FOR DESIGN) PRIOR TO SAID EARLIER U.S. APPLICATION

AS TO THIS APPLICATION:

As to the subject matter of this application which is not common to said earlier application, I do not know and do not believe that the same was ever known or used in the United States of America before my or our invention thereof or patented or described in any printed publication in any country before my or our invention thereof, or more than one year prior to this application, or in public use or on sale in the United States of America more than one year prior to this application; that said non-common subject matter has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months prior to this application; and

As to applications for patents or inventor's certificate or PCT international application(s) designating at least one country other than the United States of America, on said non-common subject matter, filed in or designating any country foreign to the United States of America, prior to this application by me or my legal representatives or assigns,

Check one:

☒ no such applications have been filed.

☐ such applications have been filed as follows

EARLIEST FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 MONTHS
(6 MONTHS FOR DESIGN) PRIOR TO THIS U.S. APPLICATION

Country	Application Number	Date of Filing (month,day,year)	Priority Claimed Under 35 USC 119
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No

ALL FOREIGN APPLICATION(S), IF ANY, FILED MORE THAN 12 MONTHS
(6 MONTHS FOR DESIGN) PRIOR TO THIS U.S. APPLICATION

CLAIM FOR BENEFIT OF U.S. PROVISIONAL APPLICATION(S)

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

60/110,033
(Application Serial No.)

November 25, 1998
(Filing Date)

60/109,333
(Application Serial No.)

November 20, 1998
(Filing Date)

60/110,277
(Application Serial No.)

November 30, 1998
(Filing Date)

CLAIM FOR BENEFIT OF U.S. PATENT APPLICATION(S)

I hereby claim the benefit under 35 U.S.C. §120 of any United States patent application(s) listed below.

09/298,731
(Application Serial No.)

April 23, 1999
(Filing Date)

09/350,614
(Application Serial No.)

July 9, 1999
(Filing Date)

09/350,874
(Application Serial No.)

July 9, 1999
(Filing Date)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

W. Hugo Liepmann	Reg. No. 20,407	Catherine J. Kara	Reg. No. 41,106
James E. Cockfield	Reg. No. 19,162	Faustino A. Lichauco	Reg. No. 41,942
Thomas V. Smurzynski	Reg. No. 24,798	Jeanne M. DiGiorgio	Reg. No. 41,710
Ralph A. Loren	Reg. No. 29,325	Megan E. Williams	Reg. No. 43,270
Giulio A. DeConti, Jr.	Reg. No. 31,503	Nicholas P. Triano III	Reg. No. 36,397
Ann Lamport Hammitte	Reg. No. 34,858	Peter C. Lauro	Reg. No. 32,360
Elizabeth A. Hanley	Reg. No. 33,505	Reza Mollaaghababa	Reg. No. 43,810
Amy E. Mandragouras	Reg. No. 36,207	John L. Welch	Reg. No. 28,129
Anthony A. Laurentano	Reg. No. 38,220	Timothy J. Douros	Reg. No. 41,716
Jane E. Remillard	Reg. No. 38,872	DeAnn F. Smith	Reg. No. 36,683
Jeremiah Lynch	Reg. No. 17,425	William D. DeVaul	Reg. No. 42,483
Kevin J. Canning	Reg. No. 35,470	David J. Ridders	Reg. No. 43,882
David A. Lane, Jr.	Reg. No. 39,261	Chi Suk Kim	Reg. No. 42,728

all of: LAHIVE & COCKFIELD, LLP, 28 State Street, Boston, MA 02109

and to: Jean M. Silveri	Reg. No. 39,030	Cynthia Kanik	Reg. No. 37,320
Mark F. Boshar	Reg. No. 35,456	Theodore Allen	Reg. No. 41,578

of: Millennium Pharmaceuticals, Inc., 75 Sidney Street, Cambridge, MA 02139

Send Correspondence to Amy E. Mandragouras at **Customer Number 000959** whose address is:

Lahive & Cockfield, LLP, 28 State Street, Boston, MA 02109

Direct Telephone Calls to: (name and telephone number)

Amy E. Mandragouras, (617) 227-7400

Wherefore I petition that letters patent be granted to me for the invention or discovery described and claimed in the attached specification and claims, and hereby subscribe my name to said specification and claims and to the foregoing declaration, power of attorney, and this petition.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor Kenneth Rhodes	
Inventor's signature	Date
Residence 808 Atkinson Circle, Neshanic Station, NJ 08853	
Citizenship U.S.	
Post Office Address (if different)	

03404302600000

Full name of second inventor, if any Wenqian An	
Inventor's signature	Date
Residence 1500 Worcester Rd. Apt. #212, Framingham, MA 01702	
Citizenship U.S.	
Post Office Address (if different)	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of: Kenneth Rhodes *et al.*

Serial No.: N/A

Filed: Herewith

For: *METHODS FOR TREATING CARDIOVASCULAR
DISORDERS*

Attorney Docket No.: MNI-069CP

Assistant Commissioner for Patents
Box Sequence Listing
Washington, D.C. 20231

TRANSMITTAL LETTER FOR DISKETTE CONTAINING SEQUENCE LISTING

Dear Sir:

Enclosed is a diskette which contains a computer readable form of the Sequence Listing for the patent application filed herewith. The Sequence Listing complies with the requirements of 37 C.F.R. § 1.821. The material on this diskette is identical in substance to the sequence listing appearing on pages 1-92 of the Sequence Listing which is submitted herewith, as required by 37 C.F.R. § 1.821(f). The computer readable form of the Sequence Listing contained on the enclosed diskette is understood to comply with the requirements of § 1.824(d).

"Express Mail" mailing label number EL 266 739 835 US

Date of Deposit September 21, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231

Nelson Barros
Signature

NELSON BARROS
Please Print Name of Person Signing

LAHIVE & COCKFIELD, LLP
Attorneys at Law

By 

Amy E. Mandragouras

Reg. No. 36,207

28 State Street

Boston, MA 02109

Telephone: 617-227-7400

Facsimile: 617-742-4214

SEQUENCE LISTING

<110> Rhodes, Kenneth
An, Wenqian

<120> METHODS FOR TREATING CARDIOVASCULAR DISORDERS

<130> MNI-069CP

<140>

<141>

<150> USSN 60/110,277

<151> 1998-11-30

<150> USSN 60/110,033

<151> 1998-11-25

<150> USSN 60/109,333

<151> 1998-11-20

<150> USSN 09/298,731

<151> 1999-04-23

<150> USSN 09/350,614

<151> 1999-07-09

<150> USSN 09/350,874

<151> 1999-07-09

<160> 73

<170> PatentIn Ver. 2.0

<210> 1

<211> 1463

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (225)..(872)

<400> 1

gaatagcccc ctttcacttc tgagtccttg catgtgcggg gctgaagaag gaagccagaa 60

gocctcctagc ctgcctcca cgtttgctga ataccaagct gcaggcgagc tgccggggcgc 120

ttttctctcc tccaattcag agtagacaaa ccacggggat ttctttccag ggtaggggag 180

gggcccgggcc cgggggtccca actcgactc aagtcttcgc tgcc atg ggg gcc gtc 236
Met Gly Ala Val
1

atg ggc acc ttc tca tct ctg caa acc aaa caa agg cga ccc tcg aaa 284
Met Gly Thr Phe Ser Ser Leu Gln Thr Lys Gln Arg Arg Pro Ser Lys
5 10 15 20

gat aag att gaa gat gag ctg gag atg acc atg gtt tgc cat cgg ccc 332
Asp Lys Ile Glu Asp Glu Leu Glu Met Thr Met Val Cys His Arg Pro
25 30 35

gag gga ctg gag cag ctc gag gcc cag acc aac ttc acc aag agg gag 380
Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe Thr Lys Arg Glu
40 45 50

ctg cag gtc ctt tat cga ggc ttc aaa aat gag tgc ccc agt ggt gtg 428
Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Val
55 60 65

gtc aac gaa gac aca ttc aag cag atc tat gct cag ttt ttc cct cat 476
Val Asn Glu Asp Thr Phe Lys Gln Ile Tyr Ala Gln Phe Phe Pro His
70 75 80

gga gat gcc agc acg tat gcc cat tac ctc ttc aat gcc ttc gac acc 524
Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn Ala Phe Asp Thr
85 90 95 100

act cag aca ggc tcc gtg aag ttc gag gac ttt gta acc gct ctg tcg 572
Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val Thr Ala Leu Ser
105 110 115

att tta ttg aga gga act gtc cac gag aaa cta agg tgg aca ttt aat 620
Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg Trp Thr Phe Asn
120 125 130

ttg tat gac atc aac aag gac gga tac ata aac aaa gag gag atg atg 668
Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys Glu Glu Met Met
135 140 145

gac att gtc aaa gcc atc tat gac atg atg ggg aaa tac aca tat cct 716
Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro
150 155 160

gtg ctc aaa gag gac act cca agg cag cat gtg gac gtc ttc ttc cag 764
Val Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp Val Phe Phe Gln
165 170 175 180

aaa atg gac aaa aat aaa gat ggc atc gta act tta gat gaa ttt ctt 812
Lys Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu Asp Glu Phe Leu
185 190 195

gaa tca tgt cag gag gac gac aac atc atg agg tct ctc cag ctg ttt 860
Glu Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser Leu Gln Leu Phe
200 205 210

caa aat gtc atg taactggtga cactcagcca ttcagctctc agagacattg 912
Gln Asn Val Met
215

tactaaacaa ccaccttaac accctgatct gcccttggtc tgattttaca caccaactct 972

tgggacagaa acacctttta cactttggaa gaattctctg ctgaagactt tottatggaa 1032

cccagcatca tgtggctcag tctctgattg ccaactcttc ctctttcttc ttcttgagag 1092

agacaagatg aaatttgagt ttgttttgga agcatgctca tctcctcaca ctgctgcct 1152

atggaaggtc cctctgctta agcttaaaca gtagtgacaa aaatatgctg cttacgtgcc 1212

00400403 0049
00400403 0049

cccagccac tgcctccaag tcaggcagac cttggtgaat ctggaagcaa gaggacctga 1272
 gccagatgca caccatctct gatggcctcc caaaccaatg tgccctgtttc tcttcctttg 1332
 gtgggaagaa tgagagttat ccagaacaat taggatctgt catgaccaga ttgggagagc 1392
 cagcacctaa catatgtggg ataggactga attattaagc atgacattgt ctgatgaccc 1452
 aaactgcccc g 1463

<210> 2

<211> 216

<212> PRT

<213> Homo sapiens

<400> 2

Met Gly Ala Val Met Gly Thr Phe Ser Ser Leu Gln Thr Lys Gln Arg
 1 5 10 15

Arg Pro Ser Lys Asp Lys Ile Glu Asp Glu Leu Glu Met Thr Met Val
 20 25 30

Cys His Arg Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe
 35 40 45

Thr Lys Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys
 50 55 60

Pro Ser Gly Val Val Asn Glu Asp Thr Phe Lys Gln Ile Tyr Ala Gln
 65 70 75 80

Phe Phe Pro His Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn
 85 90 95

Ala Phe Asp Thr Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val
 100 105 110

Thr Ala Leu Ser Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg
 115 120 125

Trp Thr Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys
 130 135 140

Glu Glu Met Met Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys
 145 150 155 160

Tyr Thr Tyr Pro Val Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp
 165 170 175

Val Phe Phe Gln Lys Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu
 180 185 190

Asp Glu Phe Leu Glu Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser
 195 200 205

Leu Gln Leu Phe Gln Asn Val Met
 210 215

0540049.05450

<210> 3
 <211> 1856
 <212> DNA
 <213> *Rattus* sp.

<220>
 <221> CDS
 <222> (300)..(1034)

<400> 3

```

ggcacacaac ccctggattc ttcggagaat atgccgtgag gtgttgccaa ttattagttc 60
tcttggctag cagatgttta gggactggtt aagcctttgg agaaattacc ttaggaaaac 120
ggggaaataa aagcaaagat taccatgaat tgcaagatta cctagcaatt gcaaggtagg 180
aggagagagg tggagggcgg agtagacagg agggagggag aaagtgagag gaagctaggc 240
tgggtggaaat aaccctgcac ttggaacagc ggcaaagaag cgcgattttc cagctttaa 299

atg cct gcc cgc gtt ctg ctt gcc tac ccg gga acg gag atg ttg acc 347
Met Pro Ala Arg Val Leu Leu Ala Tyr Pro Gly Thr Glu Met Leu Thr
  1           5           10           15

cag ggc gag tct gaa ggg ctc cag acc ttg ggg ata gta gtg gtc ctg 395
Gln Gly Glu Ser Glu Gly Leu Gln Thr Leu Gly Ile Val Val Val Leu
          20           25           30

tgt tcc tct ctg aaa cta ctg cac tac ctc ggg ctg att gac ttg tcg 443
Cys Ser Ser Leu Lys Leu Leu His Tyr Leu Gly Leu Ile Asp Leu Ser
          35           40           45

gat gac aag atc gag gat gat ctg gag atg acc atg gtt tgc cat cgg 491
Asp Asp Lys Ile Glu Asp Asp Leu Glu Met Thr Met Val Cys His Arg
          50           55           60

cct gag gga ctg gag cag ctt gag gca cag acg aac ttc acc aag aga 539
Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe Thr Lys Arg
          65           70           75           80

gaa ctg caa gtc ctt tac cgg gga ttc aaa aac gag tgc ccc agt ggt 587
Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly
          85           90           95

gtg gtt aac gaa gag aca ttc aag cag atc tac gct cag ttt ttc cct 635
Val Val Asn Glu Glu Thr Phe Lys Gln Ile Tyr Ala Gln Phe Phe Pro
          100          105          110

cat gga gat gcc agc aca tac gca cat tac ctc ttc aat gcc ttc gac 683
His Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn Ala Phe Asp
          115          120          125

acc acc cag aca ggc tct gta aag ttc gag gac ttt gtg act gct ctg 731
Thr Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val Thr Ala Leu
          130          135          140

tcg att tta ctg aga gga acg gtc cat gaa aaa ctg agg tgg acg ttt 779
Ser Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg Trp Thr Phe
          145          150          155          160

```

657259"26400469

aat ttg tac gac atc aat aaa gac ggc tac ata aac aaa gag gag atg 827
Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys Glu Glu Met
165 170 175

atg gac ata gtg aaa gcc atc tat gac atg atg ggg aaa tac acc tat 875
Met Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr
180 185 190

cct gtg ctc aaa gag gac act ccc agg cag cac gtg gac gtc ttc ttc 923
Pro Val Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp Val Phe Phe
195 200 205

cag aaa atg gat aaa aat aaa gat ggc att gta acg tta gac gaa ttt 971
Gln Lys Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu Asp Glu Phe
210 215 220

ctc gag tcc tgt cag gag gat gac aac atc atg agg tct cta cag ctg 1019
Leu Glu Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser Leu Gln Leu
225 230 235 240

ttc caa aat gtc atg taactgagga cactggccat cctgctctca gagacactga 1074
Phe Gln Asn Val Met
245

caaacacctc aatgcocctga tctgcocttg ttccagtttt acacatcaac tctcgggaca 1134

gaaatacctt ttacactttg gaagaattct ctgctgaaga ctttctacaa aacctggcac 1194

cgagtggctc agtctctgat tgccaactct tctctcctcc tctctttgag agggacgagc 1254

tgaaatccga agtttgtttt ggaagcatgc ccatctctcc atgctgctgc tgccctgtgg 1314

aaggcccctc tgcttgagct taaacagtag tgcacagttt tctgcgtata cagatcccca 1374

actcactgcc tctaagtcag gcagaccctg atcaatctga accaaatgtg caccatcctc 1434

cgatggcctc ccaagccaat gtgcctgctt ctcttctctt ggtgggaaga aagaacgctc 1494

tacagagcac ttagagctta ccatgaaaat actgggagag gcagcaccta acacatgtag 1554

aataggactg aattattaag catggtggta tcagatgatg caaacagccc atgtcatttt 1614

tttttccaga ggtagggact aataattctc ccacactagc acctacgac atagaacaag 1674

tcttttaaca catccaggag ggaaaccgct gccagtggt ctatcccttc tctccatccc 1734

ctgctcaagc ccagcactgc atgtctctcc cggaaggtcc agaatgcctg tgaaatgctg 1794

taacttttat accctgttat aatcaataaa cagaactatt tcgtacaaaa aaaaaaaaaa 1854

aa 1856

<210> 4
<211> 245
<212> PRT
<213> Rattus sp.

<400> 4
Met Pro Ala Arg Val Leu Leu Ala Tyr Pro Gly Thr Glu Met Leu Thr
1 5 10 15

040049.069

Gln Gly Glu Ser Glu Gly Leu Gln Thr Leu Gly Ile Val Val Val Leu
 20 25 30
 Cys Ser Ser Leu Lys Leu Leu His Tyr Leu Gly Leu Ile Asp Leu Ser
 35 40 45
 Asp Asp Lys Ile Glu Asp Asp Leu Glu Met Thr Met Val Cys His Arg
 50 55 60
 Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe Thr Lys Arg
 65 70 75 80
 Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly
 85 90 95
 Val Val Asn Glu Glu Thr Phe Lys Gln Ile Tyr Ala Gln Phe Phe Pro
 100 105 110
 His Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn Ala Phe Asp
 115 120 125
 Thr Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val Thr Ala Leu
 130 135 140
 Ser Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg Trp Thr Phe
 145 150 155 160
 Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys Glu Glu Met
 165 170 175
 Met Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr
 180 185 190
 Pro Val Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp Val Phe Phe
 195 200 205
 Gln Lys Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu Asp Glu Phe
 210 215 220
 Leu Glu Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser Leu Gln Leu
 225 230 235 240
 Phe Gln Asn Val Met
 245

<210> 5

<211> 1907

<212> DNA

<213> Mus musculus

<220>

<221> CDS

<222> (477)..(1124)

<400> 5

cgccccctg agatccagcc cgagcgcggg gcgagcgggc cgggtggcag caggggcggg 60

cgggcgggagc gcagctcccg caccgcacgc ggcgcgggct cggcagcctc ggccgtgcgg 120

65400460

gcacgccggc cccgtgtcca acatcaggca ggctttgggg ctcggggctc gggcctcgga 180
gaagccagtg gcccggctgg gtgcccgcac cggggggcgc ctgtgaaggc tcccgcgagc 240
ctctggccct gggagtcagt gcatgtgcct ggctgaagaa ggcagcagcc acgagctcca 300
ggcgccccgg cccacgttt tctgaatacc aagctgcagg cgagctgctc ggggcttttt 360
tgctttctcg cttttcctct cctccaattc aaagtgggca atccacaccg atttcttttc 420
aggggagggg agagacaggg cctgggggtcc caagacgcac acaagtcttc gctgcc atg 479
Met
1

ggg gcc gtc atg ggc act ttc tcc tcc ctg cag acc aaa caa agg cga 527
Gly Ala Val Met Gly Thr Phe Ser Ser Leu Gln Thr Lys Gln Arg Arg
5 10 15

ccc tct aaa gac aag att gag gat gag cta gag atg acc atg gtt tgc 575
Pro Ser Lys Asp Lys Ile Glu Asp Glu Leu Glu Met Thr Met Val Cys
20 25 30

cac cgg cct gag gga ctg gag cag ctt gag gca cag acg aac ttc acc 623
His Arg Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe Thr
35 40 45

aag aga gaa ctg caa gtc ttg tac cgg gga ttc aaa aac gag tgc cct 671
Lys Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro
50 55 60 65

agc ggt gtg gtc aat gaa gaa aca ttc aag cag atc tac gct cag ttt 719
Ser Gly Val Val Asn Glu Glu Thr Phe Lys Gln Ile Tyr Ala Gln Phe
70 75 80

ttc cct cac gga gat gcc agc aca tat gca cat tac ctc ttc aat gcc 767
Phe Pro His Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn Ala
85 90 95

ttc gac acc acc cag aca ggc tct gta aag ttc gag gac ttt gtg act 815
Phe Asp Thr Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val Thr
100 105 110

gct ctg tcg att tta ctg aga ggg aca gtc cat gaa aaa cta agg tgg 863
Ala Leu Ser Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg Trp
115 120 125

acg ttt aat ttg tat gac atc aat aaa gac ggc tac ata aac aaa gag 911
Thr Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys Glu
130 135 140 145

gag atg atg gac ata gtc aaa gcc atc tat gac atg atg ggg aaa tac 959
Glu Met Met Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys Tyr
150 155 160

acc tat cct gtg ctc aaa gag gac act ccc agg cag cat gtg gat gtc 1007
Thr Tyr Pro Val Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp Val
165 170 175

ttc ttc cag aaa atg gat aaa aat aaa gat ggc att gta acg tta gat 1055
Phe Phe Gln Lys Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu Asp
180 185 190

657250 25400450

gaa ttt ctt gaa tca tgt cag gag gat gac aac atc atg aga tct cta 1103
 Glu Phe Leu Glu Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser Leu
 195 200 205

cag ctg ttc caa aat gtc atg taactgagga cactggccat tctgctctca 1154
 Gln Leu Phe Gln Asn Val Met
 210 215

gagacactga caaacacctt aatgccctga tctgcccttg ttccaatttt acacaccaac 1214

tcttggggaca gaaatacctt ttacactttg gaagaattct ctgctgaaga ctttctacaa 1274

aacctggcac cacgtggctc tgtctctgag ggacgagcgg agatccgact ttgttttggga 1334

agcatgcca tctcttcatg ctgctgccct gtggaaggcc cctctgcttg agcttaatca 1394

atagtgcaca gttttatgct tacacatata cccaactcac tgcctccaag tcaggcagac 1454

tctgatgaat ctgagccaaa tgtgcacat cctccgatgg cctcccaagc caatgtgcct 1514

gcttctcttc ctctgggtggg aagaaagagt gttctacgga acaattagag cttaccatga 1574

aaatattggg agaggcagca cctaacacat gtagaatagg actgaattat taagcatggg 1634

gatatcagat gatgcaaatt gcccatgtca tttttttcaa aggtaggac aaatgattct 1694

cccacactag cacctgtggg catagagcaa gtctcttaac atgccagaa ggggaaccac 1754

tgtccagtgg tctatccctc ctctccatcc cctgctcaaa ccagcactg catgtccctc 1814

caagaaggtc cagaatgcct gcgaaacgct gtacttttat accctgttct aatcaataaa 1874

cagaactatt tcgtaaaaaa aaaaaaaaaa aaa 1907

<210> 6

<211> 216

<212> PRT

<213> Mus musculus

<400> 6

Met Gly Ala Val Met Gly Thr Phe Ser Ser Leu Gln Thr Lys Gln Arg
 1 5 10 15

Arg Pro Ser Lys Asp Lys Ile Glu Asp Glu Leu Glu Met Thr Met Val
 20 25 30

Cys His Arg Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe
 35 40 45

Thr Lys Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys
 50 55 60

Pro Ser Gly Val Val Asn Glu Glu Thr Phe Lys Gln Ile Tyr Ala Gln
 65 70 75 80

Phe Phe Pro His Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn
 85 90 95

05400493.09499

Ala Phe Asp Thr Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val
 100 105 110

Thr Ala Leu Ser Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg
 115 120 125

Trp Thr Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys
 130 135 140

Glu Glu Met Met Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys
 145 150 155 160

Tyr Thr Tyr Pro Val Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp
 165 170 175

Val Phe Phe Gln Lys Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu
 180 185 190

Asp Glu Phe Leu Glu Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser
 195 200 205

Leu Gln Leu Phe Gln Asn Val Met
 210 215

<210> 7
 <211> 1534
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (31)..(711)

<400> 7
 gtcccaagtc gcacacaagt cttcgctgcc atg ggg gcc gtc atg ggt acc ttc 54
 Met Gly Ala Val Met Gly Thr Phe
 1 5

tcg tcc ctg cag acc aaa caa agg cga ccc tct aaa gac atc gcc tgg 102
 Ser Ser Leu Gln Thr Lys Gln Arg Arg Pro Ser Lys Asp Ile Ala Trp
 10 15 20

tgg tat tac cag tat cag aga gac aag atc gag gat gat ctg gag atg 150
 Trp Tyr Tyr Gln Tyr Gln Arg Asp Lys Ile Glu Asp Asp Leu Glu Met
 25 30 35 40

acc atg gtt tgc cat cgg cct gag gga ctg gag cag ctt gag gca cag 198
 Thr Met Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln
 45 50 55

acg aac ttc acc aag aga gaa ctg caa gtc ctt tac cgg gga ttc aaa 246
 Thr Asn Phe Thr Lys Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys
 60 65 70

aac gag tgc ccc agt ggt gtg gtt aac gaa gag aca ttc aag cag atc 294
 Asn Glu Cys Pro Ser Gly Val Val Asn Glu Glu Thr Phe Lys Gln Ile
 75 80 85

66T260"26400460

tac gct cag ttt ttc cct cat gga gat gcc agc aca tac gca cat tac 342
 Tyr Ala Gln Phe Phe Pro His Gly Asp Ala Ser Thr Tyr Ala His Tyr
 90 95 100

ctc ttc aat gcc ttc gac acc acc cag aca ggc tct gta aag ttc gag 390
 Leu Phe Asn Ala Phe Asp Thr Thr Gln Thr Gly Ser Val Lys Phe Glu
 105 110 115 120

gac ttt gtg act gct ctg tog att tta ctg aga gga acg gtc cat gaa 438
 Asp Phe Val Thr Ala Leu Ser Ile Leu Leu Arg Gly Thr Val His Glu
 125 130 135

aaa ctg agg tgg acg ttt aat ttg tac gac atc aat aaa gac ggc tac 486
 Lys Leu Arg Trp Thr Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr
 140 145 150

ata aac aaa gag gag atg atg gac ata gtg aaa gcc atc tat gac atg 534
 Ile Asn Lys Glu Glu Met Met Asp Ile Val Lys Ala Ile Tyr Asp Met
 155 160 165

atg ggg aaa tac acc tat cct gtg ctc aaa gag gac act ccc agg cag 582
 Met Gly Lys Tyr Thr Tyr Pro Val Leu Lys Glu Asp Thr Pro Arg Gln
 170 175 180

cac gtg gac gtc ttc ttc cag aaa atg gat aaa aat aaa gat ggc att 630
 His Val Asp Val Phe Phe Gln Lys Met Asp Lys Asn Lys Asp Gly Ile
 185 190 195 200

gta acg tta gac gaa ttt ctc gag tcc tgt cag gag gat gac aac atc 678
 Val Thr Leu Asp Glu Phe Leu Glu Ser Cys Gln Glu Asp Asp Asn Ile
 205 210 215

atg agg tct cta cag ctg ttc caa aat gtc atg taactgagga cactggccat 731
 Met Arg Ser Leu Gln Leu Phe Gln Asn Val Met
 220 225

cctgctctca gagacactga caaacacctc aatgccctga tctgcccttg ttccagtttt 791

acacatcaac tctcgggaca gaaatacctt ttacactttg gaagaattct ctgctgaaga 851

ctttctacaa aacctggcac cgcgtggctc agtctctgat tgccaactct tctcctctcc 911

tctctttgag agggacgagc tgaaatccga agttttgtttt ggaagcatgc ccatctctcc 971

atgctgtgtc tgccctgtgg aaggccctc tgcttgagct taaacagtag tgcacagttt 1031

tctgcgtata cagatcccca actcactgcc tctaagtcag gcagaccctg atcaatctga 1091

accaaatgtg caccatcctc cgatggcctc ccaagccaat gtgcctgctt ctcttctct 1151

ggtgggaaga aagaacgctc tacagagcac ttagagctta ccatgaaaat actgggagag 1211

gcagcaccta acacatgtag aataggactg aattattaag catggtggta tcagatgatg 1271

caaacagccc atgtcatttt ttttccagag gtagggacta ataattctcc cacactagca 1331

cctacgatca tagaacaagt cttttaaacac atccaggagg gaaaccgctg cccagtggctc 1391

tatcccttct ctccatcccc tgctcaagcc cagcactgca tgtctctccc ggaaggtcca 1451

gaatgcctgt gaaatgctgt aacttttata ccctgttata atcaataaac agaactattt 1511

667260 25400460

cgtacaaaaa aaaaaaaaaa aaa

1534

<210> 8

<211> 227

<212> PRT

<213> Rattus sp.

<400> 8

Met	Gly	Ala	Val	Met	Gly	Thr	Phe	Ser	Ser	Leu	Gln	Thr	Lys	Gln	Arg
1				5					10					15	

Arg	Pro	Ser	Lys	Asp	Ile	Ala	Trp	Trp	Tyr	Tyr	Gln	Tyr	Gln	Arg	Asp
			20					25					30		

Lys	Ile	Glu	Asp	Asp	Leu	Glu	Met	Thr	Met	Val	Cys	His	Arg	Pro	Glu
		35					40					45			

Gly	Leu	Glu	Gln	Leu	Glu	Ala	Gln	Thr	Asn	Phe	Thr	Lys	Arg	Glu	Leu
	50					55						60			

Gln	Val	Leu	Tyr	Arg	Gly	Phe	Lys	Asn	Glu	Cys	Pro	Ser	Gly	Val	Val
65					70					75					80

Asn	Glu	Glu	Thr	Phe	Lys	Gln	Ile	Tyr	Ala	Gln	Phe	Phe	Pro	His	Gly
				85					90					95	

Asp	Ala	Ser	Thr	Tyr	Ala	His	Tyr	Leu	Phe	Asn	Ala	Phe	Asp	Thr	Thr
			100					105					110		

Gln	Thr	Gly	Ser	Val	Lys	Phe	Glu	Asp	Phe	Val	Thr	Ala	Leu	Ser	Ile
		115					120					125			

Leu	Leu	Arg	Gly	Thr	Val	His	Glu	Lys	Leu	Arg	Trp	Thr	Phe	Asn	Leu
	130					135					140				

Tyr	Asp	Ile	Asn	Lys	Asp	Gly	Tyr	Ile	Asn	Lys	Glu	Glu	Met	Met	Asp
145					150					155					160

Ile	Val	Lys	Ala	Ile	Tyr	Asp	Met	Met	Gly	Lys	Tyr	Thr	Tyr	Pro	Val
				165					170					175	

Leu	Lys	Glu	Asp	Thr	Pro	Arg	Gln	His	Val	Asp	Val	Phe	Phe	Gln	Lys
			180					185					190		

Met	Asp	Lys	Asn	Lys	Asp	Gly	Ile	Val	Thr	Leu	Asp	Glu	Phe	Leu	Glu
		195					200					205			

Ser	Cys	Gln	Glu	Asp	Asp	Asn	Ile	Met	Arg	Ser	Leu	Gln	Leu	Phe	Gln
	210					215					220				

Asn	Val	Met
225		

<210> 9

<211> 1540

<212> DNA

<213> Mus musculus

667269" 2640460

<220>

<221> CDS

<222> (77)..(757)

<400> 9

atccacaccg atttcttttc aggggagggga agagacaggg cctgggggtcc caagacgcac 60

acaagtcttc gctgcc atg ggg gcc gtc atg ggc act ttc tcc tcc ctg cag 112

Met Gly Ala Val Met Gly Thr Phe Ser Ser Leu Gln

1

5

10

acc aaa caa agg cga ccc tct aaa gac atc gcc tgg tgg tat tac cag 160

Thr Lys Gln Arg Arg Pro Ser Lys Asp Ile Ala Trp Trp Tyr Tyr Gln

15

20

25

tat cag aga gac aag att gag gat gag cta gag atg acc atg gtt tgc 208

Tyr Gln Arg Asp Lys Ile Glu Asp Glu Leu Glu Met Thr Met Val Cys

30

35

40

cac cgg cct gag gga ctg gag cag ctt gag gca cag acg aac ttc acc 256

His Arg Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe Thr

45

50

55

60

aag aga gaa ctg caa gtc ttg tac cgg gga ttc aaa aac gag tgc cct 304

Lys Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro

65

70

75

agc ggt gtg gtc aat gaa gaa aca ttc aag cag atc tac gct cag ttt 352

Ser Gly Val Val Asn Glu Glu Thr Phe Lys Gln Ile Tyr Ala Gln Phe

80

85

90

ttc cct cac gga gat gcc agc aca tat gca cat tac ctc ttc aat gcc 400

Phe Pro His Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn Ala

95

100

105

ttc gac acc acc cag aca ggc tct gta aag ttc gag gac ttt gtg act 448

Phe Asp Thr Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val Thr

110

115

120

gct ctg tcg att tta ctg aga ggg aca gtc cat gaa aaa cta agg tgg 496

Ala Leu Ser Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg Trp

125

130

135

140

acg ttt aat ttg tat gac atc aat aaa gac ggc tac ata aac aaa gag 544

Thr Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys Glu

145

150

155

gag atg atg gac ata gtc aaa gcc atc tat gac atg atg ggg aaa tac 592

Glu Met Met Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys Tyr

160

165

170

acc tat cct gtg ctc aaa gag gac act ccc agg cag cat gtg gat gtc 640

Thr Tyr Pro Val Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp Val

175

180

185

ttc ttc cag aaa atg gat aaa aat aaa gat ggc att gta acg tta gat 688

Phe Phe Gln Lys Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu Asp

190

195

200

6940049-0946

gaa ttt ctt gaa tca tgt cag gag gat gac aac atc atg aga tct cta 736
 Glu Phe Leu Glu Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser Leu
 205 210 215 220

cag ctg ttc caa aat gtc atg taactgagga cactggccat tctgctctca 787
 Gln Leu Phe Gln Asn Val Met
 225

gagacactga caaacacott aatgcctga tctgcccttg ttccaatttt acacaccaac 847
 tcttgggaca gaaatacctt ttacactttg gaagaattct ctgctgaaga ctttctacaa 907
 aacctggcac cacgtggctc tgtctctgag ggacgagcgg agatccgact ttgttttggga 967
 agcatgcca tctcttcatg ctgctgccct gtggaaggcc cctctgcttg agcttaatca 1027
 atagtgcaca gttttatgct tacacatata cccaactcac tgcctccaag tcaggcagac 1087
 tctgatgaat ctgagccaaa tgtgcacat cctccgatgg cctccaagc caatgtgcct 1147
 gcttctcttc ctctgggtggg aagaaagagt gttctacgga acaattagag cttaccatga 1207
 aaatattggg agaggcagca cctaacacat gtagaatagg actgaattat taagcatggg 1267
 gatatcagat gatgcaaatt gcccatgtca tttttttcaa aggtaggagc aatgattct 1327
 cccacactag cacctgtggt catagagcaa gtctcttaac atgccagaa ggggaaccac 1387
 tgtccagtgg totatccctc ctctccatcc cctgtcctaaa cccagcactg catgtccctc 1447
 caagaaggtc cagaatgcct gcgaaacgt gtacttttat accctgttct aatcaataaa 1507
 cagaactatt tcgtacaaaa aaaaaaaaaa aaa 1540

<210> 10
 <211> 227
 <212> PRT
 <213> Mus musculus

<400> 10
 Met Gly Ala Val Met Gly Thr Phe Ser Ser Leu Gln Thr Lys Gln Arg
 1 5 10 15
 Arg Pro Ser Lys Asp Ile Ala Trp Trp Tyr Tyr Gln Tyr Gln Arg Asp
 20 25 30
 Lys Ile Glu Asp Glu Leu Glu Met Thr Met Val Cys His Arg Pro Glu
 35 40 45
 Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe Thr Lys Arg Glu Leu
 50 55 60
 Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Val Val
 65 70 75 80
 Asn Glu Glu Thr Phe Lys Gln Ile Tyr Ala Gln Phe Phe Pro His Gly
 85 90 95

557260"2540460

Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn Ala Phe Asp Thr Thr
100 105 110

Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val Thr Ala Leu Ser Ile
115 120 125

Leu Leu Arg Gly Thr Val His Glu Lys Leu Arg Trp Thr Phe Asn Leu
130 135 140

Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys Glu Glu Met Met Asp
145 150 155 160

Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Val
165 170 175

Leu Lys Glu Asp Thr Pro Arg Gln His Val Asp Val Phe Phe Gln Lys
180 185 190

Met Asp Lys Asn Lys Asp Gly Ile Val Thr Leu Asp Glu Phe Leu Glu
195 200 205

Ser Cys Gln Glu Asp Asp Asn Ile Met Arg Ser Leu Gln Leu Phe Gln
210 215 220

Asn Val Met
225

<210> 11
<211> 955
<212> DNA
<213> Rattus sp.

<220>
<221> CDS
<222> (345)..(953)

<220>
<223> Xaa at position 92 of the corresponding amino acid
sequence may be any amino acid

<400> 11
gtccgggcac acaaccctg gattcttcgg agaatatgcc gtgacgggtgt tgccaattat 60
tagttctctt ggctagcaga tgtttagga ctgggtaagc ctttgagaa attaccttag 120
gaaaacgggg aaataaaagc aaagattacc atgaattgca agattaccta gcaattgcaa 180
ggtaggagga gagaggtgga gggcggagta gacaggagg agggagaaaag tgagaggaag 240
ctaggctggt ggaaataacc ctgcacttgg aacagcggca aagaagcgcg attttccagc 300
tttaaagtgc tgccgcggt ctgcttgctt acccggaac ggag atg ttg acc cag 356
Met Leu Thr Gln
1

ggc gag tct gaa ggg ctc cag acc ttg ggg ata gta gtg gtc ctg tgt 404
Gly Glu Ser Glu Gly Leu Gln Thr Leu Gly Ile Val Val Val Leu Cys
5 10 15 20

667259"25400460

tcc tct ctg aaa cta ctg cac tac ctc ggg ctg att gac ttg tcg gat 452
 Ser Ser Leu Lys Leu Leu His Tyr Leu Gly Leu Ile Asp Leu Ser Asp
 25 30 35
 gac aag atc gag gat gat ctg gag atg acc atg gtt tgc cat cgg cct 500
 Asp Lys Ile Glu Asp Asp Leu Glu Met Thr Met Val Cys His Arg Pro
 40 45 50
 gag gga ctg gag cag ctt gag gca cag acg aac ttc acc aag aga gaa 548
 Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe Thr Lys Arg Glu
 55 60 65
 ctg caa gtc ctt tac cgg gga ttc aaa aac gag tgc ccc agt ggt gtg 596
 Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Val
 70 75 80
 gtt aac gaa gag aca ttc aag cng atc tac gct cag ttt ttc cct cat 644
 Val Asn Glu Glu Thr Phe Lys Xaa Ile Tyr Ala Gln Phe Phe Pro His
 85 90 95 100
 gga gat gcc agc aca tac gca cat tac ctc ttc aat gcc ttc gac acc 692
 Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn Ala Phe Asp Thr
 105 110 115
 acc cag aca ggc tct gta aag ttc gag gac ttt gtg act gct ctg tcg 740
 Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val Thr Ala Leu Ser
 120 125 130
 att tta ctg aga gga acg gtc cat gaa aaa ctg aag tgg acg ttt aat 788
 Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Lys Trp Thr Phe Asn
 135 140 145
 ttg tac gac atc aat aaa gac ggc tac ata aac aaa gag gag atg atg 836
 Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys Glu Glu Met Met
 150 155 160
 gac ata gtg aaa gcc atc tat gac atg atg ggg aaa tac acc tat ctt 884
 Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Leu
 165 170 175 180
 gtg ctc aaa gag gac act tcc agg cag cac gtg gac gtc ttc ttc cag 932
 Val Leu Lys Glu Asp Thr Ser Arg Gln His Val Asp Val Phe Phe Gln
 185 190 195
 aaa atg gat aaa aat aaa gat gg 955
 Lys Met Asp Lys Asn Lys Asp
 200

<210> 12
 <211> 203
 <212> PRT
 <213> Rattus sp.

<400> 12
 Met Leu Thr Gln Gly Glu Ser Glu Gly Leu Gln Thr Leu Gly Ile Val
 1 5 10 15
 Val Val Leu Cys Ser Ser Leu Lys Leu Leu His Tyr Leu Gly Leu Ile
 20 25 30

094049.069

Asp Leu Ser Asp Asp Lys Ile Glu Asp Asp Leu Glu Met Thr Met Val
 35 40 45

Cys His Arg Pro Glu Gly Leu Glu Gln Leu Glu Ala Gln Thr Asn Phe
 50 55 60

Thr Lys Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys
 65 70 75 80

Pro Ser Gly Val Val Asn Glu Glu Thr Phe Lys Xaa Ile Tyr Ala Gln
 85 90 95

Phe Phe Pro His Gly Asp Ala Ser Thr Tyr Ala His Tyr Leu Phe Asn
 100 105 110

Ala Phe Asp Thr Thr Gln Thr Gly Ser Val Lys Phe Glu Asp Phe Val
 115 120 125

Thr Ala Leu Ser Ile Leu Leu Arg Gly Thr Val His Glu Lys Leu Lys
 130 135 140

Trp Thr Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Asn Lys
 145 150 155 160

Glu Glu Met Met Asp Ile Val Lys Ala Ile Tyr Asp Met Met Gly Lys
 165 170 175

Tyr Thr Tyr Leu Val Leu Lys Glu Asp Thr Ser Arg Gln His Val Asp
 180 185 190

Val Phe Phe Gln Lys Met Asp Lys Asn Lys Asp
 195 200

<210> 13

<211> 2009

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (207)..(1016)

<400> 13

ctcacctgct gcctagtgtt ccctctcttg ctccaggacc tccgggtaga cctcagaccc 60

cgggccatt cccagactca gcctcagccc ggacttcccc agccccgaca gcacagtagg 120

ccgccagggg ggcgcgtgtg agcgccctat cccggccacc cggcgcccc tcccacggcc 180

cgggcggggag cggggcgcgc gggggc atg cgg ggc cag ggc cgc aag gag agt 231
 Met Arg Gly Gln Gly Arg Lys Glu Ser
 1 5

ttg tcc gat tcc cga gac ctg gac ggc tcc tac gac cag ctc acg ggc 281
 Leu Ser Asp Ser Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Gly
 10 15 20 25

667250"25400460

cac cct cca ggg ccc act aaa aaa gcg ctg aag cag cga ttc ctc aag 329
 His Pro Pro Gly Pro Thr Lys Lys Ala Leu Lys Gln Arg Phe Leu Lys
 30 35 40

ctg ctg ccg tgc tgc ggg ccc caa gcc ctg ccc tca gtc agt gaa aca 377
 Leu Leu Pro Cys Cys Gly Pro Gln Ala Leu Pro Ser Val Ser Glu Thr
 45 50 55

tta gcc gcc cca gcc tcc ctc cgc ccc cac aga ccc cgc ctg ctg gac 425
 Leu Ala Ala Pro Ala Ser Leu Arg Pro His Arg Pro Arg Leu Leu Asp
 60 65 70

cca gac agc gtg gac gat gaa ttt gaa ttg tcc acc gtg tgt cac cgg 473
 Pro Asp Ser Val Asp Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg
 75 80 85

cct gag ggt ctg gag cag ctg cag gag caa acc aaa ttc acg cgc aag 521
 Pro Glu Gly Leu Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Lys
 90 95 100 105

gag ttg cag gtc ctg tac cgg ggc ttc aag aac gaa tgt ccc agc gga 569
 Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly
 110 115 120

att gtc aat gag gag aac ttc aag cag att tac tcc cag ttc ttt cct 617
 Ile Val Asn Glu Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro
 125 130 135

caa gga gac tcc agc acc tat gcc act ttt ctc ttc aat gcc ttt gac 665
 Gln Gly Asp Ser Ser Thr Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp
 140 145 150

acc aac cat gat ggc tcg gtc agt ttt gag gac ttt gtg gct ggt ttg 713
 Thr Asn His Asp Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu
 155 160 165

tcc gtg att ctt cgg gga act gta gat gac agg ctt aat tgg gcc ttc 761
 Ser Val Ile Leu Arg Gly Thr Val Asp Asp Arg Leu Asn Trp Ala Phe
 170 175 180 185

aac ctg tat gac ctt aac aag gac ggc tgc atc acc aag gag gaa atg 809
 Asn Leu Tyr Asp Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met
 190 195 200

ctt gac atc atg aag tcc atc tat gac atg atg ggc aag tac acg tac 857
 Leu Asp Ile Met Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr
 205 210 215

cct gca ctc cgg gag gag gcc cca agg gaa cac gtg gag agc ttc ttc 905
 Pro Ala Leu Arg Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe
 220 225 230

cag aag atg gac aga aac aag gat ggt gtg gtg acc att gag gaa ttc 953
 Gln Lys Met Asp Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe
 235 240 245

att gag tct tgt caa aag gat gag aac atc atg agg tcc atg cag ctc 1001
 Ile Glu Ser Cys Gln Lys Asp Glu Asn Ile Met Arg Ser Met Gln Leu
 250 255 260 265

054049 "35400450
 054049 "35400450

ttt gac aat gtc atc tagcccccag gagaggggggt cagtgtttcc tgggggggacc 1056
 Phe Asp Asn Val Ile
 . 270

atgctctaac cctagtccag gcggacctca cccttctctt cccaggtcta tctcatcct 1116
 acgcctccct gggggctgga gggatccaag agcttgggga ttcagtagtc cagatctctg 1176
 gagctgaagg ggccagagag tgggcagagt gcatctcggg ggtgttccc aactcccacc 1236
 agctctcacc cccttctctg ctgacaccca gtgttgagag tgcccctcct gtaggaattg 1296
 agcggttccc cacctcctac cctactctag aaacacacta gagcgatgtc tctgctatg 1356
 gtgcttcccc catccctgac ctcataaaca tttcccctaa gactcccctc tcagagagaa 1416
 tgctccattc ttggcactgg ctggcttctc agaccagcca ttgagagccc tgtgggaggg 1476
 ggacaagaat gtataggag aaatcttggg cctgagtcaa tggataggtc ctaggaggtg 1536
 ggtgggggtg agaatagaag ggcttgaca gattatgatt gctcaggcat accaggttat 1596
 agctccaagt tccacaggtc tgctaccaca ggccatcaaa atataagttt ccaggctttg 1656
 cagaagacct tgtctcctta gaaatgccgc agaaattttc cacaccctcc tcggtatcca 1716
 tggagagcct gggggcagat atctggctca tctctggcat tgcttctct ccttccctcc 1776
 tgcattgtgtt ggtggtggtt gtggtggggg aatgtggatg ggggatgtcc tggctgatgc 1836
 ctgccaaaat ttcattccac cctccttgct tatcgtccct gttttgaggg ctatgacttg 1896
 agtttttgtt tcccatgttc tctatagact tgggaccttc ctgaacttgg ggccatcac 1956
 tccccacagt ggatgcctta gaaggagag ggaaggagg aggcaggcat agc 2009

<210> 14
 <211> 270
 <212> PRT
 <213> Homo sapiens

<400> 14
 Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Asp Ser Arg Asp Leu
 1 5 10 15
 Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly Pro Thr Lys
 20 25 30
 Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys Cys Gly Pro
 35 40 45
 Gln Ala Leu Pro Ser Val Ser Glu Thr Leu Ala Ala Pro Ala Ser Leu
 50 55 60
 Arg Pro His Arg Pro Arg Leu Leu Asp Pro Asp Ser Val Asp Asp Glu
 65 70 75 80
 Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu
 85 90 95

0940049.0949

Gln Glu Gln Thr Lys Phe Thr Arg Lys Glu Leu Gln Val Leu Tyr Arg
 100 105 110
 Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe
 115 120 125
 Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Thr Tyr
 130 135 140
 Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val
 145 150 155 160
 Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr
 165 170 175
 Val Asp Asp Arg Leu Asn Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys
 180 185 190
 Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile
 195 200 205
 Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala
 210 215 220
 Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys
 225 230 235 240
 Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Lys Asp
 245 250 255
 Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
 260 265 270

<210> 15
 <211> 1247
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (2)..(772)

<400> 15
 c cga gat ctg gac ggc tcc tat gac cag ctt acg ggc cac cct cca ggg 49
 Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly
 1 5 10 15
 ccc agt aaa aaa gcc ctg aag cag cgt ttc ctc aag ctg ctg ccg tgc 97
 Pro Ser Lys Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys
 20 25 30
 tgc ggg ccc caa gcc ctg ccc tca gtc agt gaa aca tta gct gcc cca 145
 Cys Gly Pro Gln Ala Leu Pro Ser Val Ser Glu Thr Leu Ala Ala Pro
 35 40 45
 gcc tcc ctc cgc ccc cac aga ccc cgc ccg ctg gac cca gac agc gta 193
 Ala Ser Leu Arg Pro His Arg Pro Arg Pro Leu Asp Pro Asp Ser Val
 50 55 60

557250"25400450

gag gat gag ttt gaa tta tcc acg gtg tgt cac cga cct gag ggc ctg 241
 Glu Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu
 65 70 75 80

gaa caa ctc cag gaa cag acc aag ttc aca cgc aga gag ctg cag gtc 289
 Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val
 85 90 95

ctg tac cga ggc ttc aag aac gaa tgc ccc agt ggg att gtc aac gag 337
 Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu
 100 105 110

gag aac ttc aag cag att tat tct cag ttc ttt ccc caa gga gac tcc 385
 Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser
 115 120 125

agc aac tat gct act ttt ctc ttc aat gcc ttt gac acc aac cac gat 433
 Ser Asn Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp
 130 135 140

ggc tct gtc agt ttt gag gac ttt gtg gct ggt ttg tcg gtg att ctt 481
 Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu
 145 150 155 160

cgg ggg acc ata gat gat aga ctg agc tgg gct ttc aac tta tat gac 529
 Arg Gly Thr Ile Asp Asp Arg Leu Ser Trp Ala Phe Asn Leu Tyr Asp
 165 170 175

ctc aac aag gac ggc tgt atc aca aag gag gaa atg ctt gac att atg 577
 Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met
 180 185 190

aag tcc atc tat gac atg atg ggc aag tac aca tac cct gcc ctc cgg 625
 Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg
 195 200 205

gag gag gcc cca aga gaa cac gtg gag agc ttc ttc cag aag atg gac 673
 Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys Met Asp
 210 215 220

agg aac aag gac ggc gtg gtg acc atc gag gaa ttc atc gag tct tgt 721
 Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys
 225 230 235 240

caa cag gac gag aac atc atg agg tcc atg cag ctc ttt gat aat gtc 769
 Gln Gln Asp Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val
 245 250 255

atc tagctcccca gggagagggg ttagtgtgtc ctagggtgac caggctgtag 822
 Ile

tcctagtcca gacgaacctt accctctctc tccaggcctg tcctcatctt acctgtacct 882

tgggggctgt agggattcaa tatcctgggg cttagtagt ccagatccct gagctaagtc 942

acaaaagtag gcaagagtag gcaagctaaa tctgggggct tcccaacccc cgacagctct 1002

caccctctct caactgatac ctagtgtctga ggacaccct ggtgtaggga ccaagtgggt 1062

ctccaccttc tagtccact ctagaaacca cattagacag aaggtctcct gctatggtgc 1122

0040049 25400460
 554259" 25400460

tttccccatc cctaattctct tagattttcc tcaagactcc cttctcagag aacacgctct 1182
 gtccatgtcc ccagctgggg acatggacag agcgtgttct ctagttctag atcgcgagcg 1242
 gccgc 1247

<210> 16
 <211> 257
 <212> PRT
 <213> Rattus sp.

<400> 16
 Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly
 1 5 10 15
 Pro Ser Lys Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys
 20 25 30
 Cys Gly Pro Gln Ala Leu Pro Ser Val Ser Glu Thr Leu Ala Ala Pro
 35 40 45
 Ala Ser Leu Arg Pro His Arg Pro Arg Pro Leu Asp Pro Asp Ser Val
 50 55 60
 Glu Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu
 65 70 75 80
 Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val
 85 90 95
 Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu
 100 105 110
 Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser
 115 120 125
 Ser Asn Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp
 130 135 140
 Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu
 145 150 155 160
 Arg Gly Thr Ile Asp Asp Arg Leu Ser Trp Ala Phe Asn Leu Tyr Asp
 165 170 175
 Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met
 180 185 190
 Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg
 195 200 205
 Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys Met Asp
 210 215 220
 Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys
 225 230 235 240
 Gln Gln Asp Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val
 245 250 255

627260"25400450

Ile

<210> 17

<211> 2343

<212> DNA

<213> *Mus musculus*

<220>

<221> CDS

<222> (181)..(990)

<400> 17

cgggactctg aggtgggccc taaaatccag cgctccccag agaaaagcct tgccagcccc 60

tactcccggc cccagcccc agcaggctgc tgcgcccga gggggcactg tgtgagcgcc 120

ctatcctggc caccgggcg cccctccac ggcccaggcg ggagcggggc gccggggggc 180

atg cgg ggc caa ggc cga aag gag agt ttg tcc gaa tcc cga gat ttg 228

Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Glu Ser Arg Asp Leu

1

5

10

15

gac ggc tcc tat gac cag ctt acg ggc cac cct cca ggg ccc agt aaa 276

Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly Pro Ser Lys

20

25

30

aaa gcc ctg aag cag cgt ttc ctc aag ctg ctg ccg tgc tgc ggg ccc 324

Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys Cys Gly Pro

35

40

45

caa gcc ctg ccc tca gtc agt gaa aca tta gct gcc cca gcc tcc ctc 372

Gln Ala Leu Pro Ser Val Ser Glu Thr Leu Ala Ala Pro Ala Ser Leu

50

55

60

cgc ccc cac aga ccc cgc ccg ctg gac cca gac agc gtg gag gat gag 420

Arg Pro His Arg Pro Arg Pro Leu Asp Pro Asp Ser Val Glu Asp Glu

65

70

75

80

ttt gaa cta tcc acg gtg tgc cac cgg cct gag ggt ctg gaa caa ctc 468

Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu

85

90

95

cag gaa caa acc aag ttc aca cgc aga gag ttg cag gtc ctg tac aga 516

Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val Leu Tyr Arg

100

105

110

ggc ttc aag aac gaa tgt ccc agc gga att gtc aac gag gag aac ttc 564

Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe

115

120

125

aag caa att tat tct cag ttc ttt ccc caa gga gac tcc agc aac tac 612

Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Asn Tyr

130

135

140

gct act ttt ctc ttc aat gcc ttt gac acc aac cat gat ggc tct gtc 660

Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val

145

150

155

160

0940049.09249

agt ttt gag gac ttt gtg gct ggt ttg tca gtg att ctt cgg gga acc 708
 Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr
 165 170 175

ata gat gat aga ctg aac tgg gct ttc aac tta tat gac ctc aac aag 756
 Ile Asp Asp Arg Leu Asn Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys
 180 185 190

gat ggc tgt atc acg aag gag gaa atg ctc gac atc atg aag tcc atc 804
 Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile
 195 200 205

tat gac atg atg ggc aag tac acc tac cct gcc ctc cgg gag gag gcc 852
 Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala
 210 215 220

ccg agg gaa cac gtg gag agc ttc ttc cag aag atg gac aga aac aag 900
 Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys
 225 230 235 240

gac ggc gtg gtg acc att gag gaa ttc att gag tct tgt caa cag gac 948
 Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Gln Asp
 245 250 255

gag aac atc atg agg tcc atg caa ctc ttt gat aat gtc atc 990
 Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
 260 265 270

tagctcccca gggagagggg ttagtgtgtc ccagggtaac catgctgtag ccctagtcca 1050
 ggcaaacctta accctcctct ccccggtct gtcctcatcc tacctgtacc ctgggggctg 1110
 tagggattca acatcctggc gcttcagtag tccagatccc tgagctaagt ggcgagagta 1170
 ggcaagctaa gtctttggag ggtgggtggg ggcgcgaga ttcccaaccc ccgacgactc 1230
 tcaccccttt ctgactgat acccagtgt gaggtaccc ctggtgtcgg gaacgaccaa 1290
 agtggttctc tgccctccca gccactcta gagaccaca ctagacgga atatctcctg 1350
 ctatggtgtt tccccatcc ctgaccgag attttcctcc taagactccc ttctcagaga 1410
 atatgctttt gtcccttgtc cctggctggc ttttcagcct agcctttgag gaccctgtgg 1470
 gaggggagaa taagaaagca gacaaaatct tggccctgag ccagtgggta ggtcctagga 1530
 atcaggctgg agtgagagacc agaaagcctg ggcaggctat gagagcccca ggttggttg 1590
 tcacogccag gttccacagg gctgctgtc tgggtcagca gagtatgagt ttccagactt 1650
 tocagaaggc ottatgtcct tagcaatgtc ccagaaattc accatacact tctcagtgtc 1710
 ttaggatcca gatgtcggg ccatccctga aacctctccc tctccttgcc tctatgggtg 1770
 ggagtgggtg ccaggggacg atgagtgagc cgggtgtcctg gatgatgcct gtcaaggctc 1830
 cacctaccct ccggtgtga agccgttctg gtgaccctgt ttgattctcc atgaccctg 1890
 tctagatgta gaggtgtgga gtgagtctag tggcagcctt aggggaatgg gaagaacgag 1950
 aggggcactc catctgaacc cagtgtgggg gcatccattc gaatctttgc ctgggtcccc 2010

00400492.09249
 00400492.09249

acaatgccct aggtatcctct aggggtcccca cccccactct ttagtctacc cagagatgct 2070
 ccagagctca cctagagggc agggaccata ggatccaggt ccaacctgtc atcagcatcc 2130
 ggccatgctg ctgctgctta ttaataaacc tgcttgtcgt tcagcgcccc ttcccagtca 2190
 gccagggctct gaggggaagg cccccacttt cccgcctcct gtcagacatt gttgactgct 2250
 ttgcattttg ggctcttcta cctatatattt gtataataag aaagacacca gatccaataa 2310
 aacacatggc tatgcacaaa aaaaaaaaaa aaa 2343

<210> 18

<211> 270

<212> PRT

<213> Mus musculus

<400> 18

Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Glu Ser Arg Asp Leu
 1 5 10 15

Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly Pro Ser Lys
 20 25 30

Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys Cys Gly Pro
 35 40 45

Gln Ala Leu Pro Ser Val Ser Glu Thr Leu Ala Ala Pro Ala Ser Leu
 50 55 60

Arg Pro His Arg Pro Arg Pro Leu Asp Pro Asp Ser Val Glu Asp Glu
 65 70 75 80

Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu
 85 90 95

Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val Leu Tyr Arg
 100 105 110

Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe
 115 120 125

Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Asn Tyr
 130 135 140

Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val
 145 150 155 160

Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr
 165 170 175

Ile Asp Asp Arg Leu Asn Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys
 180 185 190

Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile
 195 200 205

Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala
 210 215 220

0340049" 26400460

Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys
225 230 235 240

Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Gln Asp
245 250 255

Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
260 265 270

<210> 19

<211> 1955

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (207)..(962)

<400> 19

ctcacctgct gcctagtgtt ccctctcctg ctccaggacc tccgggtaga cctcagaccc 60

cgggcccatt cccagactca gcctcagccc ggacttcccc agccccgaca gcacagtagg 120

ccgccagggg ggcgcgtgtg agcgccctat cccggccacc cgggcggccc tcccacggcc 180

cgggcggggag cgggggcgccg gggggc atg cgg ggc cag ggc cgc aag gag agt 233
Met Arg Gly Gln Gly Arg Lys Glu Ser
1 5

ttg tcc gat tcc cga gac ctg gac ggc tcc tac gac cag ctc acg ggc 281
Leu Ser Asp Ser Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Gly
10 15 20 25

cac cct cca ggg ccc act aaa aaa gcg ctg aag cag cga ttc ctc aag 329
His Pro Pro Gly Pro Thr Lys Lys Ala Leu Lys Gln Arg Phe Leu Lys
30 35 40

ctg ctg ccg tgc tgc ggg ccc caa gcc ctg ccc tca gtc agt gaa aac 377
Leu Leu Pro Cys Cys Gly Pro Gln Ala Leu Pro Ser Val Ser Glu Asn
45 50 55

agc gtg gac gat gaa ttt gaa ttg tcc acc gtg tgt cac cgg cct gag 425
Ser Val Asp Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu
60 65 70

ggt ctg gag cag ctg cag gag caa acc aaa ttc acg cgc aag gag ttg 473
Gly Leu Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Lys Glu Leu
75 80 85

cag gtc ctg tac cgg ggc ttc aag aac gaa tgt ccc agc gga att gtc 521
Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val
90 95 100 105

aat gag gag aac ttc aag cag att tac tcc cag ttc ttt cct caa gga 569
Asn Glu Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly
110 115 120

55T269"26400460

gac tcc agc acc tat gcc act ttt ctc ttc aat gcc ttt gac acc aac 617
 Asp Ser Ser Thr Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn
 125 130 135

cat gat ggc tcg gtc agt ttt gag gac ttt gtg gct ggt ttg tcc gtg 665
 His Asp Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val
 140 145 150

att ctt cgg gga act gta gat gac agg ctt aat tgg gcc ttc aac ctg 713
 Ile Leu Arg Gly Thr Val Asp Asp Arg Leu Asn Trp Ala Phe Asn Leu
 155 160 165

tat gac ctt aac aag gac ggc tgc atc acc aag gag gaa atg ctt gac 761
 Tyr Asp Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp
 170 175 180 185

atc atg aag tcc atc tat gac atg atg ggc aag tac acg tac cct gca 809
 Ile Met Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala
 190 195 200

ctc cgg gag gag gcc cca agg gaa cac gtg gag agc ttc ttc cag aag 857
 Leu Arg Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys
 205 210 215

atg gac aga aac aag gat ggt gtg gtg acc att gag gaa ttc att gag 905
 Met Asp Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu
 220 225 230

tct tgt caa aag gat gag aac atc atg agg tcc atg cag ctc ttt gac 953
 Ser Cys Gln Lys Asp Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp
 235 240 245

aat gtc atc tagccccag gagagggggt cagtgtttcc tggggggacc 1002
 Asn Val Ile
 250

atgctctaac cctagtccag gcggacctca cccttctctt cccaggtcta tcctcatcct 1062

acgcctccct gggggctgga gggatccaag agcttgggga ttcagtagtc cagatctctg 1122

gagctgaagg ggccagagag tgggcagagt gcatctcggg ggggtgttccc aactcccacc 1182

agctctcacc cccttctctg ctgacaccca gtgttgagag tgccccctct gtaggaattg 1242

agcgggttccc cacctctctac cctactctag aaacacacta gagcgatgtc tctgtctatg 1302

gtgcttcccc catccctgac ctcataaaca tttcccctaa gactcccctc tcagagagaa 1362

tgctccattc ttggcactgg ctggcttctc agaccagcca ttgagagccc tgtgggaggg 1422

ggacaagaat gtataggag aaatcttggg cctgagtcaa tggataggtc ctaggaggtg 1482

ggtgggggtg agaatagaag ggccctggaca gattatgatt gctcaggcat accaggttat 1542

agctccaagt tccacaggtc tgctaccaca ggccatcaaa atataagttt ccaggctttg 1602

cagaagacct tgtctcctta gaaatgcccc agaaattttc cacaccctcc tcggtatcca 1662

tggagagcct ggggccagat atctggctca tctctggcat tgcttctct ccttccttcc 1722

0540049 054
 0540049 054

tgcattgtgtt ggtggtggtt gtggtggggg aatgtggatg ggggatgtcc tggtgatgc 1782
 ctgccaaaat ttcattccac cctccttgct tatcgtccct gttttgaggg ctatgacttg 1842
 agtttttgtt tcccatgttc tctatagact tgggaccttc ctgaacttgg ggcctatcac 1902
 tccccacagt ggatgcctta gaaggagag ggaaggaggg aggcaggcat agc 1955

<210> 20

<211> 252

<212> PRT

<213> Homo sapiens

<400> 20

Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Asp Ser Arg Asp Leu
 1 5 10 15
 Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly Pro Thr Lys
 20 25 30
 Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys Cys Gly Pro
 35 40 45
 Gln Ala Leu Pro Ser Val Ser Glu Asn Ser Val Asp Asp Glu Phe Glu
 50 55 60
 Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu Gln Glu
 65 70 75 80
 Gln Thr Lys Phe Thr Arg Lys Glu Leu Gln Val Leu Tyr Arg Gly Phe
 85 90 95
 Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe Lys Gln
 100 105 110
 Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Thr Tyr Ala Thr
 115 120 125
 Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val Ser Phe
 130 135 140
 Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr Val Asp
 145 150 155 160
 Asp Arg Leu Asn Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys Asp Gly
 165 170 175
 Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile Tyr Asp
 180 185 190
 Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala Pro Arg
 195 200 205
 Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys Asp Gly
 210 215 220
 Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Lys Asp Glu Asn
 225 230 235 240

09400492 0949
 05T260 25400460

Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
245 250

```
<210> 21
<211> 2300
<212> DNA
<213> Rattus sp.
```

```
<220>
<221> CDS
<222> (214) .. (969)
```

<400> 21																	
ctcacttgct	gccaaggt	cctgctcctg	cccaggact	ctgaggtggg	ccctaaaacc	60											
cagcgctctc	taaagaaaag	ccttgccagc	cctactccc	ggcccccaac	cccagcaggt	120											
cgctgcgcgcg	ccagggggcg	ctgtgtgagc	gccctattct	ggccaccgcg	cgccccctcc	180											
cacggcccag gcgggagcgg ggcgcggggg gcc atg cgg ggc caa ggc aga aag						234											
							Met	Arg	Gly	Gln	Gly	Arg	Lys				
							1						5				
gag agt ttg tcc gaa tcc cga gat ctg gac ggc tcc tat gac cag ctt											282						
Glu Ser Leu Ser Glu Ser Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu																	
						10						15					
acg ggc cac cct cca ggg ccc agt aaa aaa gcc ctg aag cag cgt ttc											330						
Thr Gly His Pro Pro Gly Pro Ser Lys Lys Ala Leu Lys Gln Arg Phe																	
						25						30					
ctc aag ctg ctg ccg tgc tgc ggg ccc caa gcc ctg ccc tca gtc agt											378						
Leu Lys Leu Leu Pro Cys Cys Gly Pro Gln Ala Leu Pro Ser Val Ser																	
						40						45					
gaa aac agc gta gag gat gag ttt gaa tta tcc acg gtg tgt cac cga											426						
Glu Asn Ser Val Glu Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg																	
						60						65					
cct gag ggc ctg gaa caa ctc cag gaa cag acc aag ttc aca cgc aga											474						
Pro Glu Gly Leu Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Arg																	
						75						80					
gag ctg cag gtc ctg tac cga ggc ttc aag aac gaa tgc ccc agt ggg											522						
Glu Leu Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly																	
						90						95					
att gtc aac gag gag aac ttc aag cag att tat tct cag ttc ttt ccc											570						
Ile Val Asn Glu Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro																	
						105						110					
caa gga gac tcc agc aac tat gct act ttt ctc ttc aat gcc ttt gac											618						
Gln Gly Asp Ser Ser Asn Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp																	
						120						125					
acc aac cac gat ggc tct gtc agt ttt gag gac ttt gtg gct ggt ttg											666						
Thr Asn His Asp Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu																	
						140						145					

tcg gtg att ctt cgg ggg acc ata gat gat aga ctg agc tgg gct ttc 714
 Ser Val Ile Leu Arg Gly Thr Ile Asp Asp Arg Leu Ser Trp Ala Phe
 155 160 165

aac tta tat gac ctc aac aag gac ggc tgt atc aca aag gag gaa atg 762
 Asn Leu Tyr Asp Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met
 170 175 180

ctt gac att atg aag tcc atc tat gac atg atg ggc aag tac aca tac 810
 Leu Asp Ile Met Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr
 185 190 195

cct gcc ctc cgg gag gag gcc cca aga gaa cac gtg gag agc ttc ttc 858
 Pro Ala Leu Arg Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe
 200 205 210 215

cag aag atg gac agg aac aag gac ggc gtg gtg acc atc gag gaa ttc 906
 Gln Lys Met Asp Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe
 220 225 230

atc gag tct tgt caa cag gac gag aac atc atg agg tcc atg cag ctc 954
 Ile Glu Ser Cys Gln Gln Asp Glu Asn Ile Met Arg Ser Met Gln Leu
 235 240 245

ttt gat aat gtc atc tagctcccca gggagagggg ttagtgtgtc ctagggtgac 1009
 Phe Asp Asn Val Ile
 250

caggctgtag tccatgtcca gacgaaccta accctctctc tccaggcctg tctcatctt 1069

acctgtacct tgggggctgt agggattcaa tctctgggg cttcagtagt ccagatccct 1129

gagctaagtc acaaaagtag gcaagagtag gcaagctaaa tctgggggct tcccaacccc 1189

cgacagctct cacccttct caactgatac ctagtgtgta ggacaccctt ggtgtaggga 1249

ccaagtgggt ctccaccttc tagtccact ctagaaacca cattagacag aaggtctcct 1309

gctatgggtgc tttcccatc cctaattctct tagattttcc tcaagactcc cttctcagag 1369

aacacgctct gtccatgtcc ccagctgggt tctcagccta gcctttgagg gccctgtggg 1429

gaggcgggga caagaaagca gaaaagtctt ggccccgagc cagtgggttag gtccataggaa 1489

ttggctggag tggaggccag aaagcctggg cagatgatga gagcccagct gggctgtcac 1549

tgcaggttcc ggggcctaca gccctgggtc agcagagtat gagttccag actttccaga 1609

aggtccttag caatgtcca gaaattcacc gtacacttct cagtgtctta ggagggcccg 1669

ggatccagat gtctggttca tccctgaatc ctctccctcc ttcttgctcg tatgggtggga 1729

gtgggtggcca ggggaagatg agtgggtgtcc cggatgatgc ctgtcaaggt cccacctccc 1789

ctccggtgt totcatgaca gctgtttgggt tctccatgac ccctatctag atgtagaggc 1849

atggagttag tcagggattt cccgaacttg agttttacca ctctcctag tggctgcctt 1909

aggggaatgg gaagaaccca gtgtgggggc acccattaga atctttgccc ggctcctcac 1969

05400450
 25400450
 25400450

aatgccctag ggtcccctag ggtaccgcgt cctctgttt agtctacca gagatgctcc 2029
 tgagctcacc tagagggtag ggacggtagg ctccaggtcc aacctctcca ggtcagcacc 2089
 ctgccatgct gctgctctctc attaacaacac ctgcttgtct cctcctgcgc ccttctcag 2149
 tcagccaggg tctgagggga agggcctccc gtttcccat ccgtcagaca tggttgactg 2209
 ctttgcattht tgggtctctt tatctattht gtaaaataag acatcagatc caataaaaca 2269
 cacggctatg cacaaaaaaa aaaaaaaaaa a 2300

<210> 22
 <211> 252
 <212> PRT
 <213> Rattus sp.

<400> 22

Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Glu Ser Arg Asp Leu
 1 5 10 15
 Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly Pro Ser Lys
 20 25 30
 Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys Cys Gly Pro
 35 40 45
 Gln Ala Leu Pro Ser Val Ser Glu Asn Ser Val Glu Asp Glu Phe Glu
 50 55 60
 Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu Gln Glu
 65 70 75 80
 Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe
 85 90 95
 Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe Lys Gln
 100 105 110
 Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Asn Tyr Ala Thr
 115 120 125
 Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val Ser Phe
 130 135 140
 Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr Ile Asp
 145 150 155 160
 Asp Arg Leu Ser Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys Asp Gly
 165 170 175
 Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile Tyr Asp
 180 185 190
 Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala Pro Arg
 195 200 205
 Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys Asp Gly
 210 215 220

0640049.05400460

Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Gln Asp Glu Asn
225 230 235 240

Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
245 250

<210> 23
<211> 1859
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (207)..(866)

<400> 23
ctcacctgct gcctagtgtt ccctctctctg ctccaggacc tccgggtaga cctcagaccc 60
cgggcccatt ccagactca gcctcagccc ggacttcccc agccccgaca gcacagtagg 120
ccgccagggg ggcgcgtgtg agcgccctat cccggccacc cggcgccccc tcccacggcc 180
cgggcggggag cggggcgccg gggggcc atg cgg ggc cag ggc cgc aag gag agt 233
Met Arg Gly Gln Gly Arg Lys Glu Ser
1 5
ttg tcc gat tcc cga gac ctg gac ggc tcc tac gac cag ctc acg gac 281
Leu Ser Asp Ser Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Asp
10 15 20 25
agc gtg gac gat gaa ttt gaa ttg tcc acc gtg tgt cac cgg cct gag 329
Ser Val Asp Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu
30 35 40
ggt ctg gag cag ctg cag gag caa acc aaa ttc acg cgc aag gag ttg 377
Gly Leu Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Lys Glu Leu
45 50 55
cag gtc ctg tac cgg ggc ttc aag aac gaa tgt ccc agc gga att gtc 425
Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val
60 65 70
aat gag gag aac ttc aag cag att tac tcc cag ttc ttt cct caa gga 473
Asn Glu Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly
75 80 85
gac tcc agc acc tat gcc act ttt ctc ttc aat gcc ttt gac acc aac 521
Asp Ser Ser Thr Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn
90 95 100 105
cat gat ggc tcg gtc agt ttt gag gac ttt gtg gct ggt ttg tcc gtg 569
His Asp Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val
110 115 120
att ctt cgg gga act gta gat gac agg ctt aat tgg gcc ttc aac ctg 617
Ile Leu Arg Gly Thr Val Asp Asp Arg Leu Asn Trp Ala Phe Asn Leu
125 130 135

65T269"25400460

tccccacagt ggatgcctta gaagggagag ggaaggaggg aggcaggcat agc 1859

[illegible]

<210> 24
 <211> 220
 <212> PRT
 <213> Homo sapiens

<400> 24

```

Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Asp Ser Arg Asp Leu
 1           5           10           15

Asp Gly Ser Tyr Asp Gln Leu Thr Asp Ser Val Asp Asp Glu Phe Glu
           20           25           30

Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu Gln Glu
           35           40           45

Gln Thr Lys Phe Thr Arg Lys Glu Leu Gln Val Leu Tyr Arg Gly Phe
           50           55           60

Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe Lys Gln
           65           70           75           80

Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Thr Tyr Ala Thr
           85           90           95

Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val Ser Phe
           100          105          110

Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr Val Asp
           115          120          125

Asp Arg Leu Asn Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys Asp Gly
           130          135          140

Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile Tyr Asp
           145          150          155          160

Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala Pro Arg
           165          170          175

Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys Asp Gly
           180          185          190

Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Lys Asp Glu Asn
           195          200          205

Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
           210          215          220

```

<210> 25
 <211> 2191
 <212> DNA
 <213> Simian sp.

<220>
 <221> CDS
 <222> (133)..(792)

<400> 25

0040049 00460

cccacgcgctc cgccacgcg tccgggaag cgtggggtgc actaggccgc cagggggcgc 60
 cgtgtgagcg ccctatcccg gccacccggc gcccctccc acggaccggg cgggagcggg 120
 gcgcccggggg cc atg cgg ggc cag ggc cgc aag gag agt ttg tcc gat tcc 171
 Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Asp Ser
 1 5 10
 cga gac ctg gac gga tcc tac gac cag ctc acg gac agc gtg gag gat 219
 Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Asp Ser Val Glu Asp
 15 20 25
 gaa ttt gaa ttg tcc acc gtg tgt cac cgg cct gag ggt ctg gag cag 267
 Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln
 30 35 40 45
 ctg cag gag caa acc aaa ttc acg cgc aag gag ttg cag gtc ctg tac 315
 Leu Gln Glu Gln Thr Lys Phe Thr Arg Lys Glu Leu Gln Val Leu Tyr
 50 55 60
 cgg ggc ttc aag aac gaa tgt ccg agc gga att gtc aat gag gag aac 363
 Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn
 65 70 75
 ttc aag caa att tac tcc cag ttc ttt cct caa gga gac tcc agc acc 411
 Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Thr
 80 85 90
 tat gcc act ttt ctc ttc aat gcc ttt gac acc aac cat gat ggc tcg 459
 Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser
 95 100 105
 gtc agt ttt gag gac ttt gtg gct ggt ttg tcc gtg att ctt cgg gga 507
 Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly
 110 115 120 125
 act gta gat gac agg ctt aat tgg gcc ttc aac ttg tat gac ctc aac 555
 Thr Val Asp Asp Arg Leu Asn Trp Ala Phe Asn Leu Tyr Asp Leu Asn
 130 135 140
 aag gac ggc tgc atc acc aag gag gaa atg ctt gac atc atg aag tcc 603
 Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser
 145 150 155
 atc tat gac atg atg ggc aag tac aca tac cct gca ctc cgg gag gag 651
 Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu
 160 165 170
 gcc cca agg gaa cat gtg gag aac ttc ttc cag aag atg gac aga aac 699
 Ala Pro Arg Glu His Val Glu Asn Phe Phe Gln Lys Met Asp Arg Asn
 175 180 185
 aag gat ggc gtg gtg acc att gag gaa ttc att gag tct tgt caa aag 747
 Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Lys
 190 195 200 205
 gat gag aac atc atg agg tcc atg cag ctc ttt gac aat gtc atc 792
 Asp Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
 210 215 220

040040
 25400460
 657350

tagccccag gagagggggt cagtgtttcc tggggggacc atgctctaac cctagtccag 852
 gtggacctca cccttctctt ccaggtcta tccttgctct aggcctccct gggggctgga 912
 gggatccaag agcttgggga ttcagtagtc cagatctctg gagctgaagg ggccagagag 972
 tgggcagagt gcactctggg ggggtgttccc aactcccacc agctttcacc cgcttcctgc 1032
 ctgacaccca gtgttgagag tgccctcctt gtaggaactg agtggttccc cacctcctac 1092
 cccactcta gaaacacact agacagatgt ctctgctat ggtgcttccc ccctccctga 1152
 cttcataaac atttccocta aaactccctt ctgagagaga atgctccatt cttggcactg 1212
 gctggcttct cagaccagcc tttgagagcc ctgtgggagg gggacaagaa tgtatagggg 1272
 agaaatcttg ggctgagtc aatggatagg tcctaggagg tggctggggt tgagaataga 1332
 aaggcctgga cacaatgtga ttgctcaggc ataccaagtt atagctcaa gttccacagg 1392
 tctgctacca caggccatca aaatataagt ttccaggctt tgcagaagac cttgtctcct 1452
 tggaaatgcc ccagatattt tccataccct cctcgatata catggagagc ctggggctag 1512
 atatctggca tatccctggc attgcttctt ctcttctctt cctgcatgtg ttggtggtgg 1572
 ttgtggcagg ggaatgtgga taggagatgt cctggcagat gcctgcaaaa gtttcatccc 1632
 accctccctg ctcatogccc ctgttttgag ggctgtgact tgagtttttg tttcccatgt 1692
 tctctataga cttgggacct tctgaactt ggggcctatc actccccaca gtggatgcct 1752
 tagaaggag agggaaggag ggaggcaggc atagcatctg aaccagtggt gggggcattc 1812
 actaggatct tcaatcaacc cgggctctcc ccaaccccc agataacctc ctgattccc 1872
 tagagtctcc tcttgctcta ctcaatctac ccagagatgc cccttagcac actcagaggg 1932
 cagggacat aggacccagg ttccaacccc attgtcagca cccagccat gctgccatcc 1992
 cttagcacac ctgctcgtcc cattcagctt accctcccag tcagccagaa tctgagggga 2052
 gggccccag agagccccct tccccatcag aagactgttg actgctttgc attttgggct 2112
 cttctatata ttttgtaaaa taagaactat accagatcta ataaaacaca atggctatgc 2172
 aaaaaaaaaa aaaaaaaaaa 2191

<210> 26

<211> 220

<212> PRT

<213> Simian sp.

<400> 26

Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Asp Ser Arg Asp Leu
 1 5 10 15

Asp Gly Ser Tyr Asp Gln Leu Thr Asp Ser Val Glu Asp Glu Phe Glu
 20 25 30

09400493
 26400450
 26T260

Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu Gln Glu
 35 40 45
 Gln Thr Lys Phe Thr Arg Lys Glu Leu Gln Val Leu Tyr Arg Gly Phe
 50 55 60
 Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe Lys Gln
 65 70 75 80
 Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Thr Tyr Ala Thr
 85 90 95
 Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val Ser Phe
 100 105 110
 Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr Val Asp
 115 120 125
 Asp Arg Leu Asn Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys Asp Gly
 130 135 140
 Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile Tyr Asp
 145 150 155 160
 Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala Pro Arg
 165 170 175
 Glu His Val Glu Asn Phe Phe Gln Lys Met Asp Arg Asn Lys Asp Gly
 180 185 190
 Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Lys Asp Glu Asn
 195 200 205
 Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val Ile
 210 215 220

<210> 27
 <211> 2057
 <212> DNA
 <213> Simian sp.

<220>
 <221> CDS
 <222> (208)..(963)

<400> 27
 tgctgcccaa ggctcctgct cctgccccag gactctgagg tgggccctaa aaccagcgc 60
 tctctaaaga aaagccttgc cagccctac tccggcccc caaccacgc aggtcgctgc 120
 gccgccaggg ggcgtgtgt ggcgccta ttctggccac ccggcgcccc ctccacggc 180
 ccaggcggga gcggggcgcc gggggcc atg cgg ggc caa ggc aga aag gag agt 234
 Met Arg Gly Gln Gly Arg Lys Glu Ser
 1 5

0940049.0940049

ttg tcc gaa tcc cga gat ctg gac ggc tcc tat gac cag ctt acg ggc	282
Leu Ser Glu Ser Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Gly	
10 15 20 25	
cac cct cca ggg ccc agt aaa aaa gcc ctg aag cag cgt ttc ctc aag	330
His Pro Pro Gly Pro Ser Lys Lys Ala Leu Lys Gln Arg Phe Leu Lys	
30 35 40	
ctg ctg ccg tgc tgc ggg ccc caa gcc ctg ccc tca gtc agt gaa aac	378
Leu Leu Pro Cys Cys Gly Pro Gln Ala Leu Pro Ser Val Ser Glu Asn	
45 50 55	
agc gta gag gat gag ttt gaa tta tcc acg gtg tgt cac cga cct gag	426
Ser Val Glu Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu	
60 65 70	
ggc ctg gaa caa ctc cag gaa cag acc aag ttc aca cgc aga gag ctg	474
Gly Leu Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu	
75 80 85	
cag gtc ctg tac cga ggc ttc aag aac gaa tgc ccc agt ggg att gtc	522
Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val	
90 95 100 105	
aac gag gag aac ttc aag cag att tat tct cag ttc ttt ccc caa gga	570
Asn Glu Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly	
110 115 120	
gac tcc agc aac tat gct act ttt ctc ttc aat gcc ttt gac acc aac	618
Asp Ser Ser Asn Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn	
125 130 135	
cac gat ggc tct gtc agt ttt gag gac ttt gtg gct ggt ttg tcg gtg	666
His Asp Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val	
140 145 150	
att ctt cgg ggg acc ata gat gat aga ctg agc tgg gct ttc aac tta	714
Ile Leu Arg Gly Thr Ile Asp Asp Arg Leu Ser Trp Ala Phe Asn Leu	
155 160 165	
tat gac ctc aac aag gac ggc tgt atc aca aag gag gaa atg ctt gac	762
Tyr Asp Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp	
170 175 180 185	
att atg aag tcc atc tat gac atg atg ggc aag tac aca tac cct gcc	810
Ile Met Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala	
190 195 200	
ctc cgg gag gag gcc cca aga gaa cac gtg gag agc ttc ttc cag aag	858
Leu Arg Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys	
205 210 215	
atg gac agg aac aag gac ggc gtg gtg acc atc gag gaa ttc atc gag	906
Met Asp Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu	
220 225 230	
tct tgt caa cag gac gag aac atc atg agg tcc atg cag ctc tca ccc	954
Ser Cys Gln Gln Asp Glu Asn Ile Met Arg Ser Met Gln Leu Ser Pro	
235 240 245	

00400403-002400

ctt ctc aac tgatacctag tgctgaggac acccctgggtg tagggaccaa 1003
 Leu Leu Asn
 250

gtgggttctcc accttctagt cccactctag aaaccacatt agacagaagg tctcctgcta 1063
 tgggtgctttc cccatcccta atctcttaga ttttcctcaa gactcccttc tcagagaaca 1123
 cgctctgtcc atgtccccag ctggcttctc agcctagcct ttgagggccc tgtggggagg 1183
 cggggacaag aaagcagaaa agtcttggcc ccgagccagt ggtaggtcc taggaattgg 1243
 ctggagtgga ggccagaaa cctgggcaga tgatgagagc ccagctgggc tgtcactgca 1303
 ggttcgggg cctacagccc tgggtcagca gagtatgagt tcccagactt tccagaaggt 1363
 ccttagcaat gtcccagaaa ttcaccgtac acttctcagt gtcttaggag ggcccgggat 1423
 ccagatgtct ggttcacccc tgaatcctct cctccttct tgcctgtatg gtgggagtgg 1483
 tggccagggg aagatgagt gtgtcccgga tgatgcctgt caaggtocca cctcccctcc 1543
 ggctgttctc atgacagctg tttgggtctc catgaccct atctagatgt agaggcatgg 1603
 agtgagtcag ggatttcccg aacttgagtt ttaccactcc tcctagtggc tgccttaggg 1663
 gaatgggaag aaccacagtgt gggggcacc attagaatct ttgcccggct cctcacaatg 1723
 ccctagggtc ccctagggtc cccgctccct ctgttttagtc taccagaga tgctcctgag 1783
 ctcacctaga gggtagggac ggtaggctcc aggtccaacc tctccaggtc agcacctgc 1843
 catgctgctg ctctcatta acaaacctgc ttgtctctc ctgcgcccct tctcagtcag 1903
 ccagggctcg aggggaagg cctcccggtt cccatccgt cagacatggg tgactgcttt 1963
 gcattttggg ctcttctatc tattttgtaa aataagacat cagatccaat aaaacacacg 2023
 gctatgcaca aaaaaaaaaa aaaaaaaaaa aaaa 2057

<210> 28
 <211> 252
 <212> PRT
 <213> Simian sp.

<400> 28
 Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Glu Ser Arg Asp Leu
 1 5 10 15
 Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly Pro Ser Lys
 20 25 30
 Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys Cys Gly Pro
 35 40 45
 Gln Ala Leu Pro Ser Val Ser Glu Asn Ser Val Glu Asp Glu Phe Glu
 50 55 60
 Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu Gln Glu
 65 70 75 80

0040049.0320
 667260"25400460

Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe
85 90 95

Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe Lys Gln
100 105 110

Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Asn Tyr Ala Thr
115 120 125

Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val Ser Phe
130 135 140

Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr Ile Asp
145 150 155 160

Asp Arg Leu Ser Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys Asp Gly
165 170 175

Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile Tyr Asp
180 185 190

Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala Pro Arg
195 200 205

Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys Asp Gly
210 215 220

Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Gln Asp Glu Asn
225 230 235 240

Ile Met Arg Ser Met Gln Leu Ser Pro Leu Leu Asn
245 250

<210> 29

<211> 1904

<212> DNA

<213> Rattus sp.

<220>

<221> CDS

<222> (1)..(675)

<400> 29

atg aac cac tgc cct cgc agg tgc cgg agc ccg ttg ggg cag gca gct 48
Met Asn His Cys Pro Arg Arg Cys Arg Ser Pro Leu Gly Gln Ala Ala
1 5 10 15

cga tct ctc tac cag ttg gta act ggg tgc ctg tgc cca gac agc gta 96
Arg Ser Leu Tyr Gln Leu Val Thr Gly Ser Leu Ser Pro Asp Ser Val
20 25 30

gag gat gag ttt gaa tta tcc acg gtg tgt cac cga cct gag ggc ctg 144
Glu Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu
35 40 45

gaa caa ctc cag gaa cag acc aag ttc aca cgc aga gag ctg cag gtc 192
Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val
50 55 60

004004026400460

ctg tac cga ggc ttc aag aac gaa tgc ccc agt ggg att gtc aac gag 240
 Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu
 65 70 75 80

gag aac ttc aag cag att tat tct cag ttc ttt ccc caa gga gac tcc 288
 Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser
 85 90 95

agc aac tat gct act ttt ctc ttc aat gcc ttt gac acc aac cac gat 336
 Ser Asn Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp
 100 105 110

ggc tct gtc agt ttt gag gac ttt gtg gct ggt ttg tcg gtg att ctt 384
 Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu
 115 120 125

cgg ggg acc ata gat gat aga ctg agc tgg gct ttc aac tta tat gac 432
 Arg Gly Thr Ile Asp Asp Arg Leu Ser Trp Ala Phe Asn Leu Tyr Asp
 130 135 140

ctc aac aag gac ggc tgt atc aca aag gag gaa atg ctt gac att atg 480
 Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met
 145 150 155 160

aag tcc atc tat gac atg atg ggc aag tac aca tac cct gcc ctc cgg 528
 Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg
 165 170 175

gag gag gcc cca aga gaa cac gtg gag agc ttc ttc cag aag atg gac 576
 Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys Met Asp
 180 185 190

agg aac aag gac ggc gtg gtg acc atc gag gaa ttc atc gag tct tgt 624
 Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys
 195 200 205

caa cag gac gag aac atc atg agg tcc atg cag ctc ttt gat aat gtc 672
 Gln Gln Asp Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val
 210 215 220

atc tagctcccca gggagagggg ttagtgtgtc ctagggtgac caggctgtag 725
 Ile
 225

tccatgtcca gacgaaccta accctctctc tccaggcctg tccatcatctt acctgtaccc 785

tgggggctgt agggattcaa taccctgggg cttcagtagt ccagatccct gagctaagtc 845

aaaaaagtag gcaagagtag gcaagctaaa tctgggggct tcccaacccc cgacagctct 905

cacccttct caactgatac ctagtgtga ggacaccct ggtgtaggga ccaagtgggt 965

ctccaccttc tagtccact ctagaaacca cattagacag aaggctctct gctatgggtc 1025

tttcccatc cctaattctct tagattttcc tcaagactcc cttctcagag aacacgctct 1085

gtccatgtcc ccagctgggt tctcagccta gcctttgagg gccctgtggg gaggcgggga 1145

caagaaagca gaaaagtctt ggccccgagc tagtggttag gtcctaggaa ttggctggag 1205

65400460
 25400460
 05400460

tggaggccag aaagcctggg cagatgatga gagcccagct gggctgtcac tgcaggttcc 1265
 agggcctaca gccctgggtc agcagagtat gagttcccag actttccaga aggtccttag 1325
 caatgtccca gaaattcacc atacacttct cagtgtcccg gatgatgcct gtcaaggtcc 1385
 cacctcccct ccggtgttc tcatgacagc tgtttggttc tccatgaccc ctatctagat 1445
 gtagaggcat ggagtgagtc agggatttcc cgaacttgag ttttaccact cctcctagt 1505
 gctgccttag gggaatggga agaaccagc gtgggggcac ccattagaat ctttgcccgg 1565
 ttctcacaa tgccctaggg tcccctaggg taccgcgtcc ctctgtttag tctaccaga 1625
 gatgctcctg agctcaccta gagggtaggg acggtaggct ccaggtccaa cctctccagg 1685
 tcagcaccct gccatgtgc tgctcctcat taacaaacct gcttgtctcc tctgogccc 1745
 cttctcagtc agccagggtc tgaggggaag ggctcccggt ttcccatcc gtcagacatg 1805
 gttgactgct ttgcattttg ggctcttcta tctattttgt aaaataagac atcagatcca 1865
 ataaaacaca cggctatgca caaaaaaaaa aaaaaaaaaa 1904

<210> 30

<211> 225

<212> PRT

<213> Rattus sp.

<400> 30

Met Asn His Cys Pro Arg Arg Cys Arg Ser Pro Leu Gly Gln Ala Ala
 1 5 10 15

Arg Ser Leu Tyr Gln Leu Val Thr Gly Ser Leu Ser Pro Asp Ser Val
 20 25 30

Glu Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu
 35 40 45

Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val
 50 55 60

Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu
 65 70 75 80

Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser
 85 90 95

Ser Asn Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp
 100 105 110

Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu
 115 120 125

Arg Gly Thr Ile Asp Asp Arg Leu Ser Trp Ala Phe Asn Leu Tyr Asp
 130 135 140

Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met
 145 150 155 160

0540049 360
 557250 25400460

Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg
 165 170 175

Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys Met Asp
 180 185 190

Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys
 195 200 205

Gln Gln Asp Glu Asn Ile Met Arg Ser Met Gln Leu Phe Asp Asn Val
 210 215 220

Ile
 225

<210> 31
 <211> 2841
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (1)..(768)

<400> 31
 atg cag ccg gct aag gaa gtg aca aag gcg tcg gac ggc agc ctc ctg 48
 Met Gln Pro Ala Lys Glu Val Thr Lys Ala Ser Asp Gly Ser Leu Leu
 1 5 10 15

ggg gac ctc ggg cac aca cca ctt agc aag aag gag ggt atc aag tgg 96
 Gly Asp Leu Gly His Thr Pro Leu Ser Lys Lys Glu Gly Ile Lys Trp
 20 25 30

cag agg ccg agg ctc agc cgc cag gct ttg atg aga tgc tgc ctg gtc 144
 Gln Arg Pro Arg Leu Ser Arg Gln Ala Leu Met Arg Cys Cys Leu Val
 35 40 45

aag tgg atc ctg tcc agc aca gcc cca cag ggc tca gat agc agc gac 192
 Lys Trp Ile Leu Ser Ser Thr Ala Pro Gln Gly Ser Asp Ser Ser Asp
 50 55 60

agt gag ctg gag ctg tcc acg gtg cgc cac cag cca gag ggg ctg gac 240
 Ser Glu Leu Glu Leu Ser Thr Val Arg His Gln Pro Glu Gly Leu Asp
 65 70 75 80

cag ctg cag gcc cag acc aag ttc acc aag aag gag ctg cag tct ctc 288
 Gln Leu Gln Ala Gln Thr Lys Phe Thr Lys Lys Glu Leu Gln Ser Leu
 85 90 95

tac agg ggc ttt aag aat gag tgt ccc acg ggc ctg gtg gac gaa gac 336
 Tyr Arg Gly Phe Lys Asn Glu Cys Pro Thr Gly Leu Val Asp Glu Asp
 100 105 110

acc ttc aaa ctc att tac gcg cag ttc ttc cct cag gga gat gcc acc 384
 Thr Phe Lys Leu Ile Tyr Ala Gln Phe Phe Pro Gln Gly Asp Ala Thr
 115 120 125

acc tat gca cac ttc ctc ttc aac gcc ttt gat gcg gac ggg aac ggg 432
 Thr Tyr Ala His Phe Leu Phe Asn Ala Phe Asp Ala Asp Gly Asn Gly
 130 135 140

557250" 25400450

gcc atc cac ttt gag gac ttt gtg gtt ggc ctc tcc atc ctg ctg cgg 480
 Ala Ile His Phe Glu Asp Phe Val Val Gly Leu Ser Ile Leu Leu Arg
 145 150 155 160

ggc aca gtc cac gag aag ctc aag tgg gcc ttt aat ctc tac gac att 528
 Gly Thr Val His Glu Lys Leu Lys Trp Ala Phe Asn Leu Tyr Asp Ile
 165 170 175

aac aag gat ggc tac atc acc aaa gag gag atg ctg gcc atc atg aag 576
 Asn Lys Asp Gly Tyr Ile Thr Lys Glu Glu Met Leu Ala Ile Met Lys
 180 185 190

tcc atc tat gac atg atg ggc cgc cac acc tac ccc atc ctg cgg gag 624
 Ser Ile Tyr Asp Met Met Gly Arg His Thr Tyr Pro Ile Leu Arg Glu
 195 200 205

gac gcg ccg gcg gag cac gtg gag agg ttc ttc gag aaa atg gac cgg 672
 Asp Ala Pro Ala Glu His Val Glu Arg Phe Phe Glu Lys Met Asp Arg
 210 215 220

aac cag gat ggg gta gtg acc att gaa gag ttc ctg gag gcc tgt cag 720
 Asn Gln Asp Gly Val Val Thr Ile Glu Glu Phe Leu Glu Ala Cys Gln
 225 230 235 240

aag gat gag aac atc atg agc tcc atg cag ctg ttt gag aat gtc atc 768
 Lys Asp Glu Asn Ile Met Ser Ser Met Gln Leu Phe Glu Asn Val Ile
 245 250 255

taggacacgt ccaaaggagt gcatggccac agccacctcc accccaaga aacctccatc 828
 ctgccaggag cagcctccaa gaaactttta aaaaatagat ttgcaaaaag tgaacagatt 888
 gctacacaca cacacacaca cacacacaca cacacacaca cacagccatt catctgggct 948
 ggcagagggg acagagttca gggaggggct gagtctggct aggggccgag tccaggagcc 1008
 ccagccagcc cttcccaggc cagcgaggcg aggctgcctc tgggtgagtg gctgacagag 1068
 caggtctgca ggccaccagc tgctggatgt caccaagaag gggctcgagt gccctgcag 1128
 gggaggggtcc aatctccggt gtgagccac ctgctccgt tctccattct gctttcttgc 1188
 cacacagtgg gccggcccca ggctcccctg gtctcctccc cgtagccact ctctgccac 1248
 tacctatgct tctagaaagc cctcacctc aggacccag agggaccagc tggggggcag 1308
 gggggagagg gggtaatgga ggccaagcct gcagctttct ggaaattctt ccctgggggt 1368
 cccaggatcc cctgctaact cactgacctg gaagagctgg gtaccaggcc acccactgtg 1428
 gggcaagcct gagtgggtgag gggccactgg gcccattct cctccatgg caggaaggcg 1488
 ggggatttca agtttaggga ttgggtcgtg gtggagaatc tgagggcact ctctgccagc 1548
 tccacagggt gggatgagcc tctccttgcc ccagtcctgg ttcagtggga atgcagtggg 1608
 tggggctgta cacaccctcc agcacagact gttccctcca aggtcctctt aggtcccggg 1668
 aggaacgtgg ttcagagact ggcagccagg gagcccgggg cagagctcag aggagtctgg 1728

09400492-092490

gaaggggagt gtcctcctc ttctgtagt gcccctccca tggcccagca gcttgggtga 1788
 gcccctctc ctgaagcagt gtcgccgtcc ctctgccttg cacaaaaagc acaagcattc 1848
 cttagcagct caggcgcagc cctagtggga gccagcaca ctgcttctcg gaggccaggc 1908
 cctcctgctg gctgaggctt gggcccagta gcccgaatat ggtggccctg gggaagaggc 1968
 cttgggggtc tgctctgtgc ctgggatcag tggggcccca aagcccagcc cggtgacca 2028
 acattcaaaa gcacaaaccc tggggactct gcttgggtgt cccctccatc tggggatgga 2088
 gaatgccagc ccaaagctgg agccaatggt gagggctgag agggctgtgg ctgggtgggc 2148
 agcagaaacc cccaggagga gagagatgct gctcccgctt gattggggcc tcaccagaa 2208
 ggaacccggt cccaggccgc atggccctc caggacatt ccacataat acattccatc 2268
 acagccagcc cagctccact cagggtggc ccggggagtc ccgtgtgcc ccaagaggct 2328
 agcccaggg tgagcagggc cctcagagga aaggcagtat ggcggaggcc atgggggccc 2388
 ctggcattc acacacagcc tggcctcccc tgcgagctg catggacgcc tggtccagg 2448
 ctccaggctg actgggggcc tctgctcca ggaggcatc agctttccct ggctcaggga 2508
 tcttctccct cccctcacc gctgccagc cctccagct ggtgtcactc tgctctaag 2568
 gccaaggcct caggagagca tcaccaccac accctgccg gccttggcct tggggccaga 2628
 ctggtgcac agcccaacca ggaggggtct gcctccacg ctgggacaca gaccggccgc 2688
 atgtctgcat ggcagaagcg tctcccttgg ccacggcctg ggaggtgtt tctgttctc 2748
 agcatccact aatattcagt cctgtatatt ttaataaaat aaacttgaca aaggaaaaaa 2808
 aaaaaaaaaa aattcctgag gccgcgttct cca 2841

<210> 32

<211> 256

<212> PRT

<213> Homo sapiens

<400> 32

Met Gln Pro Ala Lys Glu Val Thr Lys Ala Ser Asp Gly Ser Leu Leu
 1 5 10 15

Gly Asp Leu Gly His Thr Pro Leu Ser Lys Lys Glu Gly Ile Lys Trp
 20 25 30

Gln Arg Pro Arg Leu Ser Arg Gln Ala Leu Met Arg Cys Cys Leu Val
 35 40 45

Lys Trp Ile Leu Ser Ser Thr Ala Pro Gln Gly Ser Asp Ser Ser Asp
 50 55 60

Ser Glu Leu Glu Leu Ser Thr Val Arg His Gln Pro Glu Gly Leu Asp
 65 70 75 80

Gln Leu Gln Ala Gln Thr Lys Phe Thr Lys Lys Glu Leu Gln Ser Leu
85 90 95

Tyr Arg Gly Phe Lys Asn Glu Cys Pro Thr Gly Leu Val Asp Glu Asp
100 105 110

Thr Phe Lys Leu Ile Tyr Ala Gln Phe Phe Pro Gln Gly Asp Ala Thr
115 120 125

Thr Tyr Ala His Phe Leu Phe Asn Ala Phe Asp Ala Asp Gly Asn Gly
130 135 140

Ala Ile His Phe Glu Asp Phe Val Val Gly Leu Ser Ile Leu Leu Arg
145 150 155 160

Gly Thr Val His Glu Lys Leu Lys Trp Ala Phe Asn Leu Tyr Asp Ile
165 170 175

Asn Lys Asp Gly Tyr Ile Thr Lys Glu Glu Met Leu Ala Ile Met Lys
180 185 190

Ser Ile Tyr Asp Met Met Gly Arg His Thr Tyr Pro Ile Leu Arg Glu
195 200 205

Asp Ala Pro Ala Glu His Val Glu Arg Phe Phe Glu Lys Met Asp Arg
210 215 220

Asn Gln Asp Gly Val Val Thr Ile Glu Glu Phe Leu Glu Ala Cys Gln
225 230 235 240

Lys Asp Glu Asn Ile Met Ser Ser Met Gln Leu Phe Glu Asn Val Ile
245 250 255

<210> 33

<211> 442

<212> DNA

<213> Rattus sp.

<220>

<221> CDS

<222> (1)..(327)

<400> 33

ttt gag gac ttt gtg gtt ggg ctc tcc atc ctg ctt cga ggg acc gtc 48
Phe Glu Asp Phe Val Val Gly Leu Ser Ile Leu Leu Arg Gly Thr Val
1 5 10 15

cat gag aag ctc aag tgg gcc ttc aat ctc tac gac atc aac aag gac 96
His Glu Lys Leu Lys Trp Ala Phe Asn Leu Tyr Asp Ile Asn Lys Asp
20 25 30

ggt tac atc acc aaa gag gag atg ctg gcc atc atg aag tcc atc tac 144
Gly Tyr Ile Thr Lys Glu Glu Met Leu Ala Ile Met Lys Ser Ile Tyr
35 40 45

gac atg atg ggc cgc cac acc tac cct atc ctg cgg gag gac gca cct 192
Asp Met Met Gly Arg His Thr Tyr Pro Ile Leu Arg Glu Asp Ala Pro
50 55 60

0040049 09490

ctg gag cat gtg gag agg ttc ttc cag aaa atg gac agg aac cag gat 240
 Leu Glu His Val Glu Arg Phe Phe Gln Lys Met Asp Arg Asn Gln Asp
 65 70 75 80
 gga gta gtg act att gat gaa ttt ctg gag act tgt cag aag gac gag 288
 Gly Val Val Thr Ile Asp Glu Phe Leu Glu Thr Cys Gln Lys Asp Glu
 85 90 95
 aac atc atg agc tcc atg cag ctg ttt gag aac gtc atc taggacatgt 337
 Asn Ile Met Ser Ser Met Gln Leu Phe Glu Asn Val Ile
 100 105
 aggaggggac cctgggtggc catgggttct caaccagag aagcctcaat cctgacagga 397
 gaagcctcta tgagaaacat ttttctaata tatttgcaaa aagtg 442

<210> 34
 <211> 109
 <212> PRT
 <213> Rattus sp.

<400> 34
 Phe Glu Asp Phe Val Val Gly Leu Ser Ile Leu Leu Arg Gly Thr Val
 1 5 10 15
 His Glu Lys Leu Lys Trp Ala Phe Asn Leu Tyr Asp Ile Asn Lys Asp
 20 25 30
 Gly Tyr Ile Thr Lys Glu Glu Met Leu Ala Ile Met Lys Ser Ile Tyr
 35 40 45
 Asp Met Met Gly Arg His Thr Tyr Pro Ile Leu Arg Glu Asp Ala Pro
 50 55 60
 Leu Glu His Val Glu Arg Phe Phe Gln Lys Met Asp Arg Asn Gln Asp
 65 70 75 80
 Gly Val Val Thr Ile Asp Glu Phe Leu Glu Thr Cys Gln Lys Asp Glu
 85 90 95
 Asn Ile Met Ser Ser Met Gln Leu Phe Glu Asn Val Ile
 100 105

<210> 35
 <211> 2644
 <212> DNA
 <213> Mus musculus

<220>
 <221> CDS
 <222> (49)..(816)

<400> 35
 cgggctgcaa agcgggaaga ttagtgacgg tccctttcag cagcagag atg cag agg 57
 Met Gln Arg
 1

657260"25400460

acc aag gaa gcc gtg aag gca tca gat ggc aac ctc ctg gga gat cct 105
 Thr Lys Glu Ala Val Lys Ala Ser Asp Gly Asn Leu Leu Gly Asp Pro
 5 10 15

ggg cgc ata cca ctg agc aag agg gaa agc atc aag tgg caa agg cca 153
 Gly Arg Ile Pro Leu Ser Lys Arg Glu Ser Ile Lys Trp Gln Arg Pro
 20 25 30 35

cgg ttc acc cgc cag gcc ctg atg cgt tgc tgc tta atc aag tgg atc 201
 Arg Phe Thr Arg Gln Ala Leu Met Arg Cys Cys Leu Ile Lys Trp Ile
 40 45 50

ctg tcc agt gct gcc cca caa ggc tca gac agc agt gac agt gaa ctg 249
 Leu Ser Ser Ala Ala Pro Gln Gly Ser Asp Ser Ser Asp Ser Glu Leu
 55 60 65

gag tta tcc acg gtg cgc cat cag cca gag ggc ttg gac cag cta caa 297
 Glu Leu Ser Thr Val Arg His Gln Pro Glu Gly Leu Asp Gln Leu Gln
 70 75 80

gct cag acc aag ttc acc aag aag gag ctg cag tcc ctt tac cga ggc 345
 Ala Gln Thr Lys Phe Thr Lys Lys Glu Leu Gln Ser Leu Tyr Arg Gly
 85 90 95

ttc aag aat gag tgt ccc aca ggc ctg gtg gat gaa gac acc ttc aaa 393
 Phe Lys Asn Glu Cys Pro Thr Gly Leu Val Asp Glu Asp Thr Phe Lys
 100 105 110 115

ctc att tat tcc cag ttc ttc cct cag gga gat gcc acc acc tat gca 441
 Leu Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ala Thr Thr Tyr Ala
 120 125 130

cac ttc ctc ttc aat gcc ttt gat gct gat ggg aac ggg gcc atc cac 489
 His Phe Leu Phe Asn Ala Phe Asp Ala Asp Gly Asn Gly Ala Ile His
 135 140 145

ttt gag gac ttt gtg gtt ggg ctc tcc atc ctg ctt cga ggg acg gtc 537
 Phe Glu Asp Phe Val Val Gly Leu Ser Ile Leu Leu Arg Gly Thr Val
 150 155 160

cat gag aag ctc aag tgg gcc ttc aat ctc tat gac att aac aag gat 585
 His Glu Lys Leu Lys Trp Ala Phe Asn Leu Tyr Asp Ile Asn Lys Asp
 165 170 175

ggt tgc atc acc aag gag gag atg ctg gcc atc atg aag tcc atc tac 633
 Gly Cys Ile Thr Lys Glu Glu Met Leu Ala Ile Met Lys Ser Ile Tyr
 180 185 190 195

gac atg atg ggc cgc cac acc tac ccc atc ctg cgg gag gat gca ccc 681
 Asp Met Met Gly Arg His Thr Tyr Pro Ile Leu Arg Glu Asp Ala Pro
 200 205 210

ctg gag cat gtg gag agg ttc ttt cag aaa atg gac agg aac cag gat 729
 Leu Glu His Val Glu Arg Phe Phe Gln Lys Met Asp Arg Asn Gln Asp
 215 220 225

gga gtg gtg acc att gat gaa ttt ctg gag act tgt cag aag gat gag 777
 Gly Val Val Thr Ile Asp Glu Phe Leu Glu Thr Cys Gln Lys Asp Glu
 230 235 240

667260"25400460

aac atc atg aac tcc atg cag ctg ttt gag aac gtc atc taggacatgt 826
 Asn Ile Met Asn Ser Met Gln Leu Phe Glu Asn Val Ile
 245 250 255

gggagggggac cccagtgggtc attgcttctc aaccagaga agcctcaatc ctgacaggag 886
 aagcctctat gagaaacatt tttctaataat atttgcaaaa agtgagcagt ttacttccaa 946
 gacacagcca ccgtcacaca cagacacaga catacagaca cacacacaca cacacacaca 1006
 tggttcctct ggcttggcca aggaagtggc agccagaagg ccccccgcc tattcctagg 1066
 tcaataaaaa aggctgcctc tgggatggcc agccctggct agatgttacc cacaaggaac 1126
 tcagagatcg agaggaccag gtctacaaag ctaaggctcc tgtgtctttt ctaccactcg 1186
 ggagatcaaa ctactccctg cctatggacc catgctctta ggaagctccc agaaactcca 1246
 aggggacaaa gaggggagag gtctatagga agaaatggtt ttggaagctg ggcttgcagc 1306
 cttatgctaa tgatcacctg gggctcctgga acccgagtgc caggctacct actatgccgt 1366
 gagcttagat agtgaggggc cattggacta agacctcctg taagagtggg gcaggattga 1426
 ggtttttggg gaaactgagg aaacaatttg tccataccac tgggtgaaga ctgctggcca 1486
 gtgggaatgt ggctgggtgga gatttcccaa cttccagcac caggatggcc tctccaaggt 1546
 cctctttgat tccctgggga gatcacctgg ctcatagact gacaaccagg gaactgggct 1606
 gaaatgggag gtctggtagg gggcatcccc ctctttttcc ctggccactt gccaccaggt 1666
 tccttaacac agtggatcgg ccacacctct gtggctgccc ttgaacagac tcatcccgac 1726
 caagacaaaa aagcacaac tcctagcagc tcaggccaag cccacaaggg aaggcctggg 1786
 tccctgcagc cctgattcag tggccgagga agacgctcag acatccatcc tgtacctcgg 1846
 agccttgggg gtctcacagc cctttcccag ccagctcgc caacattcta aagcacaac 1906
 ctgcggattc tgcttgcttg ggctgcgccc tggggattga aggccactgt taaccctaag 1966
 ctggagctag ccctgagggc tggggacctg tgaccaggca acaggtcagc agaccctcag 2026
 gaggagagag agctgttcct gcctccccag gcctcgccca gaaggaacag tgtccaaga 2086
 agcatgtttc ctggaggaac atccccaca aagtacattc catcatctga agcccgtct 2146
 ctgctcaggc ctgcctctga aagtccacgt gtgttcccca gaaggccagc cccaagataa 2206
 gggaggtcct tagaggaagg acagggtgac aacacccta tacacaggtg gacccccct 2266
 ctgaggactg tactgacccc atctccatcc tgaccggggc cttcctttac ccgatctaca 2326
 gaccaccagt tctccctggc tcagggaccc cctgtccccc agtctgactc ttccatcga 2386
 ggtccctgtc ttgtgaaaag ccaaggccac gggaaaaggc caccactcta acctgctgca 2446
 tcccttagcc tctggctgca cgcccaacct ggaggggtct gtcccctttg cagggaacaca 2506
 gactggccgc atgtccgcat ggcagaagcg tctcccttgg gtgcagcctg gaagggtggt 2566

094043-0940450
 2540450

ttctgtctca gcgcccacca atattcagtc ctatatattt taataaaaga aacttgacaa 2626

aggaaaaaaaa aaaaaaaaa

2644

<210> 36

<211> 256

<212> PRT

<213> Mus musculus

<400> 36

Met Gln Arg Thr Lys Glu Ala Val Lys Ala Ser Asp Gly Asn Leu Leu
1 5 10 15

Gly Asp Pro Gly Arg Ile Pro Leu Ser Lys Arg Glu Ser Ile Lys Trp
20 25 30

Gln Arg Pro Arg Phe Thr Arg Gln Ala Leu Met Arg Cys Cys Leu Ile
35 40 45

Lys Trp Ile Leu Ser Ser Ala Ala Pro Gln Gly Ser Asp Ser Ser Asp
50 55 60

Ser Glu Leu Glu Leu Ser Thr Val Arg His Gln Pro Glu Gly Leu Asp
65 70 75 80

Gln Leu Gln Ala Gln Thr Lys Phe Thr Lys Lys Glu Leu Gln Ser Leu
85 90 95

Tyr Arg Gly Phe Lys Asn Glu Cys Pro Thr Gly Leu Val Asp Glu Asp
100 105 110

Thr Phe Lys Leu Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ala Thr
115 120 125

Thr Tyr Ala His Phe Leu Phe Asn Ala Phe Asp Ala Asp Gly Asn Gly
130 135 140

Ala Ile His Phe Glu Asp Phe Val Val Gly Leu Ser Ile Leu Leu Arg
145 150 155 160

Gly Thr Val His Glu Lys Leu Lys Trp Ala Phe Asn Leu Tyr Asp Ile
165 170 175

Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Ala Ile Met Lys
180 185 190

Ser Ile Tyr Asp Met Met Gly Arg His Thr Tyr Pro Ile Leu Arg Glu
195 200 205

Asp Ala Pro Leu Glu His Val Glu Arg Phe Phe Gln Lys Met Asp Arg
210 215 220

Asn Gln Asp Gly Val Val Thr Ile Asp Glu Phe Leu Glu Thr Cys Gln
225 230 235 240

Lys Asp Glu Asn Ile Met Asn Ser Met Gln Leu Phe Glu Asn Val Ile
245 250 255

00400492 00400460

<400> 38
His Glu Val Glu Ser Ile Ser Ala Gln Leu Glu Glu Ala Ser Ser Thr
1 5 10 15
Gly Gly Phe Leu Tyr Ala Gln Asn Ser Thr Lys Arg Ser Ile Lys Glu
20 25 30

Phe Phe Leu Thr Leu Pro Ser His Asn Ser Gln Arg Ser Ile Glu Lys
100 105 110

ggccaagcct gcagctttct ggaaattctt ccttgggggt cccaggatcc cctgctactc 744

cactgacctg gaagagctgg gtaccaggcc acccactgtg gggcaagcct gagtgggtgag 804
 gggccactgg gccccattct cctccatgg caggaaggcg ggggatttca agtttaggga 864
 ttgggtcgtg gtggagaatc tgagggcact ctctgccagc tccacagggg gggatgagcc 924
 tctccttgcc ccagtcctgg ttcagtggga atgcagtggg tggggctgta cacaccctcc 984
 agcacagact gttccctcca aggtcctctt aggtcccggg aggaacgtgg ttcagagact 1044
 ggcagccagg gagcccgagg cagagctcag aggagtctgg gaaggggctg gtccctctc 1104
 ttctgtagt gcccccca tggccagca gcttggtga gccccctc ctgaagcagt 1164
 gtgcgcgtcc ctctgccttg cacaaaaagc acaagcattc cttagcagct caggcgcagc 1224
 cctagtggga gccagcaca ctgcttctcg gaggccaggc cctcctgctg gctgaggctt 1284
 gggcccagta gcccgaatat ggtggccctg gggaagaggc cttgggggtc tgctctgtgc 1344
 ctgggatcag tggggcccca aagcccagcc cggctgacca acattcaaaa gcacaaaccc 1404
 tggggactct gcttggtgtt cccctccatc tggggatgga gaatgccagc ccaaagctgg 1464
 agccaatggt gagggctgag agggctgtgg ctgggtggc agcagaaacc cccaggagga 1524
 gagagatgct gctccgcct gattggggcc tcaccagaa ggaaccggt cccaggccgc 1584
 atggccctc caggaacatt cccacataat acattccatc acagccagcc cagctccact 1644
 cagggtggc ccggggagtc cccgtgtgcc ccaagaggct agcccaggg tgagcagggc 1704
 cctcagagga aaggcagtat ggcgaggcc atgggggccc ctcggcattc acacacagcc 1764
 tggcctcccc tgaggagctg catggacgcc tggctccagg ctccaggctg actgggggccc 1824
 tctgcctcca ggagggcate agctttccct ggctcaggga tcttctccct cccctcacc 1884
 gctgcccagc cctcccagct ggtgtcactc tgctctaaag gccaaggcct caggagagca 1944
 tcaccaccac acccctgcgc gccttggect tggggccaga ctggctgcac agcccaacca 2004
 ggaggggtct gcctcccagc ctgggacaca gaccggccgc atgtctgcat ggagaagcg 2064
 tctcccttgg ccacggcctg ggaggggtgt tctgttctc agcatccact aatattcagt 2124
 cctgtatatt ttaataaaat aaacttgaca aaggaaaaaa aaaaaaaaaa aa 2176

<210> 40

<211> 41

<212> PRT

<213> Homo sapiens

<400> 40

Glu Arg Phe Phe Glu Lys Met Asp Arg Asn Gln Asp Gly Val Val Thr
 1 5 10 15

Ile Glu Glu Phe Leu Glu Ala Cys Gln Lys Asp Glu Asn Ile Met Ser
 20 25 30

547259 25400459
 547259 25400459

Ser Met Gln Leu Phe Glu Asn Val Ile
 35 40

<210> 41
 <211> 2057
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (208)..(963)

<400> 41
 tgctgccc aa ggctcctgct cctgccccag gactctgagg tgggccctaa aaccacagcgc 60
 tctctaaaga aaagccttgc cagcccctac tcccggcccc caaccccagc aggtcgctgc 120
 gccgccaggg ggcgctgtgt gagcgcccta ttctggccac ccggcgcccc ctcccacggc 180
 ccaggcggga gcggggcgcc ggggggcc atg cgg ggc caa ggc aga aag gag agt 234
 Met Arg Gly Gln Gly Arg Lys Glu Ser
 1 5
 ttg tcc gaa tcc cga gat ctg gac ggc tcc tat gac cag ctt acg ggc 282
 Leu Ser Glu Ser Arg Asp Leu Asp Gly Ser Tyr Asp Gln Leu Thr Gly
 10 15 20 25
 cac cct cca ggg ccc agt aaa aaa gcc ctg aag cag cgt ttc ctc aag 330
 His Pro Pro Gly Pro Ser Lys Lys Ala Leu Lys Gln Arg Phe Leu Lys
 30 35 40
 ctg ctg ccg tgc tgc ggg ccc caa gcc ctg ccc tca gtc agt gaa aac 378
 Leu Leu Pro Cys Cys Gly Pro Gln Ala Leu Pro Ser Val Ser Glu Asn
 45 50 55
 agc gta gag gat gag ttt gaa tta tcc acg gtg tgt cac cga cct gag 426
 Ser Val Glu Asp Glu Phe Glu Leu Ser Thr Val Cys His Arg Pro Glu
 60 65 70
 ggc ctg gaa caa ctc cag gaa cag acc aag ttc aca cgc aga gag ctg 474
 Gly Leu Glu Gln Leu Gln Glu Gln Thr Lys Phe Thr Arg Arg Glu Leu
 75 80 85
 cag gtc ctg tac cga ggc ttc aag aac gaa tgc ccc agt ggg att gtc 522
 Gln Val Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly Ile Val
 90 95 100 105
 aac gag gag aac ttc aag cag att tat tct cag ttc ttt ccc caa gga 570
 Asn Glu Glu Asn Phe Lys Gln Ile Tyr Ser Gln Phe Phe Pro Gln Gly
 110 115 120
 gac tcc agc aac tat gct act ttt ctc ttc aat gcc ttt gac acc aac 618
 Asp Ser Ser Asn Tyr Ala Thr Phe Leu Phe Asn Ala Phe Asp Thr Asn
 125 130 135
 cac gat ggc tct gtc agt ttt gag gac ttt gtg gct ggt ttg tcg gtg 666
 His Asp Gly Ser Val Ser Phe Glu Asp Phe Val Ala Gly Leu Ser Val
 140 145 150

0040049.0249
 067250"2640450

att ctt cgg ggg acc ata gat gat aga ctg agc tgg gct ttc aac tta 714
 Ile Leu Arg Gly Thr Ile Asp Asp Arg Leu Ser Trp Ala Phe Asn Leu
 155 160 165

tat gac ctc aac aag gac ggc tgt atc aca aag gag gaa atg ctt gac 762
 Tyr Asp Leu Asn Lys Asp Gly Cys Ile Thr Lys Glu Glu Met Leu Asp
 170 175 180 185

att atg aag tcc atc tat gac atg atg ggc aag tac aca tac cct gcc 810
 Ile Met Lys Ser Ile Tyr Asp Met Met Gly Lys Tyr Thr Tyr Pro Ala
 190 195 200

ctc cgg gag gag gcc cca aga gaa cac gtg gag agc ttc ttc cag aag 858
 Leu Arg Glu Glu Ala Pro Arg Glu His Val Glu Ser Phe Phe Gln Lys
 205 210 215

atg gac agg aac aag gac ggc gtg gtg acc atc gag gaa ttc atc gag 906
 Met Asp Arg Asn Lys Asp Gly Val Val Thr Ile Glu Glu Phe Ile Glu
 220 225 230

tct tgt caa cag gac gag aac atc atg agg tcc atg cag ctc tca ccc 954
 Ser Cys Gln Gln Asp Glu Asn Ile Met Arg Ser Met Gln Leu Ser Pro
 235 240 245

ctt ctc aac tgatacctag tgctgaggac acccctggtg tagggaccaa 1003
 Leu Leu Asn
 250

gtggttctcc accttctagt ccactctag aaaccacatt agacagaagg tctcctgcta 1063
 tggtgctttc cccatcccta atctcttaga ttttctcaa gactcccttc tcagagaaca 1123
 cgctctgtcc atgtcccag ctggcttctc agcctagcct ttgagggccc tgtggggagg 1183
 cggggacaag aaagcagaaa agtcttggcc ccgagccagt ggtaggtcc taggaattgg 1243
 ctggagtgga ggccagaaag cctgggcaga tgatgagagc ccagctgggc tgtcactgca 1303
 ggttccgggg cctacagccc tgggtcagca gagtatgagt tcccagactt tccagaaggt 1363
 ccttagcaat gtcccagaaa ttcaccgtac acttctcagt gtcttaggag ggcccgggat 1423
 ccagatgtct ggttcacccc tgaatcctct cctccttct tgctcgtatg gtgggagtgg 1483
 tggccagggg aagatgagtg gtgtcccgga tgatgcctgt caaggtccca cctcccctcc 1543
 ggctgttctc atgacagctg tttgggttctc catgaccct atctagatgt agaggcatgg 1603
 agtgagtcag ggatttcccg aacttgagtt ttaccactcc tcctagtggc tgccttaggg 1663
 gaatgggaag aaccagtggt gggggcacc attagaatct ttgccgggt cctcacaatg 1723
 ccctagggtc ccctagggtg cccgctccct ctgtttagtc taccagaga tgctcctgag 1783
 ctcacctaga gggtagggac ggtaggctcc aggtccaacc tctccaggtc agcaccctgc 1843
 catgctgctg ctctcatta acaaacctgc ttgtctctc ctgcgccct tctcagtcag 1903
 ccagggtctg aggggaagg cctcccgttt ccccatccgt cagacatggg tgactgcttt 1963

0940649-26490450
 667260-26490450

gcattttggg ctcttctatc tattttgtaa aataagacat cagatccaat aaaacacacg 2023
 gctatgcaca aaaaaaaaaa aaaaaaaaaa aaaa 2057

<210> 42
 <211> 252
 <212> PRT
 <213> Rattus sp.

<400> 42
 Met Arg Gly Gln Gly Arg Lys Glu Ser Leu Ser Glu Ser Arg Asp Leu
 1 5 10 15
 Asp Gly Ser Tyr Asp Gln Leu Thr Gly His Pro Pro Gly Pro Ser Lys
 20 25 30
 Lys Ala Leu Lys Gln Arg Phe Leu Lys Leu Leu Pro Cys Cys Gly Pro
 35 40 45
 Gln Ala Leu Pro Ser Val Ser Glu Asn Ser Val Glu Asp Glu Phe Glu
 50 55 60
 Leu Ser Thr Val Cys His Arg Pro Glu Gly Leu Glu Gln Leu Gln Glu
 65 70 75 80
 Gln Thr Lys Phe Thr Arg Arg Glu Leu Gln Val Leu Tyr Arg Gly Phe
 85 90 95
 Lys Asn Glu Cys Pro Ser Gly Ile Val Asn Glu Glu Asn Phe Lys Gln
 100 105 110
 Ile Tyr Ser Gln Phe Phe Pro Gln Gly Asp Ser Ser Asn Tyr Ala Thr
 115 120 125
 Phe Leu Phe Asn Ala Phe Asp Thr Asn His Asp Gly Ser Val Ser Phe
 130 135 140
 Glu Asp Phe Val Ala Gly Leu Ser Val Ile Leu Arg Gly Thr Ile Asp
 145 150 155 160
 Asp Arg Leu Ser Trp Ala Phe Asn Leu Tyr Asp Leu Asn Lys Asp Gly
 165 170 175
 Cys Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ser Ile Tyr Asp
 180 185 190
 Met Met Gly Lys Tyr Thr Tyr Pro Ala Leu Arg Glu Glu Ala Pro Arg
 195 200 205
 Glu His Val Glu Ser Phe Phe Gln Lys Met Asp Arg Asn Lys Asp Gly
 210 215 220
 Val Val Thr Ile Glu Glu Phe Ile Glu Ser Cys Gln Gln Asp Glu Asn
 225 230 235 240
 Ile Met Arg Ser Met Gln Leu Ser Pro Leu Leu Asn
 245 250

66T259"25400460

<210> 43
 <211> 26
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Xaas at positions 2,5,6,9,17,25 and 26 may be Ile,
 Leu, Val or Met

<220>
 <223> Xaas at positions 3,4,7,8,16,18-20,23 and 24 may
 be any amino acid

<220>
 <223> Description of Artificial Sequence: consensus
 motif

<400> 43
 Glu Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asp Lys Asp Gly Asp Gly Xaa
 1 5 10 15
 Xaa Xaa Xaa Xaa Glu Phe Xaa Xaa Xaa Xaa
 20 25

<210> 44
 <211> 40
 <212> DNA
 <213> Rattus sp.

<400> 44
 taatacgact cactataggg actggccatc ctgctctcag 40

<210> 45
 <211> 40
 <212> DNA
 <213> Rattus sp.

<400> 45
 attaaccctc actaaaggga cactactgtt taagctcaag 40

<210> 46
 <211> 40
 <212> DNA
 <213> Rattus sp.

<400> 46
 taatacgact cactataggg cacctcccct cggctgttc 40

<210> 47
 <211> 40
 <212> DNA
 <213> Rattus sp.

<400> 47
 attaaccctc actaaaggga gagcagcagc atggcagggt 40

567269 25400450

aat aaa gat ggc tac atc act aaa gag gaa atg ctt gat ata atg aaa 771
Asn Lys Asp Gly Tyr Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys
155 160 165

Variable	Mean	SD	Min	Max
Age	35.2	12.5	18	65
Gender	1.2	0.4	1	2
Education	12.8	2.1	9	16
Income	25.5	15.2	10	50
Marital Status	1.5	0.5	1	2
Occupation	3.2	1.8	1	5
Health Status	2.1	0.8	1	3
Stress Level	4.5	1.2	2	6
Life Satisfaction	3.8	1.0	2	5
Resilience Score	2.9	0.9	1	4
Optimism Index	3.5	1.1	2	5
Emotional Stability	2.7	0.7	1	3
Self-Efficacy	3.1	0.8	2	4
Perceived Stress	4.2	1.3	2	6
Coping Strategies	3.6	1.0	2	5
Support Network	2.8	0.9	1	4
Life Events	3.3	1.1	2	5
Personal Growth	3.0	0.8	2	4
Future Outlook	3.7	1.0	2	5
Overall Well-being	3.4	0.9	2	4

gca ata tac gac atg atg ggt aaa tgt aca tat cct gtc ctc aaa gaa	819
Ala Ile Tyr Asp Met Met Gly Lys Cys Thr Tyr Pro Val Leu Lys Glu	
170 175 180 185	
gat gca ccc aga caa cac gtc gaa aca ttt ttt cag aaa atg gac aaa	867
Asp Ala Pro Arg Gln His Val Glu Thr Phe Phe Gln Lys Met Asp Lys	
190 195 200	
aat aaa gat ggg gtt gtt acc ata gat gag ttc att gaa agc tgc caa	915
Asn Lys Asp Gly Val Val Thr Ile Asp Glu Phe Ile Glu Ser Cys Gln	
205 210 215	
aaa gat gaa aac ata atg cgc tcc atg cag ctc ttt gaa aat gtg att	963
Lys Asp Glu Asn Ile Met Arg Ser Met Gln Leu Phe Glu Asn Val Ile	
220 225 230	
taacttggtca actagatcct gaatccaaca gacaaatgtg aactattcta ccacccttaa	1023
agtcggagct accactttta gcatagattg ctcagcttga cactgaagca tattatgcaa	1083
acaagctttg ttttaatatata aagcaatccc caaaagattt gagtttctca gttataaatt	1143
tgcacccctt ccataatgcc actgagttca tgggatgttc taactcattt catactctgt	1203
gaatattcaa aagtaataga atctggcata tagttttatt gattcccttag ccatgggatt	1263
attgaggctt tcacatatca gtgattttta aataccagtg ttttttgctc tcatttgtat	1323
gtattcagtc ctaggatttt gaatggtttt ctaatatact gacatctgca ttttaatttcc	1383
agaaattaaa ttaattttca tgtctgaatg ctgtaattcc atttatatac ttttaagtaa	1443
caaataagat tactacaatt aaacacatag ttccagtttc tatggccttc ccttcccacc	1503
ttctattata aattaatttt atctgggtatt ttttaaacatt taaaaattta tcatcagata	1563
tcagcatatg cctaattatg cctaatagaa cttaataagc atttaatttt ccatcataca	1623
ttatagccaa ggccatatata ctatatataa ttttggtatt gtttaattctt acaggctgtt	1683
ttccattgta tcatcaagtg gaagttcaag acggcatcaa acaaaacaag gatgtttaca	1743
gacatatgca aagggtcagg atatctatcc tccagtatat gttaatgctt aataacaagt	1803
aatcctaaca gcattaaagg ccaaactctgt cctctttccc ctgacttcct tacagcatgt	1863
ttatattaca agccattcag ggacaaagaa accttgacta cccactgtc tactaggaac	1923
aaacaaacag caagcaaaat tcactttgaa agcaccagtg gttccattac attgacaact	1983
actaccaaga ttcagtagaa aataagtgtc caacaactaa tccagattac aatatgattt	2043
agtgcatcat aaaattccaa caattcagat tatttttaat catctcagcc acaactgtaa	2103
agttgccaca ttactaaaga cacacacatc gtcctgtgtt tgtagaaata tcacaaagac	2163
caagaggcta cagaaggagg aaatttgcaa ctgtctttgc aacaataaat caggtatcta	2223
ttctgggtgta gagataggat gttgaaagct gccctgctat caccagtgtg gaaattaaga	2283

gtagtacaat acatgtacac tgaaatttgc catcgcggtgt ttgtgtaaac tcaatgtgca 2343
 cattttgtat ttcaaaaaga aaaaataaaa gcaaaataaa atgttwawaa mwmwaaaaaa 2403
 aaaaaaaaaa 2413

<210> 49
 <211> 233
 <212> PRT
 <213> Simian sp.

<400> 49
 Met Leu Thr Leu Glu Trp Glu Ser Glu Gly Leu Gln Thr Val Gly Ile
 1 5 10 15
 Val Val Ile Ile Cys Ala Ser Leu Lys Leu Leu His Leu Leu Gly Leu
 20 25 30
 Ile Asp Phe Ser Glu Asp Ser Val Glu Asp Glu Leu Glu Met Ala Thr
 35 40 45
 Val Arg His Arg Pro Glu Ala Leu Glu Leu Leu Glu Ala Gln Ser Lys
 50 55 60
 Phe Thr Lys Lys Glu Leu Gln Ile Leu Tyr Arg Gly Phe Lys Asn Glu
 65 70 75 80
 Cys Pro Ser Gly Val Val Asn Glu Glu Thr Phe Lys Glu Ile Tyr Ser
 85 90 95
 Gln Phe Phe Pro Gln Gly Asp Ser Thr Thr Tyr Ala His Phe Leu Phe
 100 105 110
 Asn Ala Phe Asp Thr Asp His Asn Gly Ala Val Ser Phe Glu Asp Phe
 115 120 125
 Ile Lys Gly Leu Ser Ile Leu Leu Arg Gly Thr Val Gln Glu Lys Leu
 130 135 140
 Asn Trp Ala Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Thr
 145 150 155 160
 Lys Glu Glu Met Leu Asp Ile Met Lys Ala Ile Tyr Asp Met Met Gly
 165 170 175
 Lys Cys Thr Tyr Pro Val Leu Lys Glu Asp Ala Pro Arg Gln His Val
 180 185 190
 Glu Thr Phe Phe Gln Lys Met Asp Lys Asn Lys Asp Gly Val Val Thr
 195 200 205
 Ile Asp Glu Phe Ile Glu Ser Cys Gln Lys Asp Glu Asn Ile Met Arg
 210 215 220
 Ser Met Gln Leu Phe Glu Asn Val Ile
 225 230

66T260"25400460

[illegible]

aat aaa gat ggc tac atc act aaa gag gaa atg ctt gat ata atg aaa 771
 Asn Lys Asp Gly Tyr Ile Thr Lys Glu Glu Met Leu Asp Ile Met Lys
 155 160 165

 gca ata tac gac atg atg ggt aaa tgt aca tat cct gtc ctc aaa gaa 819
 Ala Ile Tyr Asp Met Met Gly Lys Cys Thr Tyr Pro Val Leu Lys Glu
 170 175 180 185

 gat gca ccc aga caa cac gtc gaa aca ttt ttt cag gct gtt ttc cat 867
 Asp Ala Pro Arg Gln His Val Glu Thr Phe Phe Gln Ala Val Phe His
 190 195 200

 tgt atc atc aag tgg aag ttc aag acg gca tca aac aaa aca agg atg 915
 Cys Ile Ile Lys Trp Lys Phe Lys Thr Ala Ser Asn Lys Thr Arg Met
 205 210 215

 ttt aca gac ata tgc aaa ggg tca gga tat cta tcc tcc agt ata tgt 963
 Phe Thr Asp Ile Cys Lys Gly Ser Gly Tyr Leu Ser Ser Ser Ile Cys
 220 225 230

 taatgcttaa taacaagtaa tcctaacagc attaaaggcc aaatctgtcc tctttccct 1023
 gacttcctta cagcatgttt atattacaag ccattcaggg acaaagaaac cttgactacc 1083
 ccactgtcta ctaggaacaa acaaacagca agcaaaattc actttgaaag caccagtgg 1143
 tccattacat tgacaactac taccaagatt cagtagaaaa taagtgtctca acaactaatc 1203
 cagattacaa tatgatttag tgcatcataa aattccaaca attcagatta tttttaatca 1263
 tctcagccac aactgtaaaag ttgccacatt actaaagaca cacacatcgt ccctgttttg 1323
 tagaaatata acaaagacca agaggctaca gaaggaggaa atttgcaact gtctttgcaa 1383
 caataaatca ggtatctatt ctggtgtaga gataggatgt tgaaagctgc cctgctatca 1443
 ccagtgtaga aattaagagt agtacaatac atgtacactg aaatttgcca tcgcgtgttt 1503
 gtgtaaactc aatgtgcaca ttttgtattt caaaaagaaa aaataaaagc aaaataaaat 1563
 gttwawaamw mwaaaaaaaa aaaaaaaaa 1591

<210> 51
 <211> 233
 <212> PRT
 <213> Simian sp.

<400> 51
 Met Leu Thr Leu Glu Trp Glu Ser Glu Gly Leu Gln Thr Val Gly Ile
 1 5 10 15

 Val Val Ile Ile Cys Ala Ser Leu Lys Leu Leu His Leu Leu Gly Leu
 20 25 30

 Ile Asp Phe Ser Glu Asp Ser Val Glu Asp Glu Leu Glu Met Ala Thr
 35 40 45

0940049.06460"26400450

Val Arg His Arg Pro Glu Ala Leu Glu Leu Leu Glu Ala Gln Ser Lys
 50 55 60
 Phe Thr Lys Lys Glu Leu Gln Ile Leu Tyr Arg Gly Phe Lys Asn Glu
 65 70 75 80
 Cys Pro Ser Gly Val Val Asn Glu Glu Thr Phe Lys Glu Ile Tyr Ser
 85 90 95
 Gln Phe Phe Pro Gln Gly Asp Ser Thr Thr Tyr Ala His Phe Leu Phe
 100 105 110
 Asn Ala Phe Asp Thr Asp His Asn Gly Ala Val Ser Phe Glu Asp Phe
 115 120 125
 Ile Lys Gly Leu Ser Ile Leu Leu Arg Gly Thr Val Gln Glu Lys Leu
 130 135 140
 Asn Trp Ala Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Thr
 145 150 155 160
 Lys Glu Glu Met Leu Asp Ile Met Lys Ala Ile Tyr Asp Met Met Gly
 165 170 175
 Lys Cys Thr Tyr Pro Val Leu Lys Glu Asp Ala Pro Arg Gln His Val
 180 185 190
 Glu Thr Phe Phe Gln Ala Val Phe His Cys Ile Ile Lys Trp Lys Phe
 195 200 205
 Lys Thr Ala Ser Asn Lys Thr Arg Met Phe Thr Asp Ile Cys Lys Gly
 210 215 220
 Ser Gly Tyr Leu Ser Ser Ser Ile Cys
 225 230

<210> 52
 <211> 2051
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (85)..(1305)

<400> 52
 ggtggagcta agcactcact gcggtgctgc cctgcgtctg cagagaacaa ggaaagcttc 60
 tctgcagggc tgtcagctgc caaa atg aac ggc gtg gaa ggg aac aac gag 111
 Met Asn Gly Val Glu Gly Asn Asn Glu
 1 5
 ctc cct ctc gct aac acc tcg acc tcc gcc ctt gtc ccg gaa gat ctg 159
 Leu Pro Leu Ala Asn Thr Ser Thr Ser Ala Leu Val Pro Glu Asp Leu
 10 15 20 25
 gat ctg aag caa gac cag ccg ctc agc gag gaa act gac acg gtg cgg 207
 Asp Leu Lys Gln Asp Gln Pro Leu Ser Glu Glu Thr Asp Thr Val Arg
 30 35 40

09400492 09249

gag atg gag gct gca ggt gag gcc ggt gcg gag gga ggc gcg tcc ccc	255
Glu Met Glu Ala Ala Gly Glu Ala Gly Ala Glu Gly Gly Ala Ser Pro	
45 50 55	
gat tcg gag cac tgc gac ccc cag ctc tgc ctc cga gtg gct gag aat	303
Asp Ser Glu His Cys Asp Pro Gln Leu Cys Leu Arg Val Ala Glu Asn	
60 65 70	
ggc tgt gct gcc gca gcg gga gag ggg ctg gag gat ggt ctg tct tca	351
Gly Cys Ala Ala Ala Ala Gly Glu Gly Leu Glu Asp Gly Leu Ser Ser	
75 80 85	
tca aag tgt ggg gac gca ccc ttg gcg tct gtg gca gcc aac gac agc	399
Ser Lys Cys Gly Asp Ala Pro Leu Ala Ser Val Ala Ala Asn Asp Ser	
90 95 100 105	
aat aaa aat ggc tgt cag ctt gca ggg ccg ctc agc cct gct aag cca	447
Asn Lys Asn Gly Cys Gln Leu Ala Gly Pro Leu Ser Pro Ala Lys Pro	
110 115 120	
aaa act ctg gaa gcc agt ggt gca gtg ggc ctg ggg tcg cag atg atg	495
Lys Thr Leu Glu Ala Ser Gly Ala Val Gly Leu Gly Ser Gln Met Met	
125 130 135	
cca ggg ccg aag aag acc aag gta atg act acc aag ggc gcc atc tct	543
Pro Gly Pro Lys Lys Thr Lys Val Met Thr Thr Lys Gly Ala Ile Ser	
140 145 150	
gcg act aca ggc aag gaa gga gaa gca ggg gcg gca atg cag gaa aag	591
Ala Thr Thr Gly Lys Glu Gly Glu Ala Gly Ala Ala Met Gln Glu Lys	
155 160 165	
aag ggg gtg cag aaa gaa aaa aag gca gct gga gga ggg aaa gac gag	639
Lys Gly Val Gln Lys Glu Lys Lys Ala Ala Gly Gly Gly Lys Asp Glu	
170 175 180 185	
act cgt cct aga gcc cct aag atc aat aac tgc atg gac tcc ctg gaa	687
Thr Arg Pro Arg Ala Pro Lys Ile Asn Asn Cys Met Asp Ser Leu Glu	
190 195 200	
gcc atc gat caa gag ctg tca aat gta aat gcg caa gct gac agg gcc	735
Ala Ile Asp Gln Glu Leu Ser Asn Val Asn Ala Gln Ala Asp Arg Ala	
205 210 215	
ttc ctc cag ctg gaa cgc aaa ttt ggg cgg atg aga agg ctc cac atg	783
Phe Leu Gln Leu Glu Arg Lys Phe Gly Arg Met Arg Arg Leu His Met	
220 225 230	
cag cgc cga agt ttc atc atc caa aac atc cca ggt ttc tgg gtc aca	831
Gln Arg Arg Ser Phe Ile Ile Gln Asn Ile Pro Gly Phe Trp Val Thr	
235 240 245	
gcg ttt cgg aac cac ccg caa ctg tca ccg atg atc agt ggc caa gat	879
Ala Phe Arg Asn His Pro Gln Leu Ser Pro Met Ile Ser Gly Gln Asp	
250 255 260 265	
gaa gac atg atg agg tac atg atc aat tta gag gtg gag gag ctt aag	927
Glu Asp Met Met Arg Tyr Met Ile Asn Leu Glu Val Glu Glu Leu Lys	
270 275 280	

0540049-0540049

cac cca aga gca ggg tgc aaa ttt aag ttc atc ttc caa agc aac ccc 975
 His Pro Arg Ala Gly Cys Lys Phe Lys Phe Ile Phe Gln Ser Asn Pro
 285 290 295
 tac ttc cga aat gag ggg ctg gtc aaa gag tac gag cgc aga tcc tca 1023
 Tyr Phe Arg Asn Glu Gly Leu Val Lys Glu Tyr Glu Arg Arg Ser Ser
 300 305 310
 ggt cga gtg gtg tgc ctc tct acg cca atc cgc tgg cac cgg ggt caa 1071
 Gly Arg Val Val Ser Leu Ser Thr Pro Ile Arg Trp His Arg Gly Gln
 315 320 325
 gaa ccc cag gcc cat atc cac agg aat aga gag ggg aac acg att ccc 1119
 Glu Pro Gln Ala His Ile His Arg Asn Arg Glu Gly Asn Thr Ile Pro
 330 335 340 345
 agt ttc ttc aat tgg ttc tca gac cac agc ctc cta gaa ttc gac aga 1167
 Ser Phe Phe Asn Trp Phe Ser Asp His Ser Leu Leu Glu Phe Asp Arg
 350 355 360
 ata gct gaa att atc aaa ggg gag ctt tgg tcc aat ccc cta caa tac 1215
 Ile Ala Glu Ile Ile Lys Gly Glu Leu Trp Ser Asn Pro Leu Gln Tyr
 365 370 375
 tac ctg atg ggc gat ggg cca cgc aga gga gtt cga gtc cca cca agg 1263
 Tyr Leu Met Gly Asp Gly Pro Arg Arg Gly Val Arg Val Pro Pro Arg
 380 385 390
 cag cca gtg gag agt ccc agg tcc ttc agg ttc cag tct ggc 1305
 Gln Pro Val Glu Ser Pro Arg Ser Phe Arg Phe Gln Ser Gly
 395 400 405
 taagctctgc cctcgtgaga agctcttaca gaagagtcct taccaccttc tcagcttggc 1365
 tagcagcatg cagccttctg tctgctttct cttccttggg ttgtgtcctt tggttcttct 1425
 aagtctccgg tagtttcaag gttgtggctt ccaagtcttt gctcttcttt ctcttggcca 1485
 tcacgatgtc ctgcatagtg ttaatggtgt tccaagtgca tggcctccaa actgcttota 1545
 tgccaagctc acgtgctgta gtttgtactg cttttctttg catggcttgg ttctgtctgt 1605
 tgatcttota ggttttttgt tttctttttt aaaagtgggt ctctatcaaa agaaagcttg 1665
 acatatcctt accaagaact agccagattt catactgtgt tcccgatata tatgtactgt 1725
 gaagaactgt gagtttcgcc actgcaagat gggactgtat cccaatccag ccatacagccc 1785
 aacaggacat tccaagctgt caccaactga tctagctgt cttcctgggc ctttgccatt 1845
 tacctgtctt tttatctata gaatgagcag gtggctggta ggtgactact aggtaagagt 1905
 gaagtattag gtgaggagtg ttttctgtca ccacattgtt cttgtaccaa tgcatacatga 1965
 tcagcttggg tcagctactg actgtctgat atttctaacc cccaacacaa aaaaaaaaaa 2025
 aaaaaaaaaa aaaaaaaaaa aaaaaa 2051

5400450
 26400450
 26400450

<210> 53
 <211> 407
 <212> PRT
 <213> Rattus sp.

<400> 53

```

Met Asn Gly Val Glu Gly Asn Asn Glu Leu Pro Leu Ala Asn Thr Ser
 1          5          10          15

Thr Ser Ala Leu Val Pro Glu Asp Leu Asp Leu Lys Gln Asp Gln Pro
          20          25          30

Leu Ser Glu Glu Thr Asp Thr Val Arg Glu Met Glu Ala Ala Gly Glu
          35          40          45

Ala Gly Ala Glu Gly Gly Ala Ser Pro Asp Ser Glu His Cys Asp Pro
          50          55          60

Gln Leu Cys Leu Arg Val Ala Glu Asn Gly Cys Ala Ala Ala Ala Gly
          65          70          75          80

Glu Gly Leu Glu Asp Gly Leu Ser Ser Ser Lys Cys Gly Asp Ala Pro
          85          90          95

Leu Ala Ser Val Ala Ala Asn Asp Ser Asn Lys Asn Gly Cys Gln Leu
          100          105          110

Ala Gly Pro Leu Ser Pro Ala Lys Pro Lys Thr Leu Glu Ala Ser Gly
          115          120          125

Ala Val Gly Leu Gly Ser Gln Met Met Pro Gly Pro Lys Lys Thr Lys
          130          135          140

Val Met Thr Thr Lys Gly Ala Ile Ser Ala Thr Thr Gly Lys Glu Gly
          145          150          155          160

Glu Ala Gly Ala Ala Met Gln Glu Lys Lys Gly Val Gln Lys Glu Lys
          165          170          175

Lys Ala Ala Gly Gly Gly Lys Asp Glu Thr Arg Pro Arg Ala Pro Lys
          180          185          190

Ile Asn Asn Cys Met Asp Ser Leu Glu Ala Ile Asp Gln Glu Leu Ser
          195          200          205

Asn Val Asn Ala Gln Ala Asp Arg Ala Phe Leu Gln Leu Glu Arg Lys
          210          215          220

Phe Gly Arg Met Arg Arg Leu His Met Gln Arg Arg Ser Phe Ile Ile
          225          230          235          240

Gln Asn Ile Pro Gly Phe Trp Val Thr Ala Phe Arg Asn His Pro Gln
          245          250          255

Leu Ser Pro Met Ile Ser Gly Gln Asp Glu Asp Met Met Arg Tyr Met
          260          265          270

Ile Asn Leu Glu Val Glu Glu Leu Lys His Pro Arg Ala Gly Cys Lys
          275          280          285

```

6940043-099
 6940043-099

tct	cca	cta	gtc	gac	ttc	ttc	aaa	atg	agc	ggc	ctg	gat	ggg	ggc	aac	aag	114
								Met	Ser	Gly	Leu	Asp	Gly	Gly	Asn	Lys	
								1					5				
ctc	cct	ctc	gcc	caa	acc	ggc	ggc	ctg	gct	gct	ccc	gac	cat	gcc	tca		162
Leu	Pro	Leu	Ala	Gln	Thr	Gly	Gly	Leu	Ala	Ala	Pro	Asp	His	Ala	Ser		
	10				15					20					25		
gga	gat	ccg	gac	cta	gac	cag	tgc	caa	ggg	ctc	cgt	gaa	gaa	acc	gag		210
Gly	Asp	Pro	Asp	Leu	Asp	Gln	Cys	Gln	Gly	Leu	Arg	Glu	Glu	Thr	Glu		
				30					35					40			
gcg	aca	cag	gtg	atg	gcg	aac	aca	ggt	ggg	ggc	agc	ctg	gag	acc	gtt		258
Ala	Thr	Gln	Val	Met	Ala	Asn	Thr	Gly	Gly	Gly	Ser	Leu	Glu	Thr	Val		
			45					50					55				
gcg	gag	ggg	ggt	gca	tcc	cag	gat	cct	gtc	gac	tgt	ggc	ccc	gcg	ctc		306
Ala	Glu	Gly	Gly	Ala	Ser	Gln	Asp	Pro	Val	Asp	Cys	Gly	Pro	Ala	Leu		
		60					65					70					

cgc gtc cca gtt gcc ggg agt cgc ggc ggt gca gcg acc aaa gcc ggg	354
Arg Val Pro Val Ala Gly Ser Arg Gly Gly Ala Ala Thr Lys Ala Gly	
75 80 85	
cag gag gat gct cca cct tct acg aaa ggt ctg gaa gca gcc tct gcc	402
Gln Glu Asp Ala Pro Pro Ser Thr Lys Gly Leu Glu Ala Ala Ser Ala	
90 95 100 105	
gcc gag gct gct gac agc agc cag aaa aat ggc tgt cag ctt gga gag	450
Ala Glu Ala Ala Asp Ser Ser Gln Lys Asn Gly Cys Gln Leu Gly Glu	
110 115 120	
ccc cgt ggc cct gct ggg cag aag gct cta gaa gcc tgt ggc gca ggg	498
Pro Arg Gly Pro Ala Gly Gln Lys Ala Leu Glu Ala Cys Gly Ala Gly	
125 130 135	
ggc ttg ggg tct cag atg ata ccg ggg aag aag gcc aag gaa gtg acg	546
Gly Leu Gly Ser Gln Met Ile Pro Gly Lys Lys Ala Lys Glu Val Thr	
140 145 150	
act aaa aaa cgc gcc atc tcg gca gca gtg gaa aag gag gga gaa gca	594
Thr Lys Lys Arg Ala Ile Ser Ala Ala Val Glu Lys Glu Gly Glu Ala	
155 160 165	
ggg gcg gcg atg gag gaa aag aag gta gtg cag aag gaa aaa aag gtg	642
Gly Ala Ala Met Glu Glu Lys Lys Val Val Gln Lys Glu Lys Lys Val	
170 175 180 185	
gca gga ggg gtg aaa gag gag aca cgg ccc agg gcc ccg aag atc aat	690
Ala Gly Gly Val Lys Glu Glu Thr Arg Pro Arg Ala Pro Lys Ile Asn	
190 195 200	
aac tgc atg gac tca ctg gag gcc atc gat caa gag ttg tca aac gta	738
Asn Cys Met Asp Ser Leu Glu Ala Ile Asp Gln Glu Leu Ser Asn Val	
205 210 215	
aat gcc cag gct gac agg gcc ttc ctt cag ctt gag cgc aag ttt ggc	786
Asn Ala Gln Ala Asp Arg Ala Phe Leu Gln Leu Glu Arg Lys Phe Gly	
220 225 230	
cgc atg cga agg ctc cac atg cag cgc aga agt ttc att atc cag aat	834
Arg Met Arg Arg Leu His Met Gln Arg Arg Ser Phe Ile Ile Gln Asn	
235 240 245	
atc cca ggt ttc tgg gtt act gcc ttt cga aac cac ccc cag ctg tca	882
Ile Pro Gly Phe Trp Val Thr Ala Phe Arg Asn His Pro Gln Leu Ser	
250 255 260 265	
cct atg atc agt ggc caa gat gaa gac atg ctg agg tac atg atc aat	930
Pro Met Ile Ser Gly Gln Asp Glu Asp Met Leu Arg Tyr Met Ile Asn	
270 275 280	
ttg gag gtg gag gag ctt aaa cac ccc aga gca ggc tgc aaa ttc aag	978
Leu Glu Val Glu Glu Leu Lys His Pro Arg Ala Gly Cys Lys Phe Lys	
285 290 295	
ttc atc ttt cag ggc aac ccc tac ttc cga aat gag ggc ctt gtc aag	1026
Phe Ile Phe Gln Gly Asn Pro Tyr Phe Arg Asn Glu Gly Leu Val Lys	
300 305 310	

65T269"26400450

gaa tat gaa cgc aga tcc tct ggc cgg gtg gtg tct ctt tcc act cca 1074
 Glu Tyr Glu Arg Arg Ser Ser Gly Arg Val Val Ser Leu Ser Thr Pro
 315 320 325

atc cgc tgg cac cga ggc caa gac ccc cag gct cat atc cac aga aac 1122
 Ile Arg Trp His Arg Gly Gln Asp Pro Gln Ala His Ile His Arg Asn
 330 335 340 345

cgg gaa ggg aac act atc cct agt ttc ttc aac tgg ttt tca gac cac 1170
 Arg Glu Gly Asn Thr Ile Pro Ser Phe Phe Asn Trp Phe Ser Asp His
 350 355 360

agc ctt cta gaa ttc gac aga att gca gag att atc aaa gga gaa ctg 1218
 Ser Leu Leu Glu Phe Asp Arg Ile Ala Glu Ile Ile Lys Gly Glu Leu
 365 370 375

tgg ccc aat ccc cta caa tac tac ctg atg ggt gaa ggg ccc cgt aga 1266
 Trp Pro Asn Pro Leu Gln Tyr Tyr Leu Met Gly Glu Gly Pro Arg Arg
 380 385 390

gga att cga ggc cca cca agg cag cca gtg gag agc gcc aga tcc ttc 1314
 Gly Ile Arg Gly Pro Pro Arg Gln Pro Val Glu Ser Ala Arg Ser Phe
 395 400 405

agg ttc cag tct ggc taatctctgt cctgtgagaa gcttctgcac aagtttctct 1369
 Arg Phe Gln Ser Gly
 410

accacctcct cttggaccta tgcttggcca acagcatgca gtcttccatc tgctttctct 1429

tcatactgtg gattatcttt tcctttgggt ctaaactctc agtaatcggg tgcaagattg 1489

ttggcttacc tgctgtgcc attcttctc tgggccttca tgcttttctg cattgtgtta 1549

acatgtttca agtgcattggc cttctacggc ttctatgcca agcgtatgat actatagata 1609

tagtgtacca tactgccttt ctttgcattg cttggaccct atctgtgacc atgctcttct 1669

cccaatttaa gtggttctgt accacaaaga atcttgatac attttcacaa ataactgatt 1729

gggcttcata ctttatgtg gctgtgtctc gatacccatg tacttatggg aagctatttg 1789

ggtattacca ctgcaagaca aaactgatat ctttaaccgg ccatcaacc aaattggaca 1849

ttccagacta ccaccaactg gatccagct gccttctctg gcttgtgcca tccaccctac 1909

tggttatctg atagaacaag ctgggtggctg atgggtgact gctaggcgtg actgaggtaa 1969

tagatgaaaa gtgttctatg ttatcacatt ggttttctctg tacctttggg tactctacgt 2029

catgaccagc tgotgggtgag tatgaagcct gtgctatagc ccaccctac tactctcac 2089

cttctgggtg aactttgctt aggcaccat tgtctgcctc atcaggaact atctgtagac 2149

gtagctccca gggagctcac agcaacaccc cctaccacca ggatgggcag taatatgtga 2209

cagagcccaa agcaaggctg gaacgcagtc ccttccagct tagtcttct gactcctagc 2269

caacaaacca tccttaatgt gagcaacttc tttaggcatt tcctcttttc cccgcctgca 2329

cccactctga acatgacaaa agttgccaga gttggggcat tgaggaagag atatttctgg 2389

0940049 "0249" 26400460

aatgtgagac ttgttatgcc tctgtctctt tctctccctc cccctccctt ctccctcccc 2449
ctctccctcc catccctttt ctcccttttc actctgaagc agtttttagct tattaacaga 2509
aaacaaaact ggcaaagcag gctttttgtt taatttgctc tttccctgat tgtgttcaga 2569
gagaaagggt atgattaaat gggctccaga tctcttattg cccttattcc tccacccac 2629
ttcttttagc aagggtctgaa agtttcaaag ggagacctat aggttaattg tttagttata 2689
ggcagtgtta aattaggcag attttgacat atttatcttt ttaccccatc cattctacca 2749
aaacctgtgt atttcttgag ttttttagttt gagaagctgg aaagagagag aagggcctca 2809
cagtgatggg ttcaggacgg gtcaaaggca aaggcctttg tgatgtgagc aaaggcaacc 2869
aaaacttagc ctcactccac ttttctaaag atggaaattc ttttttgggc cttggactgc 2929
ttctagggtg gcattttgta ggtcactctt ctcccttgta ctattttgtt tctgccctga 2989
tgtcccttgg gtctccatcc tactgcctgg ctttcttggc cctcatttct cagcttctgc 3049
atttccttcc ctgctcctaa caaatgaaga agcaggctgc agcctgcatt gtggaagatc 3109
tccagcctcc ttgtagggga taaggggatg tgtagcatct gtgtggattt tcacggacaa 3169
gttcagtag gtgggacagt gatgccgtca aggcttagtt atgatcatgt gtggtgataa 3229
agaccatcca ccacaccct tttccctttt ggttttgaag gccttgccct aagctacctg 3289
agggtttagg aggtctgaac acacacagtg gagagggtta tctaggttgg gaaactgagt 3349
aaaagtccag agcaggaatg agcctgctgt ggcgtgggtt tggaaaggct cacaggaaa 3409
aacctgcagg atcaggggtg ggaggggagg cccctgaggt gctctccagg gaagaggggc 3469
tggggtttaa atagcatgct tggaggaaga ttttcttca atttttccta agtccttgaa 3529
ttcaccagta gatTTTTgta aacaaaatgt aagtcgatgt tttctctcaa ttatcctagg 3589
agtgaccttt atatgtgtgg aagattaatg gtatatgctc cttatgtcac tgtttttgag 3649
taaaatccat ttcttttctc tgtttcagcc tatgacaaaa ttgatgttta caggcctgct 3709
ttttgcttat aattgacaac atgtgcaaaa ataccaaatt tgtgtcctgt gcagtatgaa 3769
gaattcagtg aatattcatt aatgtattag cttgttttgc tctctgttca tatatggctc 3829
tattcttaga aatataattt gaatgtgatc tttcaatagt ctgaatattt tacaaattat 3889
agctatgtct tgtgaaaata acctcaaaaa gaaaaatacg actctgttgt cttacttgat 3949
atttcttgcc ctagtaatgt acttgacatt tatgttctta agcagtgtaa gtaccagtag 4009
aatttctctg tcaaaactcaa tgatcattta gtacttttgt cttctcccat gtgcttgaag 4069
gaaaaataaa gtgtcactac cgtatttctt gttttcatca aaaaataaaa ataatttaaa 4129
aaacaaaaaa aaaaaaaaaa 4148

069CP-069-25400-450

<210> 55

<211> 414

<212> PRT

<213> Homo sapiens

<400> 55

Met Ser Gly Leu Asp Gly Gly Asn Lys Leu Pro Leu Ala Gln Thr Gly
 1 5 10 15

Gly Leu Ala Ala Pro Asp His Ala Ser Gly Asp Pro Asp Leu Asp Gln
 20 25 30

Cys Gln Gly Leu Arg Glu Glu Thr Glu Ala Thr Gln Val Met Ala Asn
 35 40 45

Thr Gly Gly Gly Ser Leu Glu Thr Val Ala Glu Gly Gly Ala Ser Gln
 50 55 60

Asp Pro Val Asp Cys Gly Pro Ala Leu Arg Val Pro Val Ala Gly Ser
 65 70 75 80

Arg Gly Gly Ala Ala Thr Lys Ala Gly Gln Glu Asp Ala Pro Pro Ser
 85 90 95

Thr Lys Gly Leu Glu Ala Ala Ser Ala Ala Glu Ala Ala Asp Ser Ser
 100 105 110

Gln Lys Asn Gly Cys Gln Leu Gly Glu Pro Arg Gly Pro Ala Gly Gln
 115 120 125

Lys Ala Leu Glu Ala Cys Gly Ala Gly Gly Leu Gly Ser Gln Met Ile
 130 135 140

Pro Gly Lys Lys Ala Lys Glu Val Thr Thr Lys Lys Arg Ala Ile Ser
 145 150 155 160

Ala Ala Val Glu Lys Glu Gly Glu Ala Gly Ala Ala Met Glu Glu Lys
 165 170 175

Lys Val Val Gln Lys Glu Lys Lys Val Ala Gly Gly Val Lys Glu Glu
 180 185 190

Thr Arg Pro Arg Ala Pro Lys Ile Asn Asn Cys Met Asp Ser Leu Glu
 195 200 205

Ala Ile Asp Gln Glu Leu Ser Asn Val Asn Ala Gln Ala Asp Arg Ala
 210 215 220

Phe Leu Gln Leu Glu Arg Lys Phe Gly Arg Met Arg Arg Leu His Met
 225 230 235 240

Gln Arg Arg Ser Phe Ile Ile Gln Asn Ile Pro Gly Phe Trp Val Thr
 245 250 255

Ala Phe Arg Asn His Pro Gln Leu Ser Pro Met Ile Ser Gly Gln Asp
 260 265 270

Glu Asp Met Leu Arg Tyr Met Ile Asn Leu Glu Val Glu Glu Leu Lys
 275 280 285

00400409.09249

His Pro Arg Ala Gly Cys Lys Phe Lys Phe Ile Phe Gln Gly Asn Pro
 290 295 300
 Tyr Phe Arg Asn Glu Gly Leu Val Lys Glu Tyr Glu Arg Arg Ser Ser
 305 310 315 320
 Gly Arg Val Val Ser Leu Ser Thr Pro Ile Arg Trp His Arg Gly Gln
 325 330 335
 Asp Pro Gln Ala His Ile His Arg Asn Arg Glu Gly Asn Thr Ile Pro
 340 345 350
 Ser Phe Phe Asn Trp Phe Ser Asp His Ser Leu Leu Glu Phe Asp Arg
 355 360 365
 Ile Ala Glu Ile Ile Lys Gly Glu Leu Trp Pro Asn Pro Leu Gln Tyr
 370 375 380
 Tyr Leu Met Gly Glu Gly Pro Arg Arg Gly Ile Arg Gly Pro Pro Arg
 385 390 395 400
 Gln Pro Val Glu Ser Ala Arg Ser Phe Arg Phe Gln Ser Gly
 405 410

<210> 56
 <211> 2643
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (1)..(801)

<400> 56
 ctg aaa ggg gcg agg ccc agg gtg gtg aac tcc acc tgc agt gac ttc 48
 Leu Lys Gly Ala Arg Pro Arg Val Val Asn Ser Thr Cys Ser Asp Phe
 1 5 10 15
 aac cat ggc tca gct ctg cac atc gct gcc tcg aat ctg tgc ctg ggc 96
 Asn His Gly Ser Ala Leu His Ile Ala Ala Ser Asn Leu Cys Leu Gly
 20 25 30
 gcc gcc aaa tgt tta ctg gag cat ggt gcc aac cca gcg ctg agg aat 144
 Ala Ala Lys Cys Leu Leu Glu His Gly Ala Asn Pro Ala Leu Arg Asn
 35 40 45
 cga aaa gga cag gta cca gcg gaa gtg gtc cca gac ccc atg gac atg 192
 Arg Lys Gly Gln Val Pro Ala Glu Val Val Pro Asp Pro Met Asp Met
 50 55 60
 tcc ctt gac aag gca gag gca gcc ctg gtg gcc aag gaa ttg cgg acg 240
 Ser Leu Asp Lys Ala Glu Ala Ala Leu Val Ala Lys Glu Leu Arg Thr
 65 70 75 80
 ctg cta gaa gag gct gtg cca ctg tcc tgc acc ctt cct aaa gtc aca 288
 Leu Leu Glu Glu Ala Val Pro Leu Ser Cys Thr Leu Pro Lys Val Thr
 85 90 95

0640049.09159

cta ccc aac tat gac aac gtc cca ggc aat ctc atg ctc agc gcg ctg 336
 Leu Pro Asn Tyr Asp Asn Val Pro Gly Asn Leu Met Leu Ser Ala Leu
 100 105 110

ggc ctg cgt cta gga gac cga gtg ctc ctc gat ggc cag aag acg ggc 384
 Gly Leu Arg Leu Gly Asp Arg Val Leu Leu Asp Gly Gln Lys Thr Gly
 115 120 125

acg ctg agg ttc tgc ggg acc acc gag ttc gcc agt ggc cag tgg gtg 432
 Thr Leu Arg Phe Cys Gly Thr Thr Glu Phe Ala Ser Gly Gln Trp Val
 130 135 140

ggc gtg gag cta gat gaa ccg gaa ggc aag aac gac ggc agc gtt ggc 480
 Gly Val Glu Leu Asp Glu Pro Glu Gly Lys Asn Asp Gly Ser Val Gly
 145 150 155 160

ggt gtc cgg tac ttc atc tgc cct ccc aag cag ggt ctc ttt gca tct 528
 Gly Val Arg Tyr Phe Ile Cys Pro Pro Lys Gln Gly Leu Phe Ala Ser
 165 170 175

gtg tcc aag gtc tcc aag gca gtg gat gca ccc ccc tca tct gtt acc 576
 Val Ser Lys Val Ser Lys Ala Val Asp Ala Pro Pro Ser Ser Val Thr
 180 185 190

tcc acg ccc cgc act ccc cgg atg gac ttc tcc cgt gta acg ggc aaa 624
 Ser Thr Pro Arg Thr Pro Arg Met Asp Phe Ser Arg Val Thr Gly Lys
 195 200 205

ggc cgg agg gaa cac aaa ggg aag aag aag tcc cca tct tcc cca tct 672
 Gly Arg Arg Glu His Lys Gly Lys Lys Lys Ser Pro Ser Ser Pro Ser
 210 215 220

ctg ggc agc ctg cag cag cgt gaa ggg gcc aaa gct gaa gtt gga gac 720
 Leu Gly Ser Leu Gln Gln Arg Glu Gly Ala Lys Ala Glu Val Gly Asp
 225 230 235 240

caa gtc ctt gtg gca ggc cag aac agg gat tgt gcg ttt cta tgg gaa 768
 Gln Val Leu Val Ala Gly Gln Asn Arg Asp Cys Ala Phe Leu Trp Glu
 245 250 255

gac aga ctt tgc tcc agg tta ctg gta tgg cat tgaactggac cagccacgg 821
 Asp Arg Leu Cys Ser Arg Leu Leu Val Trp His
 260 265

gcaagcatga cggtctgtg ttcggtgtcc ggtactttac ctgtgccccg aggcacggg 881

tctttgcacc agcatctcgt atccagagga ttggtggatc cactgatccc cctggagaca 941

gtgttgaggc aaaaaaagtg catcaagtga caatgacaca gcccaaacgc accttcacaa 1001

cagtccggac cccaaaggac attgcatcag agaactctat ctccaggtta ctcttctgct 1061

gctggtttcc ttggatgctg agggcggaga tgcagtctta gagacctgga tacctgacac 1121

agagacagag tcccctctag catctcctga cacaaggaga cccagtcac cctaagatag 1181

agattcccag tgacacctcc agaatagaaa ccccgttagc cagccctcga ttactgaggt 1241

cccattatta acagatctcc catgacgact ccccaaata cagacctcat gttaccccaa 1301

aagagattcc ctgagtagca ccttcaggct agtcctgtc ccctaccct cagagcagat 1361

040049"2640460

567260"26400450

```

ttccccaat aaacattttc cacatcacc aagggatgct gacctctcc acgacaggac 1421
gttcttgagt taccagtgga ttagagtccc atgaatgaag accccccca ccccggttct 1481
ccttaagcat aggtcatacc tccagaatag ccagccacat cactatcccc atgtaacatc 1541
agtctcctca aaatggcgtg aggtcactag aaagacctta tactctctc tccttctcag 1601
agatgccctc cattcactta agtccctggt ctcacctctg aacaagacac ctaattaacc 1661
ggcccactca cctcaattac aaacaccaa atcgtcctgg aagcatgaat tacaggacag 1721
caagtcttcc tgccctctgc acccttgaga aacccccagt gccttgatg aagcccaccc 1781
cacatggccc acagtccctg tgctggccaa ggctcccaga aaattctcta ttttttaaag 1841
taataacttc ccccccttg gggggatccc caaatttga gacccattc tagaactctg 1901
gggagttcaa attccagaga gaatatatat tatatataat cccaattcc ccatgcttcc 1961
aagccctaca atctctagaa gaccccaa attttaattcc caggacttcc cctaccaag 2021
tcacagaatc ttcaaatccc cagggaatcc caaacttaag ataccaatcc caaacctca 2081
ggaaatcccc caacacaagg tccttaggac cgggaggaag gaacctgttg ccaggagaac 2141
atccaggct ctcaggcat ctcaaacctg actcccagge accaggagac ccaaacaga 2201
aagtcccatc tttggaacaa ggataggact ctaataccct tagtccatgg atctttaatt 2261
tcccaacctc caaactccat gggccccacc ctcaaggga ccccaagat ccaaactctc 2321
gataactaat atgtgcaggg cccaggggt ctaacaggac ccaaactcat ggagtccta 2381
cttcaatcta ccttctggtc acaggccaa gacactaaat ctgagtcatt ggcccaaag 2441
gacttcacag cacctgggcc agactaacag cctgaggag aacctgagg ccccgagggt 2501
ccagagcaga cctggggccc tgaccaccaa ggacagctca cgactgccc ttcactgcat 2561
gtccctaaac tcagcatgac tcctgtctc ttcaataaag acgtttctat ggcaaaaaaa 2621
aaaaaaaaa aaaaaaaaaa aa 2643

```

<210> 57

<211> 267

<212> PRT

<213> Rattus sp.

<400> 57

Leu Lys Gly Ala Arg Pro Arg Val Val Asn Ser Thr Cys Ser Asp Phe
1 5 10 15

Asn His Gly Ser Ala Leu His Ile Ala Ala Ser Asn Leu Cys Leu Gly
20 25 30

Ala Ala Lys Cys Leu Leu Glu His Gly Ala Asn Pro Ala Leu Arg Asn
35 40 45

Arg Lys Gly Gln Val Pro Ala Glu Val Val Pro Asp Pro Met Asp Met
 50 55 60
 Ser Leu Asp Lys Ala Glu Ala Ala Leu Val Ala Lys Glu Leu Arg Thr
 65 70 75 80
 Leu Leu Glu Glu Ala Val Pro Leu Ser Cys Thr Leu Pro Lys Val Thr
 85 90 95
 Leu Pro Asn Tyr Asp Asn Val Pro Gly Asn Leu Met Leu Ser Ala Leu
 100 105 110
 Gly Leu Arg Leu Gly Asp Arg Val Leu Leu Asp Gly Gln Lys Thr Gly
 115 120 125
 Thr Leu Arg Phe Cys Gly Thr Thr Glu Phe Ala Ser Gly Gln Trp Val
 130 135 140
 Gly Val Glu Leu Asp Glu Pro Glu Gly Lys Asn Asp Gly Ser Val Gly
 145 150 155 160
 Gly Val Arg Tyr Phe Ile Cys Pro Pro Lys Gln Gly Leu Phe Ala Ser
 165 170 175
 Val Ser Lys Val Ser Lys Ala Val Asp Ala Pro Pro Ser Ser Val Thr
 180 185 190
 Ser Thr Pro Arg Thr Pro Arg Met Asp Phe Ser Arg Val Thr Gly Lys
 195 200 205
 Gly Arg Arg Glu His Lys Gly Lys Lys Lys Ser Pro Ser Ser Pro Ser
 210 215 220
 Leu Gly Ser Leu Gln Gln Arg Glu Gly Ala Lys Ala Glu Val Gly Asp
 225 230 235 240
 Gln Val Leu Val Ala Gly Gln Asn Arg Asp Cys Ala Phe Leu Trp Glu
 245 250 255
 Asp Arg Leu Cys Ser Arg Leu Leu Val Trp His
 260 265

<210> 58
 <211> 2929
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (1)..(810)

<400> 58
 gct gac tct acc tct aga tgg gct gag gcc ctc aga gaa atc tct ggt 48
 Ala Asp Ser Thr Ser Arg Trp Ala Glu Ala Leu Arg Glu Ile Ser Gly
 1 5 10 15
 cgc tta gct gaa atg cct gca gat agt gga tac cct gca tac ctt ggt 96
 Arg Leu Ala Glu Met Pro Ala Asp Ser Gly Tyr Pro Ala Tyr Leu Gly
 20 25 30

65T250"25400450

gcc cga ctg gct tct ttc tat gag cga gca ggc aga gtg aaa tgt ctt 144
 Ala Arg Leu Ala Ser Phe Tyr Glu Arg Ala Gly Arg Val Lys Cys Leu
 35 40 45

gga aac cct gag aga gaa ggg agt gtc agc att gta gga gca gtt tct 192
 Gly Asn Pro Glu Arg Glu Gly Ser Val Ser Ile Val Gly Ala Val Ser
 50 55 60

cca cct ggt ggt gat ttt tct gat cca gtc aca tct gct act ctg ggt 240
 Pro Pro Gly Gly Asp Phe Ser Asp Pro Val Thr Ser Ala Thr Leu Gly
 65 70 75 80

att gtt cag gtg ttc tgg ggc ttg gat aag aag cta gct cag cgc aag 288
 Ile Val Gln Val Phe Trp Gly Leu Asp Lys Lys Leu Ala Gln Arg Lys
 85 90 95

cac ttc ccg tcc gtc aac tgg ctc att agc tac agc aag tac atg cgc 336
 His Phe Pro Ser Val Asn Trp Leu Ile Ser Tyr Ser Lys Tyr Met Arg
 100 105 110

gcc ctg gac gag tac tat gac aaa cac ttc aca gag ttc gtg cct ctg 384
 Ala Leu Asp Glu Tyr Tyr Asp Lys His Phe Thr Glu Phe Val Pro Leu
 115 120 125

agg acc aaa gct aag gag att ctg cag gaa gag gag gat ctg gcg gaa 432
 Arg Thr Lys Ala Lys Glu Ile Leu Gln Glu Glu Asp Leu Ala Glu
 130 135 140

atc gtg cag ctc gtg gga aag gcg tct tta gca gag aca gat aaa atc 480
 Ile Val Gln Leu Val Gly Lys Ala Ser Leu Ala Glu Thr Asp Lys Ile
 145 150 155 160

acc ctg gag gta gca aaa ctt atc aaa gat gac ttc cta caa caa aat 528
 Thr Leu Glu Val Ala Lys Leu Ile Lys Asp Phe Leu Gln Gln Asn
 165 170 175

ggg tac act cct tat gac agg ttc tgt cca ttc tat aag acg gtg ggg 576
 Gly Tyr Thr Pro Tyr Asp Arg Phe Cys Pro Phe Tyr Lys Thr Val Gly
 180 185 190

atg ctg tcc aac atg att tca ttc tat gat atg gcc cgc cgg gct gtg 624
 Met Leu Ser Asn Met Ile Ser Phe Tyr Asp Met Ala Arg Arg Ala Val
 195 200 205

gag acc acc gcc cag agt gac aat aag atc aca tgg tcc att atc cgt 672
 Glu Thr Thr Ala Gln Ser Asp Asn Lys Ile Thr Trp Ser Ile Ile Arg
 210 215 220

gag cac atg ggg gag att ctc tat aaa ctt tcc tcc atg aaa ttc aag 720
 Glu His Met Gly Glu Ile Leu Tyr Lys Leu Ser Ser Met Lys Phe Lys
 225 230 235 240

gat cca gtg aag gat ggc gag gca aag atc aag gcc gac tac gca cag 768
 Asp Pro Val Lys Asp Gly Glu Ala Lys Ile Lys Ala Asp Tyr Ala Gln
 245 250 255

ctt ctt gaa gat atg cag aac gca ttc cgt agc ctg gaa gat 810
 Leu Leu Glu Asp Met Gln Asn Ala Phe Arg Ser Leu Glu Asp
 260 265 270

094045-069-2540460

66T250"25400460

tagaactgtg acttctctcc tctctctccg cagctcatat gtgtatattt tctgaattt 870
ctcatctcca accctttgct tccatattgt gcagctttga gactagtgcc tcgtgcgttc 930
tcgttcattt tgctgtttct ttggtaggtc ttataaaaca cacattcctg tgctccgctg 990
tctgaaggag ctctgacct ttgtctgaag tggatgaatgt agtgcatatg atacacagtg 1050
taacatacac attgtaacat atacgttctg taaacttgta tgtaagggtga ctaccccttc 1110
cctcctctcc agtaaactgt aaacaggact actgcatgtg ctctattggg gatggaaggc 1170
cagatctcca taccgtggac aggtacataa ggaaactaga ccacttgcaa cttagtgttt 1230
gttgagtaac cattttgcag gaagtatttc catttaaaaa acaaaagatt aatgttccaa 1290
ttattttagt cttccccagt atcaatcagg actgtttgtg gcgcacttgg gaactatttt 1350
gttttcttaa cagacgtttg caaggctgaa cgtaatagat aaatcagttc cctctgaaag 1410
tgtgaaagta aaaagagagc taggtggtca gacttaaatt gacatcgtct tgtttaagca 1470
tattttattt cactgagaga tttaatatca aggactttta tatactcaat tactaggaaa 1530
tcttttttta agtacaattt aaaaatcatt gaaaatgtga tccacatcat agccattttc 1590
cttatattta gtcagatgag ctgagagtgg ggagggtgtg ggtagaata ccacaaggac 1650
acgcagcagt gcctgcaggc agtgtggccg gggggccagag cggcattgtt ttcacgaggt 1710
acgtgtgtgg cgtgtgtgtt tgcttggtga cactctgaaa acagcaagct taccagttcc 1770
aggaaatatt ttgttttctt tcaactggctc agaaagctcc tcaaagtacc tggctcctga 1830
agcttcttat ctgttaatag agacgagaga gggtcttaaa tttaactggg gacaaaacaa 1890
aaagaaaaaa aagatcgatt tttgtcttgc tgttttggtg tgtttaaata ataattccat 1950
atttgcataa cgaggctcgc ttctgagagc ttggagatcg tgctccctct tcaactctccg 2010
gggtgataat gctggcgcca tgctacctct tcaggagggg aaggggattg aacatggcta 2070
acactctcaa gtacacaagc gtaacgacaa agtattttatt ttaagccttg gtatgttgtt 2130
taaattatta ggtggtgcat ttcttatggt cttttgggta gacatagtat acacttcaga 2190
tgtaatgtgt aaatccttgc tagtgcatgt ctacaogata gactgctatt caagaaggat 2250
attcttccac ataacaattt aaaaactatt aaatcagata tggattatgc aatgacttgt 2310
tgagagggtg attaacggtg ctgcttaatc agtttgcttc caatatggct tcgtatccag 2370
aagccctgac tagtggagat gagaaagatt tcaaaacctg totgcctaca cctaccagca 2430
acctaggctt gtgatcagaa tgaatgatcc caagaaacta cttgaccaag tgtgttttgt 2490
tgtcctggat ttgagatgtg cgttcttctc cctctgaga ctgttgatgt atgagtgtga 2550
agaagttaca gaaacaacgc tcagattttc acggtaactt tccctctgcc cacactgtag 2610
agtttcagat tgttcactga tagtgcttct ttctgtaagga tgtgttaaaa tatagcagtc 2670


```

tttttaaaag attatgcagt tctctattta ttgtgctgtg cctggtccta agtgcagccg 2730
gttaaacaag tttcatatgt atttttccag tgttaaatct catacctatg ccctttggaa 2790
agctccatcc tgaacaatga atagaagagg ctatataaat tgccctcctta tccttaagat 2850
ttcactatct ttatgttaag agtaatgtat aattattaaa atctatgaaa aataaaaagt 2910
ggatttaaat taagagatc 2929

```

<210> 59

<211> 270

<212> PRT

<213> Rattus sp.

<400> 59

```

Ala Asp Ser Thr Ser Arg Trp Ala Glu Ala Leu Arg Glu Ile Ser Gly
 1          5          10          15
Arg Leu Ala Glu Met Pro Ala Asp Ser Gly Tyr Pro Ala Tyr Leu Gly
          20          25          30
Ala Arg Leu Ala Ser Phe Tyr Glu Arg Ala Gly Arg Val Lys Cys Leu
          35          40          45
Gly Asn Pro Glu Arg Glu Gly Ser Val Ser Ile Val Gly Ala Val Ser
          50          55          60
Pro Pro Gly Gly Asp Phe Ser Asp Pro Val Thr Ser Ala Thr Leu Gly
          65          70          75          80
Ile Val Gln Val Phe Trp Gly Leu Asp Lys Lys Leu Ala Gln Arg Lys
          85          90          95
His Phe Pro Ser Val Asn Trp Leu Ile Ser Tyr Ser Lys Tyr Met Arg
          100          105          110
Ala Leu Asp Glu Tyr Tyr Asp Lys His Phe Thr Glu Phe Val Pro Leu
          115          120          125
Arg Thr Lys Ala Lys Glu Ile Leu Gln Glu Glu Glu Asp Leu Ala Glu
          130          135          140
Ile Val Gln Leu Val Gly Lys Ala Ser Leu Ala Glu Thr Asp Lys Ile
          145          150          155          160
Thr Leu Glu Val Ala Lys Leu Ile Lys Asp Asp Phe Leu Gln Gln Asn
          165          170          175
Gly Tyr Thr Pro Tyr Asp Arg Phe Cys Pro Phe Tyr Lys Thr Val Gly
          180          185          190
Met Leu Ser Asn Met Ile Ser Phe Tyr Asp Met Ala Arg Arg Ala Val
          195          200          205
Glu Thr Thr Ala Gln Ser Asp Asn Lys Ile Thr Trp Ser Ile Ile Arg
          210          215          220

```

0940049" 25400460

Glu His Met Gly Glu Ile Leu Tyr Lys Leu Ser Ser Met Lys Phe Lys
 225 230 235 240

Asp Pro Val Lys Asp Gly Glu Ala Lys Ile Lys Ala Asp Tyr Ala Gln
 245 250 255

Leu Leu Glu Asp Met Gln Asn Ala Phe Arg Ser Leu Glu Asp
 260 265 270

<210> 60
 <211> 1489
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (1)..(1053)

<400> 60
 gca cgg ctc ccg gcc ccg gag cat gcg cga cag cag ccc ctc ctc tcc 48
 Ala Arg Leu Pro Ala Pro Glu His Ala Arg Gln Gln Pro Leu Leu Ser
 1 5 10 15

ggc cct gag ccc gga tcg tcc gcc cgg gtt cca gtt ccc ggc gtg gcc 96
 Gly Pro Glu Pro Gly Ser Ser Ala Arg Val Pro Val Pro Gly Val Ala
 20 25 30

agt agg cgg cag ccg cga ggc ggc aag cca ccc agc ggg gac ggc ctg 144
 Ser Arg Arg Gln Pro Arg Gly Gly Lys Pro Pro Ser Gly Asp Gly Leu
 35 40 45

gag tcg ggc ccc tct cca cgc ccc ctt ctc cac gcg cgc ggg gag gca 192
 Glu Ser Gly Pro Ser Pro Arg Pro Leu Leu His Ala Arg Gly Glu Ala
 50 55 60

ggg ctc cac cgc cag tct gga agg gtt cca cat aca gga acg gcc tac 240
 Gly Leu His Arg Gln Ser Gly Arg Val Pro His Thr Gly Thr Ala Tyr
 65 70 75 80

ttc gca gat gag ccc acc gag gct cag gct ccg ggc gga ttc tgc gtg 288
 Phe Ala Asp Glu Pro Thr Glu Ala Gln Ala Pro Gly Gly Phe Cys Val
 85 90 95

tca ccc tcg ctc ctt ggg gtc cgc tgg ccg gcc tgt gcc acc cgg acg 336
 Ser Pro Ser Leu Leu Gly Val Arg Trp Pro Ala Cys Ala Thr Arg Thr
 100 105 110

ccc ggc tca ctg cct ctg tct ccc cca tca gcg cag ccc cgg acg cta 384
 Pro Gly Ser Leu Pro Leu Ser Pro Pro Ser Ala Gln Pro Arg Thr Leu
 115 120 125

tgg ccc acc cct cca gct ggc ccc tcg agt agg atg gta gca cgt aac 432
 Trp Pro Thr Pro Pro Ala Gly Pro Ser Ser Arg Met Val Ala Arg Asn
 130 135 140

cag gtg gca gcc gac aat gcg atc tcc ccg gca tca gag ccc cga cgg 480
 Gln Val Ala Ala Asp Asn Ala Ile Ser Pro Ala Ser Glu Pro Arg Arg
 145 150 155 160

66T260"25400450

55T259"26400450

cgg cca gag cca tcc tcg tcc tcg tct tcg tcc tcg ccg gcg gcc ccg	528
Arg Pro Glu Pro Ser Ser Ser Ser Ser Ser Ser Ser Pro Ala Ala Pro	
165 170 175	
gcg cgt ccc cgg ccc tgc ccg gtg gtc ccg gcc ccg gct ccg ggc gac	576
Ala Arg Pro Arg Pro Cys Pro Val Val Pro Ala Pro Ala Pro Gly Asp	
180 185 190	
act cac ttc cgc acc ttc cgc tcc cac tot gat tac ccg cgc atc acg	624
Thr His Phe Arg Thr Phe Arg Ser His Ser Asp Tyr Arg Arg Ile Thr	
195 200 205	
cgg acc agc gct ctc ctg gac gcc tgc ggc ttc tac tgg gga ccc ctg	672
Arg Thr Ser Ala Leu Leu Asp Ala Cys Gly Phe Tyr Trp Gly Pro Leu	
210 215 220	
agc gtg cat ggg gcg cac gaa ccg ctg cgt gcc gag ccc gtg ggc acc	720
Ser Val His Gly Ala His Glu Arg Leu Arg Ala Glu Pro Val Gly Thr	
225 230 235 240	
ttc ttg gtg cgc gac agt cgc cag ccg aac tgc ttc ttc gcg ctc agc	768
Phe Leu Val Arg Asp Ser Arg Gln Arg Asn Cys Phe Phe Ala Leu Ser	
245 250 255	
gtg aag atg gct tcg ggc ccc acg agc att cgt gtg cac ttc cag gcc	816
Val Lys Met Ala Ser Gly Pro Thr Ser Ile Arg Val His Phe Gln Ala	
260 265 270	
ggc cgc ttc cac ctg gac ggc agc cgc gag acc ttc gac tgc ctc ttc	864
Gly Arg Phe His Leu Asp Gly Ser Arg Glu Thr Phe Asp Cys Leu Phe	
275 280 285	
gag ctg ctg gag cac tac gtg gcg gcg ccg cgc cgc atg ttg ggg gcc	912
Glu Leu Leu Glu His Tyr Val Ala Ala Pro Arg Arg Met Leu Gly Ala	
290 295 300	
cca ctg cgc cag cgc cgc gtg ccg ccg ctg cag gag ctg tgt cgc cag	960
Pro Leu Arg Gln Arg Arg Val Arg Pro Leu Gln Glu Leu Cys Arg Gln	
305 310 315 320	
cgc atc gtg gcc gcc gtg ggt cgc gag aac ctg gca cgc atc cct ctt	1008
Arg Ile Val Ala Ala Val Gly Arg Glu Asn Leu Ala Arg Ile Pro Leu	
325 330 335	
aac ccg gta ctc cgt gac tac ctg agt tcc ttc ccc ttc cag atc	1053
Asn Pro Val Leu Arg Asp Tyr Leu Ser Ser Phe Pro Phe Gln Ile	
340 345 350	
tgaccggctg ccgccgtgcc cgcagcatta agtgggagcg ccttattatt tcttattatt	1113
aattattatt atttttctgg aaccacgtgg gagccctccc cgcctaggtc ggagggagtg	1173
ggtgtggagg gtgagatgcc tcccaattct ggtgtggagac cttatcccgc ctctcggggg	1233
gcctcccctc ctggtgctcc ctcccgttcc cctgtgttgt agcagcttgt gtctggggcc	1293
aggacctgaa ctccacgcct acctctccat gtttacctgt tcccagtatc tttgcacaaa	1353
ccaggggtgg gggaggggtct ctggcttcat ttttctgctg tgcagaatat tctattttat	1413

attttttacat ccagttttaga taataaaactt tattatgaaa gttttttttt taaagaaaaa 1473

aaaaaaaaaaaaa 1489

<210> 61

<211> 351

<212> PRT

<213> Rattus sp.

<400> 61

Ala Arg Leu Pro Ala Pro Glu His Ala Arg Gln Gln Pro Leu Leu Ser
1 5 10 15

Gly Pro Glu Pro Gly Ser Ser Ala Arg Val Pro Val Pro Gly Val Ala
20 25 30

Ser Arg Arg Gln Pro Arg Gly Gly Lys Pro Pro Ser Gly Asp Gly Leu
35 40 45

Glu Ser Gly Pro Ser Pro Arg Pro Leu Leu His Ala Arg Gly Glu Ala
50 55 60

Gly Leu His Arg Gln Ser Gly Arg Val Pro His Thr Gly Thr Ala Tyr
65 70 75 80

Phe Ala Asp Glu Pro Thr Glu Ala Gln Ala Pro Gly Gly Phe Cys Val
85 90 95

Ser Pro Ser Leu Leu Gly Val Arg Trp Pro Ala Cys Ala Thr Arg Thr
100 105 110

Pro Gly Ser Leu Pro Leu Ser Pro Pro Ser Ala Gln Pro Arg Thr Leu
115 120 125

Trp Pro Thr Pro Pro Ala Gly Pro Ser Ser Arg Met Val Ala Arg Asn
130 135 140

Gln Val Ala Ala Asp Asn Ala Ile Ser Pro Ala Ser Glu Pro Arg Arg
145 150 155 160

Arg Pro Glu Pro Ser Ser Ser Ser Ser Ser Ser Pro Ala Ala Pro
165 170 175

Ala Arg Pro Arg Pro Cys Pro Val Val Pro Ala Pro Ala Pro Gly Asp
180 185 190

Thr His Phe Arg Thr Phe Arg Ser His Ser Asp Tyr Arg Arg Ile Thr
195 200 205

Arg Thr Ser Ala Leu Leu Asp Ala Cys Gly Phe Tyr Trp Gly Pro Leu
210 215 220

Ser Val His Gly Ala His Glu Arg Leu Arg Ala Glu Pro Val Gly Thr
225 230 235 240

Phe Leu Val Arg Asp Ser Arg Gln Arg Asn Cys Phe Phe Ala Leu Ser
245 250 255

Val Lys Met Ala Ser Gly Pro Thr Ser Ile Arg Val His Phe Gln Ala
260 265 270

66T260"26400450

Gly Arg Phe His Leu Asp Gly Ser Arg Glu Thr Phe Asp Cys Leu Phe
275 280 285

Glu Leu Leu Glu His Tyr Val Ala Ala Pro Arg Arg Met Leu Gly Ala
290 295 300

Pro Leu Arg Gln Arg Arg Val Arg Pro Leu Gln Glu Leu Cys Arg Gln
305 310 315 320

Arg Ile Val Ala Ala Val Gly Arg Glu Asn Leu Ala Arg Ile Pro Leu
325 330 335

Asn Pro Val Leu Arg Asp Tyr Leu Ser Ser Phe Pro Phe Gln Ile
340 345 350

<210> 62

<211> 1194

<212> DNA

<213> Rattus sp.

<220>

<221> CDS

<222> (130)..(765)

<400> 62

ggcacggctc ccggccccgg agcatgcgcg acagcagccc cggaaccccc agccgcggcg 60

ccccgcgtcc cgccgccagc gcagccccgg acgctatggc ccacccctcc agctggcccc 120

tcgagtagg atg gta gca cgt aac cag gtg gca gcc gac aat gcg atc tcc 171
Met Val Ala Arg Asn Gln Val Ala Ala Asp Asn Ala Ile Ser
1 5 10

ccg gca tca gag ccc cga cgg cgg cca gag cca tcc tcg tcc tcg tct 219
Pro Ala Ser Glu Pro Arg Arg Arg Pro Glu Pro Ser Ser Ser Ser Ser
15 20 25 30

tcg tcc tcg ccg gcg gcc ccg gcg cgt ccc cgg ccc tgc ccg gtg gtc 267
Ser Ser Ser Pro Ala Ala Pro Ala Arg Pro Arg Pro Cys Pro Val Val
35 40 45

ccg gcc ccg gct ccg ggc gac act cac ttc cgc acc ttc cgc tcc cac 315
Pro Ala Pro Ala Pro Gly Asp Thr His Phe Arg Thr Phe Arg Ser His
50 55 60

tct gat tac cgg cgc atc acg cgg acc agc gct ctc ctg gac gcc tgc 363
Ser Asp Tyr Arg Arg Ile Thr Arg Thr Ser Ala Leu Leu Asp Ala Cys
65 70 75

ggc ttc tac tgg gga ccc ctg agc gtg cat ggg gcg cac gaa cgg ctg 411
Gly Phe Tyr Trp Gly Pro Leu Ser Val His Gly Ala His Glu Arg Leu
80 85 90

cgt gcc gag ccc gtg ggc acc ttc ttg gtg cgc gac agt cgc cag cgg 459
Arg Ala Glu Pro Val Gly Thr Phe Leu Val Arg Asp Ser Arg Gln Arg
95 100 105 110

0540045" 0949

aac tgc ttc ttc gcg ctc agc gtg aag atg gct tgc ggc ccc acg agc 507
 Asn Cys Phe Phe Ala Leu Ser Val Lys Met Ala Ser Gly Pro Thr Ser
 115 120 125

att cgt gtg cac ttc cag gcc ggc cgc ttc cac ctg gac ggc agc cgc 555
 Ile Arg Val His Phe Gln Ala Gly Arg Phe His Leu Asp Gly Ser Arg
 130 135 140

gag acc ttc gac tgc ctc ttc gag ctg ctg gag cac tac gtg gcg gcg 603
 Glu Thr Phe Asp Cys Leu Phe Glu Leu Leu Glu His Tyr Val Ala Ala
 145 150 155

ccg cgc cgc atg ttg ggg gcc cca ctg cgc cag cgc cgc gtg cgg ccg 651
 Pro Arg Arg Met Leu Gly Ala Pro Leu Arg Gln Arg Arg Val Arg Pro
 160 165 170

ctg cag gag ctg tgt cgc cag cgc atc gtg gcc gcc gtg ggt cgc gag 699
 Leu Gln Glu Leu Cys Arg Gln Arg Ile Val Ala Ala Val Gly Arg Glu
 175 180 185 190

aac ctg gca cgc atc cct ctt aac ccg gta ctc cgt gac tac ctg agt 747
 Asn Leu Ala Arg Ile Pro Leu Asn Pro Val Leu Arg Asp Tyr Leu Ser
 195 200 205

tcc ttc ccc ttc cag atc tgaccggctg ccgccgtgcc cgcagcatta 795
 Ser Phe Pro Phe Gln Ile
 210

agtgggagcg ccttattatt tcttattatt aattattatt atttttctgg aaccacgtgg 855
 gagccctccc cgcctaggtc ggaggagtg ggtgtggagg gtgagatgcc tcccacttct 915
 ggctggagac cttatcccg cctctcgggg gccctcccctc ctggtgctcc ctcccgggtcc 975
 ccctggttgt agcagcttgt gtctggggcc aggacctgaa ctccacgcct acctctccat 1035
 gtttacatgt tcccagtatc ttgcacaaa ccagggggtg gggagggtct ctggcttcat 1095
 ttttctgctg tgcagaatat tctattttat atttttacat ccagtttaga taataaactt 1155
 tattatgaaa gttttttttt taaaaaaaaa aaaaaaaaaa 1194

<210> 63
 <211> 212
 <212> PRT
 <213> Rattus sp.

<400> 63
 Met Val Ala Arg Asn Gln Val Ala Ala Asp Asn Ala Ile Ser Pro Ala
 1 5 10 15
 Ser Glu Pro Arg Arg Arg Pro Glu Pro Ser Ser Ser Ser Ser Ser Ser
 20 25 30
 Ser Pro Ala Ala Pro Ala Arg Pro Arg Pro Cys Pro Val Val Pro Ala
 35 40 45
 Pro Ala Pro Gly Asp Thr His Phe Arg Thr Phe Arg Ser His Ser Asp
 50 55 60

0540645
 25400450
 1541250

Tyr Arg Arg Ile Thr Arg Thr Ser Ala Leu Leu Asp Ala Cys Gly Phe
 65 70 75 80
 Tyr Trp Gly Pro Leu Ser Val His Gly Ala His Glu Arg Leu Arg Ala
 85 90 95
 Glu Pro Val Gly Thr Phe Leu Val Arg Asp Ser Arg Gln Arg Asn Cys
 100 105 110
 Phe Phe Ala Leu Ser Val Lys Met Ala Ser Gly Pro Thr Ser Ile Arg
 115 120 125
 Val His Phe Gln Ala Gly Arg Phe His Leu Asp Gly Ser Arg Glu Thr
 130 135 140
 Phe Asp Cys Leu Phe Glu Leu Leu Glu His Tyr Val Ala Ala Pro Arg
 145 150 155 160
 Arg Met Leu Gly Ala Pro Leu Arg Gln Arg Arg Val Arg Pro Leu Gln
 165 170 175
 Glu Leu Cys Arg Gln Arg Ile Val Ala Ala Val Gly Arg Glu Asn Leu
 180 185 190
 Ala Arg Ile Pro Leu Asn Pro Val Leu Arg Asp Tyr Leu Ser Ser Phe
 195 200 205
 Pro Phe Gln Ile
 210

<210> 64
 <211> 600
 <212> DNA
 <213> Rattus sp.

<220>
 <221> CDS
 <222> (52)..(336)

<400> 64
 cttccaaaga ctgcagcgcc tcagggccca gggtttcaaca gattcttcaa a atg cca 57
 Met Pro
 1
 tcc caa atg gag cat gcc atg gaa acc atg atg ctt aca ttt cac agg 105
 Ser Gln Met Glu His Ala Met Glu Thr Met Met Leu Thr Phe His Arg
 5 10 15
 ttt gca ggg gaa aaa aac tac ttg aca aag gag gac ctg aga gtg ctc 153
 Phe Ala Gly Glu Lys Asn Tyr Leu Thr Lys Glu Asp Leu Arg Val Leu
 20 25 30
 atg gaa agg gag ttc cct ggg ttt ttg gaa aat caa aag gac cct ctg 201
 Met Glu Arg Glu Phe Pro Gly Phe Leu Glu Asn Gln Lys Asp Pro Leu
 35 40 45 50

0940049.0929

<400> 66
atg gcg tac gcc tat ctc ttc aag tac atc atc atc ggc gac aca ggt 48
Met Ala Tyr Ala Tyr Leu Phe Lys Tyr Ile Ile Ile Gly Asp Thr Gly

1	5	10	15	
gtt ggt aaa tgc tta ttg cta cag ttt aca gac aag agg ttt cag	96			
Val Gly Lys Ser Cys Leu Leu Leu Gln Phe Thr Asp Lys Arg Phe Gln				
20 25 30				
ccg gtg cat gac ctc aca att ggt gta gag ttt ggt gct cga atg ata	144			
Pro Val His Asp Leu Thr Ile Gly Val Glu Phe Gly Ala Arg Met Ile				
35 40 45				
acc att gat ggg aaa cag ata aaa ctc cag atc tgg gat aca gca ggg	192			
Thr Ile Asp Gly Lys Gln Ile Lys Leu Gln Ile Trp Asp Thr Ala Gly				
50 55 60				
cag gag tcc ttt cgt tct atc aca agg tca tat tac aga ggt gca gcg	240			
Gln Glu Ser Phe Arg Ser Ile Thr Arg Ser Tyr Tyr Arg Gly Ala Ala				
65 70 75 80				
ggg gct tta cta gtg tat gat att aca agg aga gac acg ttc aac cac	288			
Gly Ala Leu Leu Val Tyr Asp Ile Thr Arg Arg Asp Thr Phe Asn His				
85 90 95				
ttg aca acc tgg tta gaa gac gcc cgt cag cat tcc aat tcc aac atg	336			
Leu Thr Thr Trp Leu Glu Asp Ala Arg Gln His Ser Asn Ser Asn Met				
100 105 110				
gtc atc atg ctt att gga aat aaa agt gac tta gaa tct agg aga gaa	384			
Val Ile Met Leu Ile Gly Asn Lys Ser Asp Leu Glu Ser Arg Arg Glu				
115 120 125				
gtg aaa aag gaa gaa ggt gaa gct ttt gca cga gag cat gga ctt atc	432			
Val Lys Lys Glu Glu Gly Glu Ala Phe Ala Arg Glu His Gly Leu Ile				
130 135 140				
ttc atg gaa act tct gcc aag act gct tct aat gta gag gag gca ttt	480			
Phe Met Glu Thr Ser Ala Lys Thr Ala Ser Asn Val Glu Glu Ala Phe				
145 150 155 160				
att aac aca gca aaa gaa att tat gaa aaa atc caa gaa ggg gtc ttt	528			
Ile Asn Thr Ala Lys Glu Ile Tyr Glu Lys Ile Gln Glu Gly Val Phe				
165 170 175				
gac att aat aat gag gca aac ggc atc aaa att ggc cct cag cat gct	576			
Asp Ile Asn Asn Glu Ala Asn Gly Ile Lys Ile Gly Pro Gln His Ala				
180 185 190				
gct acc aat gca tct cac gga ggc aac caa gga ggg cag cag gca ggg	624			
Ala Thr Asn Ala Ser His Gly Gly Asn Gln Gly Gly Gln Gln Ala Gly				
195 200 205				
gga ggc tgc tgc tga	639			
Gly Gly Cys Cys				
210				

<210> 67

<211> 212

<212> PRT

<213> Rattus sp.

667260 "26400460

<400> 67

Met Ala Tyr Ala Tyr Leu Phe Lys Tyr Ile Ile Ile Gly Asp Thr Gly
 1 5 10 15

Val Gly Lys Ser Cys Leu Leu Leu Gln Phe Thr Asp Lys Arg Phe Gln
 20 25 30

Pro Val His Asp Leu Thr Ile Gly Val Glu Phe Gly Ala Arg Met Ile
 35 40 45

Thr Ile Asp Gly Lys Gln Ile Lys Leu Gln Ile Trp Asp Thr Ala Gly
 50 55 60

Gln Glu Ser Phe Arg Ser Ile Thr Arg Ser Tyr Tyr Arg Gly Ala Ala
 65 70 75 80

Gly Ala Leu Leu Val Tyr Asp Ile Thr Arg Arg Asp Thr Phe Asn His
 85 90 95

Leu Thr Thr Trp Leu Glu Asp Ala Arg Gln His Ser Asn Ser Asn Met
 100 105 110

Val Ile Met Leu Ile Gly Asn Lys Ser Asp Leu Glu Ser Arg Arg Glu
 115 120 125

Val Lys Lys Glu Glu Gly Glu Ala Phe Ala Arg Glu His Gly Leu Ile
 130 135 140

Phe Met Glu Thr Ser Ala Lys Thr Ala Ser Asn Val Glu Glu Ala Phe
 145 150 155 160

Ile Asn Thr Ala Lys Glu Ile Tyr Glu Lys Ile Gln Glu Gly Val Phe
 165 170 175

Asp Ile Asn Asn Glu Ala Asn Gly Ile Lys Ile Gly Pro Gln His Ala
 180 185 190

Ala Thr Asn Ala Ser His Gly Gly Asn Gln Gly Gly Gln Gln Ala Gly
 195 200 205

Gly Gly Cys Cys
 210

<210> 68

<211> 816

<212> DNA

<213> Rattus sp.

<220>

<221> CDS

<222> (1)..(813)

<400> 68

atg gtg ctg ctc aag gaa tat cgg gtc atc ctg cct gtg tct gta gat
 Met Val Leu Leu Lys Glu Tyr Arg Val Ile Leu Pro Val Ser Val Asp
 1 5 10 15

48

654049 2540460

gag tat caa gtg ggg cag ctg tac tct gtg gct gaa gcc agt aaa aat 96
 Glu Tyr Gln Val Gly Gln Leu Tyr Ser Val Ala Glu Ala Ser Lys Asn
 20 25 30

gaa act ggt ggt ggg gaa ggt gtg gag gtc ctg gtg aac gag ccc tac 144
 Glu Thr Gly Gly Gly Glu Gly Val Glu Val Leu Val Asn Glu Pro Tyr
 35 40 45

gag aag gat gat ggc gag aaa ggc cag tac aca cac aag atc tac cac 192
 Glu Lys Asp Asp Gly Glu Lys Gly Gln Tyr Thr His Lys Ile Tyr His
 50 55 60

tta cag agc aaa gtt ccc acg ttt gtt cga atg ctg gcc cca gaa ggc 240
 Leu Gln Ser Lys Val Pro Thr Phe Val Arg Met Leu Ala Pro Glu Gly
 65 70 75 80

gcc ctg aat ata cat gag aaa gcc tgg aat gcc tac cct tac tgc aga 288
 Ala Leu Asn Ile His Glu Lys Ala Trp Asn Ala Tyr Pro Tyr Cys Arg
 85 90 95

acc gtt att aca aat gag tac atg aag gaa gac ttt ctc att aaa att 336
 Thr Val Ile Thr Asn Glu Tyr Met Lys Glu Asp Phe Leu Ile Lys Ile
 100 105 110

gaa acc tgg cac aag cca gac ctt ggc acc cag gag aat gtg cat aaa 384
 Glu Thr Trp His Lys Pro Asp Leu Gly Thr Gln Glu Asn Val His Lys
 115 120 125

ctg gag cct gag gca tgg aaa cat gtg gaa gct ata tat ata gac atc 432
 Leu Glu Pro Glu Ala Trp Lys His Val Glu Ala Ile Tyr Ile Asp Ile
 130 135 140

gct gat cga agc caa gta ctt agc aag gat tac aag gca gag gaa gac 480
 Ala Asp Arg Ser Gln Val Leu Ser Lys Asp Tyr Lys Ala Glu Glu Asp
 145 150 155 160

cca gca aaa ttt aaa tct atc aaa aca gga cga gga cca ttg ggc ccg 528
 Pro Ala Lys Phe Lys Ser Ile Lys Thr Gly Arg Gly Pro Leu Gly Pro
 165 170 175

aat tgg aag caa gaa ctt gtc aat cag aag gac tgc cca tat atg tgt 576
 Asn Trp Lys Gln Glu Leu Val Asn Gln Lys Asp Cys Pro Tyr Met Cys
 180 185 190

gca tac aaa ctg gtt act gtc aag ttc aag tgg tgg ggc ttg cag aac 624
 Ala Tyr Lys Leu Val Thr Val Lys Phe Lys Trp Trp Gly Leu Gln Asn
 195 200 205

aaa gtg gaa aac ttt ata cat aag caa gag aag cgt ctg ttt aca aac 672
 Lys Val Glu Asn Phe Ile His Lys Gln Glu Lys Arg Leu Phe Thr Asn
 210 215 220

ttt cac agg cag ctg ttc tgt tgg ctt gat aaa tgg gtt gat ctg act 720
 Phe His Arg Gln Leu Phe Cys Trp Leu Asp Lys Trp Val Asp Leu Thr
 225 230 235 240

atg gat gac att cgg agg atg gaa gaa gag acg aag aga cag ctg gat 768
 Met Asp Asp Ile Arg Arg Met Glu Glu Glu Thr Lys Arg Gln Leu Asp
 245 250 255

667260 25400460

```
<400> 69
cgctctcctc ctcccctttc tctagcagta gccttcttaa tgtagtttaa tggctttaca 60
aagaaagcca ggcagaggag cacttctcag tggctgtggt cggaccatga cctagctgac 120
catgaacttg gaagggcttg aaatgatagc agttctgato gtcattgtgc tttttgttaa 180
attattggaa cagtttgggc tgattgaagc aggtttagaa gacagcgtgg aagatgaact 240
ggagatggcc actgtcaggc atcggcctga ggcccttgag cttctggaag ccagagcaa 300
attaccaag aaagagcttc agatccttta 'cagaggattt aagaacgaat gcccagtggt 360
tgttgtaaat gaagaaacct tcaaagagat ttactgcag ttctttccac agggagactc 420
tacaacatat gcacattttc tgttcaatgc gtttgatacg gaccacaatg gagctgtgag 480
tttcgaggat ttcatcaaag gtctttccat tttgctcggg gggacagtac aagaaaaact 540
caattgggca tttaatctgt atgatataaa taaagatggc tacatcacta aagaggaaat 600
gcttgatata atgaaagcaa tatacgacat gatgggtaaa tgtacatata ctgtcctcaa 660
agaagatgca ccagacaac acgtcgaaac attttttcag aaaatggaca aaaataaaga 720
tggggttggt accatagatg agttcattga aagctgccaa aaagatgaaa acataatgcy 780
ctccatgcag ctctttgaaa atgtgattta acttgtcaac tagatcctga atccaacaga 840
caaatgtgaa ctattctacc acccttaaag tcggagctac cacttttagc atagattgct 900
cagcttgaca ctgaagcata ttatgcaaac aagctttggt ttaatatata gcaatcccca 960
aaagatttga gtttctcagt tataaatttg catcctttcc ataatgccac tgagttcatg 1020
ggatgttcta actcatttca tactctgtga atattcaaaa gtaatagaat ctggcatata 1080
gttttattga ttcccttagcc atgggattat tgaggctttc acatatcagt gattttaaaa 1140
taccagtgtt ttttgctact catttgatg tattcagtc taggattttg aatggttttc 1200
taatatactg acatctgcat ttaatttcca gaaattaaat taattttcat gtctgaatgc 1260
tgtaattcca tttatatact ttaagtaaac aaataagatt actacaatta aacacatagt 1320
tccagtttct atggccttca ctcccacct tctattagaa attaatttta tctgggtattt 1380
ttaaacattt aaaaatttat catcagatat cagcatatgc ctaattatgc ctaatgaaac 1440
ttaataagca ttaatttttc catcatacat tatagtcaa gctatatac tatatataat 1500
```

tttggatttg tttaatctta caggctgttt tccattgtat catcaagtgg aagttcaaga 1560
 cggcatcaaa caaaacaagg atgtttacag acatatgcaa agggtcagga tatctatcct 1620
 ccagtatatg ttaatgctta ataacaagta atcctaacag cattaagggc caaatctgtc 1680
 ctctttcccc tgacttcctt acagcatggt tatattacaa gccattcagg gacaaagaaa 1740
 ccttgactac cccactgtct actaggaaca aacaaacagc aagcaaaatt cactttgaaa 1800
 gcaccagtgg ttccattaca ttgacaacta ctaccaagat tcagtagaaa ataagtgtc 1860
 aacaactaat ccagattaca atatgattta gtgcatcata aaattccaac aattcagatt 1920
 atttttaatc acctcagcca caactgtaaa gttgccacat tactaaagac acacacatcg 1980
 tccctgtttt gtagaaatat cacaaagacc aagaggctac agaaggagga aatttgcaac 2040
 tgtctttgca acaataaatc aggtatctat tctggtgtag agataggatg ttgaaagctg 2100
 ccctgctatc accagtgtag aaattaagag tagtacaata catgtacact gaaatttgcc 2160
 atcgcggtgtt tgtgtaaact caatgtgcac attttgtatt tcaaaaagaa aaaataaaaag 2220
 caaaataaaa tgtttataac tctaaaaaaa aaaaaaaaaa aaa 2263

<210> 70

<211> 229

<212> PRT

<213> Simian sp.

<400> 70

Met Asn Leu Glu Gly Leu Glu Met Ile Ala Val Leu Ile Val Ile Val
 1 5 10 15

Leu Phe Val Lys Leu Leu Glu Gln Phe Gly Leu Ile Glu Ala Gly Leu
 20 25 30

Glu Asp Ser Val Glu Asp Glu Leu Glu Met Ala Thr Val Arg His Arg
 35 40 45

Pro Glu Ala Leu Glu Leu Leu Glu Ala Gln Ser Lys Phe Thr Lys Lys
 50 55 60

Glu Leu Gln Ile Leu Tyr Arg Gly Phe Lys Asn Glu Cys Pro Ser Gly
 65 70 75 80

Val Val Asn Glu Glu Thr Phe Lys Glu Ile Tyr Ser Gln Phe Phe Pro
 85 90 95

Gln Gly Asp Ser Thr Thr Tyr Ala His Phe Leu Phe Asn Ala Phe Asp
 100 105 110

Thr Asp His Asn Gly Ala Val Ser Phe Glu Asp Phe Ile Lys Gly Leu
 115 120 125

Ser Ile Leu Leu Arg Gly Thr Val Gln Glu Lys Leu Asn Trp Ala Phe
 130 135 140

0940049.0949

Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile Thr Lys Glu Glu Met
145 150 155 160

Leu Asp Ile Met Lys Ala Ile Tyr Asp Met Met Gly Lys Cys Thr Tyr
165 170 175

Pro Val Leu Lys Glu Asp Ala Pro Arg Gln His Val Glu Thr Phe Phe
180 185 190

Gln Lys Met Asp Lys Asn Lys Asp Gly Val Val Thr Ile Asp Glu Phe
195 200 205

Ile Glu Ser Cys Gln Lys Asp Glu Asn Ile Met Arg Ser Met Gln Leu
210 215 220

Phe Glu Asn Val Ile
225

<210> 71
<211> 2259
<212> DNA
<213> Simian sp.

<400> 71
gtcgacagac gcccctggcc ggtggactcc tgagtcttac tcctgcaccc tgcgtcccca 60
gacatgaatg tgaggagagt ggaaagcatt tcggctcagc tggaggaggc cagctccaca 120
ggcggtttcc tgtatgctca gaacagcacc aagcgcagca ttaaagagcg gctcatgaag 180
ctcttgccct gctcagctgc caaaacatcg tctctgcta ttcaaacag cgtggaagat 240
gaactggaga tggccactgt caggcatcgg cctgaggccc ttgagcttct ggaagcccag 300
agcaaattta ccaagaaaga gcttcagatc ctttacagag gatttaagaa cgaatgcccc 360
agtgggtgtg ttaatgaaga aaccttcaaa gagatttact cgcagttctt tccacaggga 420
gactctacaa catatgcaca tttctgttc aatgcgtttg atacggacca caatggagct 480
gtgagtttcg aggatttcat caaaggctct tccattttgc tccgggggac agtacaagaa 540
aaactcaatt gggcatttaa tctgtatgat ataaataaag atggctacat cactaaagag 600
gaaatgcttg atataatgaa agcaatatac gacatgatgg gtaaattgtac atatcctgtc 660
ctcaaagaag atgcaccag acaacacgtc gaaacathtt ttcagaaaat ggacaaaaat 720
aaagatgggg ttgttaccat agatgagttc attgaaagct gccaaaaaga tgaaaacata 780
atgcgctcca tgcagctctt tgaaaatgtg atttaacttg tcaactagat cctgaatcca 840
acagacaaat gtgaactatt ctaccaccct taaagtcgga gctaccactt ttagcataga 900
ttgctcagct tgacactgaa gcatattatg caaacaagct ttgttttaat ataaagcaat 960
ccccaaaaga tttgagtttc tcagttataa atttgcattc tttccataat gccactgagt 1020
tcattgggatg ttctgactca tttcatactc tgtgaatatt caaaagtaat agaattctggc 1080

09400460 2640460

atatagtttt attgattcct tagccatggg attattgagg ctttcacata tcagtgattt 1140
 taaaatacca gtgttttttg ctactcattt gtatgtattc agtcctagga ttttgaatgg 1200
 ttttctaata tactgacatc tgcatttaat ttccagaaat taaattaatt ttcatgtctg 1260
 aatgctgtaa ttccatttat atactttaag taaacaaata agattactac aattaaacac 1320
 atagttccag tttctatggc cttcacttcc caccttctat tagaaattaa ttttatctgg 1380
 tatttttaaa catttaaaaa tttatcatca gatatcagca tatgcctaata tatgcctaata 1440
 gaaacttaata aagcatttaa ttttccatca tacattatag tcaaggccta tatactatat 1500
 ataatttttg atttgtttaa tcttacaggc tgttttccat tgtatcatca agtggaagtt 1560
 caagacggca tcaaacaaaa caaggatgtt tacagacata tgcaaagggt caggatatct 1620
 atcctccagt atatgttaat gcttaataac aagtaatcct aacagcatta aaggccaaat 1680
 ctgtcctctt tcccctgact tccttacagc atgtttatat tacaagccat tcagggacaa 1740
 agaaaccttg actaccccac tgtctactag gaacaaacaa acagcaagca aaattcactt 1800
 tgaaagcacc agtggttcca ttacattgac aactactacc aagattcagt agaaaataag 1860
 tgctcaacaa ctaatccaga ttacaatatg atttagtgca tcataaaatt ccaacaattc 1920
 agattatttt taatcacctc agccacaact gtaaagttgc cacattacta aagacacaca 1980
 catcgccctt gttttgtaga aatatcacia agaccaagag gctacagaag gaggaaattt 2040
 gcaactgtct ttgcaacaat aaatcaggta tctattctgg tgtagagata ggatgttgaa 2100
 agctgccctg ctatcaccag tgtagaaaatt aagagtagta caatacatgt aactgaaat 2160
 ttgccatcgc gtgtttgtgt aaactcaatg tgcacatttt gtatttcaaa aagaaaaaat 2220
 aaaagcaaaa taaaatgtta aaaaaaaaaa aaaaaaaaaa 2259

<210> 72
 <211> 250
 <212> PRT
 <213> Simian sp.

<400> 72
 Met Asn Val Arg Arg Val Glu Ser Ile Ser Ala Gln Leu Glu Glu Ala
 1 5 10 15
 Ser Ser Thr Gly Gly Phe Leu Tyr Ala Gln Asn Ser Thr Lys Arg Ser
 20 25 30
 Ile Lys Glu Arg Leu Met Lys Leu Leu Pro Cys Ser Ala Ala Lys Thr
 35 40 45
 Ser Ser Pro Ala Ile Gln Asn Ser Val Glu Asp Glu Leu Glu Met Ala
 50 55 60
 Thr Val Arg His Arg Pro Glu Ala Leu Glu Leu Leu Glu Ala Gln Ser
 65 70 75 80

Lys Phe Thr Lys Lys Glu Leu Gln Ile Leu Tyr Arg Gly Phe Lys Asn
 85 90 95
 Glu Cys Pro Ser Gly Val Val Asn Glu Glu Thr Phe Lys Glu Ile Tyr
 100 105 110
 Ser Gln Phe Phe Pro Gln Gly Asp Ser Thr Thr Tyr Ala His Phe Leu
 115 120 125
 Phe Asn Ala Phe Asp Thr Asp His Asn Gly Ala Val Ser Phe Glu Asp
 130 135 140
 Phe Ile Lys Gly Leu Ser Ile Leu Leu Arg Gly Thr Val Gln Glu Lys
 145 150 155 160
 Leu Asn Trp Ala Phe Asn Leu Tyr Asp Ile Asn Lys Asp Gly Tyr Ile
 165 170 175
 Thr Lys Glu Glu Met Leu Asp Ile Met Lys Ala Ile Tyr Asp Met Met
 180 185 190
 Gly Lys Cys Thr Tyr Pro Val Leu Lys Glu Asp Ala Pro Arg Gln His
 195 200 205
 Val Glu Thr Phe Phe Gln Lys Met Asp Lys Asn Lys Asp Gly Val Val
 210 215 220
 Thr Ile Asp Glu Phe Ile Glu Ser Cys Gln Lys Asp Glu Asn Ile Met
 225 230 235 240
 Arg Ser Met Gln Leu Phe Glu Asn Val Ile
 245 250

<210> 73
 <211> 10
 <212> PRT
 <213> Simian sp.

<400> 73
 Ser Asn Ala Lys Ala Val Glu Thr Asp Val
 1 5 10

091000490"26400450